

Safety data sheet

According to Regulation (EC) No. 1907/2006 (REACH)

Date of issue: 02.10.2020 Supersedes edition of: 27.03.2020

SECTION 1: Identification of the substance / mixture and of the company / undertaking

1.1 Product identifier

Product name: Alkoclean Lavendel

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Alcohol-based cleaner

1.3 Details of the supplier of the safety data sheet

Company: Otto Oehme GmbH
Industriestraße 20
D-90584 Allersberg Deutschland
Tel. +49 9176 98050
info@oehme-lorito.de

1.4 Emergency telephone number

GIZ Nord Poisons Centre, Göttingen Tel. +49 (0) 551 19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Eye Irrit. 2, H319

Full text of hazard statements: See under section 16.

2.2 Label elements

Labelling (Regulation (EC) No. 1272/2008)

Hazard pictograms:



Signal word:

Warning

Hazard statements:

H319 Causes serious eye irritation.

Precautionary statements:

P280 Wear protective gloves/eye protection.

P337 + P313 If eye irritation persists: Get medical advice/attention.

2.3 Other hazards

Not known.

Product name: Alkoclean Lavendel
 Revision date: 02.10.2020

SECTION 3: Composition / information on ingredients

Solution in water.

Hazardous components (Regulation (EC) No. 1272/2008)

<i>Chemical name</i>				<i>Content</i>
<i>CAS-No.</i>	<i>EC-No.</i>	<i>EC-Index-No.</i>	<i>Labelling according to EC-Regulation</i>	
Ethanol				< 5 %
64-17-5	200-578-6	603-002-00-5	Flam. Liq. 2, H225 Eye Irrit. 2, H319	
REACH Registration Number: 01-2119457610-43				
Ethyl methyl ketone				< 0.1 %
78-93-3	201-159-0	606-002-00-3	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336	
REACH Registration Number: 01-2119457290-43				
Isotridecanol, ethoxylated				< 5 %
69011-36-5	NLP 500-241-6		Eye Dam. 1, H318 Acute Tox. 4, H302	
REACH Registration Number: 02-2119552461-55-0000				
Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., potassium salts (*)				< 5 %
84961-78-4	284-669-6		Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412	

Full text of hazard statements: See under section 16.

(*) A registration number is not available for this substance as the substance or its use is exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

SECTION 4: First aid measures**4.1 Description of first aid measures**

After inhalation: Fresh air. Call in physician if feeling unwell.

After skin contact: Wash off with plenty of water. Remove contaminated clothing. Consult a physician if skin irritations occur.

After eye contact: Rinse out with plenty of water with the eyelid held wide open. Call in ophthalmologist.

After swallowing: Make victim drink plenty of water (two glasses at most), avoid vomiting. Call in physician.

4.2 Most important symptoms and effects, both acute and delayed

Irritant effects, respiratory paralysis, dermatitis, narcosis, inebriation, euphoria, nausea, vomiting. Drying-out effect resulting in rough and chapped skin.

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

Product name: Alkoclean Lavendel
Revision date: 02.10.2020

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide, foam, dry powder.

Unsuitable extinguishing media

For this substance / mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Contains combustible material. Vapours are heavier than air and may spread along floors. Forms explosive mixtures with air at ambient temperatures. Pay attention to flashback. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Special protective equipment for firefighters

Do not stay in dangerous zone without suitable chemical protection clothing and self-contained breathing apparatus.

Further information

Prevent fire-fighting water from entering surface water or groundwater.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Caution: Risk of slipping.

Do not inhale vapours/aerosols. Avoid substance contact. Use personal protective equipment as required, see section 8.2. Ensure supply of fresh air in enclosed rooms. In case of inadequate ventilation wear respiratory protection.

6.2 Environmental precautions

Do not get undiluted into sewerage system.

6.3 Methods and material for containment and cleaning up

Take up with incombustible liquid-absorbent material. Forward for disposal. Clean up affected area.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Notes for safe handling

Ensure adequate ventilation. Avoid contact with skin and eyes. Do not inhale vapours/aerosols. Avoid generation of vapours/aerosols.

Notes for prevention of fire and explosion

Not required.

Product name: Alkoclean Lavendel
Revision date: 02.10.2020

7.2 Conditions for safe storage, including any incompatibilities

Store cool above 5 °C. Keep away from sun and heat.
Tightly closed in a well-ventilated place.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ethanol

EH40 WEL

Name	Ethanol
Time weighted average (TWA)	1000 ppm 1920 mg/m ³

Ethyl methyl ketone

ECLV

Name	Butan-2-one
Limit value 8 hours	200 ppm 600 mg/m ³

Short term (< 15 min.)	300 ppm 900 mg/m ³
------------------------	----------------------------------

EH40 WEL

Name	Butan-2-one
Short term exposure limit (STEL)	300 ppm 899 mg/m ³

Time weighted average (TWA)	200 ppm 600 mg/m ³
-----------------------------	----------------------------------

Skin designation	Can be absorbed through the skin.
------------------	-----------------------------------

8.2 Exposure controls

Individual protection measures

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier.

Eye / face protection:

Eye protection (EN 166).

Hand protection:

Material: Nitrile rubber.

Thickness: 0.1 mm

Breakthrough time: > 480 min

The protective gloves to be used must comply with the specifications of EC directive 89/686/EEC and the resultant standard EN 374, e.g. Franz Mensch Nitrile Safe Premium.

This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions

Product name: Alkoclean Lavendel
Revision date: 02.10.2020

deviating from those stated in EN374 please contact the supplier of CE-approved gloves.

Other protective equipment

Acid-resistant protective clothing.

Respiratory protection:

Required when vapours/aerosols are generated. Filter A2 P2 (EN 14387).

Hygiene measures

Change contaminated clothing. Apply skin- protective barrier cream. Wash hands and face after working with substance.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Form:	liquid
Colour:	blue
Odour:	perfumed
pH value	~ 6
Melting point	not specified
Boiling point	~ 100 °C
Ignition temperature	not applicable
Flash point	> 60 °C
Explosion limits	lower > 1.3 % (Ethanol)
	upper 15 % (Ethanol)
Density (20 °C)	~ 1.0 g/cm ³
Solubility in water	miscible

9.2 Other information

None.

SECTION 10: Stability and reactivity**10.1 Reactivity**

Forms explosive mixtures with air on intense heating.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

Risk of explosion/exothermic reaction with:

Hydrogen peroxide, perchlorates, perchloric acid, nitric acid, mercury(II) nitrate, permanganic acid, nitriles, peroxi compounds, strong oxidizing agents, nitrosyl compounds, peroxides, sodium, potassium, halogen oxides, calcium hypochlorite, nitrogen dioxide, metallic oxides, uranium hexafluoride, iodides, chlorine, alkali metals, alkaline earth metals, alkali oxides, ethylene oxide potassium permanganate, sulfuric acid.

Risk of ignition or formation of inflammable gases or vapours with:

Halogen-halogen compounds, chromium(VI) oxide, chromyl chloride, fluorine, hydrides, oxides of

Product name: Alkoclean Lavendel
Revision date: 02.10.2020

phosphorus, platinum.

10.4 Conditions to avoid

Warming.

10.5 Incompatible materials

Rubber, various plastics.

Corrosive substances, halogenes, bases, acids, reactive chemicals.

10.6 Hazardous decomposition products

See section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

LD₅₀ rat: 10470 mg/kg (OECD 401; Ethanol)

Symptoms: Nausea, vomiting.

LD₅₀ rat: 1470 mg/kg (external MSDS; Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.)

LD₅₀ rat: 500 - 2000 mg/kg (OECD 423; Isotridecanol, ethoxylated)

Acute dermal toxicity

LD₅₀ rat: > 2000 mg/kg (external MSDS; Ethanol)

Symptoms: Dermatitis, drying-out effect resulting in rough and chapped skin.

LD₅₀ rat: >2000 mg/kg (external MSDS; Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.)

Acute inhalation toxicity

LC₅₀ rat: 124.7 mg/l /4 h vapour (OECD 403; Ethanol)

Symptoms: Slight mucosal irritations, absorption.

Skin irritation

Rabbit: No irritation (OECD 404; Ethanol).

Rabbit: No irritation (OECD 404; Isotridecanol, ethoxylated).

Corrosive (external MSDS; Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.)

Causes severe skin burns.

Eye irritation

Rabbit: Eye irritation (OECD 405; Ethanol).

Causes serious eye irritation.

Rabbit: Eye irritation (OECD 405; Isotridecanol, ethoxylated).

Corrosive (external MSDS; Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.).

Causes serious eye damage.

Sensitisation

Sensitisation test (Magnusson and Kligman): Negative (IUCLID; Ethanol).

Genotoxicity in vitro

Ames test: Salmonella typhimurium: Negative (National Toxicology Program; Ethanol).

Mutagenicity (mammal cell test): Mouse lymphoma test: Negative (OECD 476; Ethanol).

Specific target organ toxicity – single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Product name: Alkoclean Lavendel
Revision date: 02.10.2020

Specific target organ toxicity – repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification.

11.2 Further information

Systemic effects: Euphoria.

After absorption of large quantities: Dizziness, inebriation, narcosis, respiratory paralysis.

Further hazardous properties cannot be excluded. The product should be handled with the care usual when dealing with chemicals.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish

Leuciscus idus LC₅₀: 8140 mg/l /48 h (IUCLID; Ethanol)

Lepomis macrochirus LC₅₀: 1-10 mg/l /96 h (external MSDS; Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.)

Leuciscus idus LC₅₀: 1-10 mg/l /96 h (external MSDS; Isotridecanol, ethoxylated)

Toxicity to daphnia and other aquatic invertebrates

Daphnia magna: EC₅₀: 9268-14221 mg/l /48 h (IUCLID; Ethanol)

Entosiphon sulcatum: EC₅: 65 mg/l /72 h (maximum permissible toxic concentration; external MSDS; Ethanol)

Daphnia sp. EC₅₀: 1-10 mg/l /48 h (external MSDS; Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.)

Aquatic invertebrates: EC₅₀: 1-10 mg/l /48 h (external MSDS; Isotridecanol, ethoxylated)

Toxicity to algae

Scenedesmus quadricauda: IC₅₀: 5000 mg/l / 7 d (maximum permissible toxic concentration; external MSDS; Ethanol)

EC₅₀: 1-10 mg/l (external MSDS; Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.).

EC₅₀: 1-10 mg/l /72 h (external MSDS; Isotridecanol, ethoxylated)

Toxicity to bacteria

Pseudomonas putida EC₅: 6500 mg/l /16 h (maximum permissible toxic concentration; IUCLID; Ethanol)

Activated sludge: EC₁₀: >10000 mg/l /17 h (DIN 38412 (8); Isotridecanol, ethoxylated)

12.2 Persistence and degradability

Biodegradability

The surfactants contained in this preparation complies with the Biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

Data to support this assertion are held at the disposal of the competent authorities of the member states and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Biodegradation: 94 % (OECD 301E; Ethanol)

Readily biodegradable (Ethanol)

Biodegradation: >60 % / 28 d (OECD 301B; Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.)

Product name: Alkoclean Lavendel
Revision date: 02.10.2020

Readily biodegradable (Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.)
Biodegradation: >60 % / 28 d (OECD 301B; Isotridecanol, ethoxylated)
Readily biodegradable (Isotridecanol, ethoxylated)

Biochemical oxygen demand (BOD)
930-1670 mg/g /5 d (external MSDS; Ethanol)

Theoretical oxygen demand (ThOD)
2100 mg/g (external MSDS; Ethanol)

Ratio COD / ThBOD
90 % (external MSDS; Ethanol)

12.3 Bioaccumulative potential

Partition coefficient: n-octanol / water: $\log P_{ow}$: -0.31 (external MSDS; Ethanol).
No bioaccumulation is to be expected (Ethanol).
No bioaccumulation is to be expected (external MSDS; Isotridecanol, ethoxylated).
Bioconcentration factor: > 100 (external MSDS; Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.).

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT / vPvB assessment not available as chemical safety assessment not required / not conducted.

12.6 Other adverse effects

Additional ecological information:
COD: 2.1 g/g (external MSDS; Isotridecanol, ethoxylated).

Do not allow to enter waters, waste water, or soil!

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product:

Chemicals must be disposed of in compliance with the respective national regulations.

Code of the waste
200129*
070601*

Name according to directive 2000/532/EC:
detergents containing dangerous substances.
aqueous washing liquids and mother liquors.

Packaging:

Product packaging must be disposed of in compliance with the country-specific regulations or must be to a packaging return system.

SECTION 14: Transport information

Not classified as dangerous in the meaning of transport regulations.

Product name: Alkoclean Lavendel
Revision date: 02.10.2020

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations / legislation specific for the substance or mixture

EU regulations

Ingredients according to Regulation (EC) on detergents No. 648/2004:

Non-ionic surfactants: Less than 5 %

Anionic surfactants: Less than 5 %

Duftstoffe. Linalool, Coumarin, Geraniol.

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16: Other information

Reason for alteration:

SECTION 9: Physical and chemical properties

Full text of hazard statements referred to under sections 2 and 3:

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.