		SAFETY D	DATA SHEET						
	ac	cording to Commission Regu	ulation (EU) 2020/878 a	as amended					
	LORITO Beckensteine-Toilet Pellets Ocean								
Creati	on date 0-	4th December 2024							
Revisi	on date		Version	1.0					
SECTI	ON 1: Identification of t	he substance/mixture ar	nd of the company/u	ndertaking					
1.1.									
	Substance / mixture		mixture						
	Number		09253						
	UFI		FGRW-UUXJ-N00)4-NY2N					
1.2. Relevant identified uses of the substance or mixture and uses advised against									
	Mixture's intended use	Mixture's intended use							
	Detergent and deodorant	Detergent and deodorant that is placed in urinals. It is used to deodorize toilets, prevents the formation of deposi							
	Main intended use								
	PC-CLN-11.3	Multi-flush products	for toilets						
	The use descriptors								
	С	Consumer use							
	Mixture uses advised a	-							
	The product should not b	e used in ways other than t	hose referred in Sectior	า 1.					
1.3.		of the safety data sheet							
	Supplier								
	Name or trade nam	ne	OTTO OEHME GmbH						
	Address		Industriestraße 2	20, D 90584 ALLESBERG					
			Germany						
	Phone		+49(0)9176/980						
	E-mail		<u>info@oehme-lori</u>						
	Web address		www.oehme-lori	<u>to.de</u>					
		ponsible for the safety da							
	Name		OTTO OEHME Gr						
	E-mail		<u>info@oehme-lori</u>	<u>to.de</u>					
1.4.	Emergency telephone								
	European emergency nur	nber: 112							

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Classification of the mixture in accordance with Regulation (EC) No 1272/2008 The mixture is classified as dangerous.

Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412 Most serious adverse physico-chemical effects None Most serious adverse effects on human health and the environment

Causes serious eye damage. Causes skin irritation. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard pictogram



Signal word Danger Hazardous substances Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts Hazard statements H315 Causes skin irritation. H318 Causes serious eye damage. H412 Harmful to aquatic life with long lasting effects. 1/12

Created in the aplication SBLCore 2024 Blue (24.10.43) www.sblcore.com

according to Commission Regulation (EU) 2020/878 as amended

LORITO Beckensteine-Toilet Pellets Ocean

Creation date 04th December 2024 Revision date Version 1.0
Precautionary statements

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P280	Wear eye protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a doctor.
P501	Dispose of contents/container to by handing over to the person authorized to dispose of waste or by returning to the supplier.
Supplemental information	
EUH208	Contains benzyl salicylate, 4-tert-butylcyclohexyl acetate. May produce an allergic

Contains benzyl salicylate, 4-tert-butylcyclohexyl acetate. May produce an allergic reaction.

15-<30 % anionic surfactants, 5-<15 % non-ionic surfactants, perfumes, colorant, Eugenol, Benzyl salicylate, Coumarin, Linalool, Limonene, Camphor, Linalyl Acetate, Terpineol, Citrus Aurantium Peel Oil, Eucalyptus Globulus Oil

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended. Dust may form explosive mixture with air.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 68411-30-3 EC: 270-115-0 Registration number: 01-2119489428-22	Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	<25	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412	
CAS: 657-84-1 EC: 211-522-5	Benzenesulfonic acid, 4-methyl-, sodium salt (1:1)	<4	Eye Irrit. 2, H319	
CAS: 90622-77-8 EC: 931-338-5 Registration number: 01-2119489413-33	Amides, C12-18 and C18-unsatd., N- (hydroxyethyl)	<2	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411	
CAS: 97489-15-1 EC: 307-055-2 Registration number: 01-2119489924-20	Sulfonic acids, C14-17-sec-alkane, sodium salts	<2	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412 Specific concentration limit: Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Dam. 1, H318: C > 60 % Skin Irrit. 2, H315; Eye Dam. 1, H318: 15 % < C \leq 60 % Skin Irrit. 2, H315; Eye Irrit. 2, H319: 10 % < C \leq 15 %	
Index: 607-754-00-5 CAS: 118-58-1 EC: 204-262-9	benzyl salicylate	<1	Skin Sens. 1B, H317	
CAS: 32210-23-4 EC: 250-954-9 Registration number: 01-2119976286-24	4-tert-butylcyclohexyl acetate	<0.2	Skin Sens. 1, H317 Aquatic Chronic 2, H411	

according to Commission Regulation (EU) 2020/878 as amended

LORITO Beckensteine-Toilet Pellets Ocean

Creation date	04th December 2024			
Revision date		Version	1.0	
Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 601-096-00-2 CAS: 5989-27-5 EC: 227-813-5	(R)-p-mentha-1,8-diene (Limonene)	<0.1	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 3, H412	1

Notes

1 Note C: Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air.

If on skin

Take off contaminated clothing. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

If in eyes

Do not rub your eyes – it could lead to mechanical damage of the cornea. Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.

If swallowed

Rinse out the mouth with water and provide 2-5 dL of water. Provide medical treatment if the person has any health problems.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Inhaling dust can cause corrosion of the breathing system.

If on skin

Causes skin irritation.

If in eyes

Causes serious eye damage.

If swallowed

Corrosion of the digestion system can occur.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

- More information
- Not available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist. **Unsuitable extinguishing media**

Water - full jet.

according to Commission Regulation (EU) 2020/878 as amended

LORITO Beckensteine-Toilet Pellets Ocean

Creation date

Version

1.0

Revision date

5.2.

Special hazards arising from the substance or mixture

04th December 2024

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Place the product mechanically in an appropriate manner. Dispose of the collected material according to the instructions in the section 13.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent contact with skin and eyes. Wash hands and exposed parts of the body thoroughly after handling. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Avoid release to the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose.

Content	Packaging type	Material of package
1 kg	bucket	PP

The specific requirements or rules relating to the substance/mixture

The product is hygroscopic, it must not come into contact with water / moisture before use. Keep out of reach of children. Keep away from food, drink and animal feed.

7.3. Specific end use(s)

Detergent and deodorant that is placed in urinals. It is used to deodorize toilets, prevents the formation of deposits.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Consumers

The mixture contains no substances for which occupational exposure limits are set.

Oral

DNEL

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts Workers / consumers Route of exposure Value Effect Workers 85 mg/kg Chronic effects systemic Dermal Workers Inhalation 6 mg/m³ Chronic effects systemic Consumers Dermal 42.5 mg/kg Chronic effects systemic Consumers Inhalation 1.5 mg/m³ Chronic effects systemic

0.425 mg/kg

Chronic effects systemic

according to Commission Regulation (EU) 2020/878 as amended

LORITO Beckensteine-Toilet Pellets Ocean

Creation date Revision date 04th December 2024

Version

1.0

Sulfonic acids, C14-17-sec-alkane, sodium salts						
Workers / consumers	Route of exposure	Value	Effect			
Workers	Dermal	2.8 mg/cm ²	Acute effects local			
Workers	Dermal	5 mg/kg	Chronic effects systemic			
Workers	Inhalation	35 mg/m ³	Chronic effects systemic			
Workers	Dermal	2.8 mg/cm ²	Chronic effects local			

PNEC

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts					
Route of exposure	Value				
Freshwater environment	0.24 mg/l				
Marine water	0.0268 mg/l				
Water (intermittent release)	0.0167 mg/l				
Freshwater sediment	8.1 mg/kg				
Sea sediments	8.1 mg/kg				

Sulfonic acids, C14-17-sec-alkane, sodium salts				
Route of exposure	Value			
Freshwater environment	0.04 mg/l			
Marine water	0.004 mg/l			
Water (intermittent release)	0.06 mg/l			
Freshwater sediment	9.4 mg/kg			
Sea sediments	0.94 mg/kg			
Soil (agricultural)	9.4 mg/kg			
Microorganisms in sewage treatment	600 mg/l			

8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

Skin protection

Hand protection: Protective gloves resistant to the product. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

Respiratory protection

Use a mask with anti-dust filter when the exposition limits of the substances are exceeded or at the place with insufficient ventilation.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

More information

Not available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	solid
Colour	blue
Odour	according to fragrance
Melting point/freezing point	data not available

according to Commission Regulation (EU) 2020/878 as amended

LORITO Beckensteine-Toilet Pellets Ocean

Creation date 04th Dec	ember 2024			
Revision date		Version	1.0	
Boiling point or initial boiling poi	nt and boiling range	data not availabl	e	
Flammability	5 5	non-inflammable		
Lower and upper explosion limit		data not availabl	e	
Flash point		data not availabl	e	
Auto-ignition temperature		data not availabl	e	
Decomposition temperature		data not availabl	e	
pH		5-8 (1% solution	at 23 °C)	
Kinematic viscosity		data not availabl	e	
Solubility in water		soluble		
Partition coefficient n-octanol/wa	ater (log value)	data not availabl	e	
Vapour pressure		data not availabl	e	
Density and/or relative density		data not availabl	e	
Relative vapour density		data not availabl	e	
Particle characteristics		data not availabl	e	
Form		solid: compact		
0.2 Other information				

9.2. Other information

The product is hydroscopic. It has no oxidizing or explosive properties.

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is hygroscopic, it must not come into contact with moisture and liquids before use.

10.2. Chemical stability

The product is stable under normal conditions. The product is hygroscopic, it must not come into contact with moisture and liquids before use.

10.3. Possibility of hazardous reactions Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. The product is hygroscopic, it must not come into contact with moisture and liquids before use.

10.5. Incompatible materials Protect against strong acids, bases and oxidizing agents. 10.6. Hazardous decomposition products

Not developed under normal uses.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

LORITO Beckensteine-Toilet Pellets Ocean

Lonario Dece									
Route of	Parameter	Method	Value	Exposure	Species	Sex	Value		
exposure				time			determination		
Oral	ATE		4767 mg/kg				Calculation of		
							value		

Benzenesulf	Benzenesulfonic acid, 4-methyl-, sodium salt (1:1)									
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	Value determination			
Oral	LD50		7000 mg/kg							
Inhalation	LC50		6410 mg/m ³							
Dermal	LD50		2000 mg/kg							

according to Commission Regulation (EU) 2020/878 as amended

LORITO Beckensteine-Toilet Pellets Ocean

Creation date Revision date 04th December 2024

Version

1.0

Benzenesulf	onic acid, C10 [.]	-13-alkyl deriv	s., sodium salts				
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	Value determination
Dermal	LD50	OECD 402	>2000 mg/kg		Rat (Rattus norvegicus)		
Oral	LD 50	OECD 401	1080 mg/kg		Rat (Rattus norvegicus)		

Sulfonic acids, C14-17-sec-alkane, sodium salts

Surforme actus, CI4-I7-See-arkane, Sourain Saits							
Route of exposure	Parameter	Method	Value	Exposure time	Species		Value determination
Oral	LD50	OECD 401	500-2000 mg/kg		Rat (Rattus norvegicus)		
Dermal	LD 50		>2000 mg/kg		Mouse	F	Expert opinion

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. **Other information**

not available

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

according to Commission Regulation (EU) 2020/878 as amended

LORITO Beckensteine-Toilet Pellets Ocean

Creation date Revision date 04th December 2024

Version

1.0

Acute toxicity

Benzenesulfonic acid, 4-methyl-, sodium salt (1:1)						
Parameter	Method	Value	Exposure time	Species	Environmen t	
LC50		>1000 mg/l	96 hours	Fish (Oncorhynchus mykiss)		
EC50		>1000 mg/l	48 hours	Daphnia (Daphnia magna)		

Benzenesulfor	nic acid, C10-13-	alkyl derivs., sodiu	m salts		
Parameter	Method	Value	Exposure time	Species	Environmen t
EC₅o	OECD 202	2.9 mg/l	48 hours	Daphnia (Daphnia magna)	
EC₅o		29 mg/l	96 hours	Algae (Selenastrum capricornutum)	
NOEC		0.63 mg/l	196 days	Fish (Oncorhynchus mykiss)	
NOEC		0.23 mg/l	72 days	Fish (Oncorhynchus mykiss)	
LC50		1.67 mg/l	96 hours	Fish (Oncorhynchus mykiss)	

Chronic toxicity

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts						
Parameter	Method	Value	Exposure time	Species	Environmen t	
NOEC	OECD 211	1.41 mg/l	21 days	Daphnia (Daphnia magna)		

12.2. Persistence and degradability

Surfactants are biodegradable according to the European Parliament and Council Regulation (EC) No. 648/2004 on detergents, as amended.

Biodegradability

Benzenesulfonic acid, 4-methyl-, sodium salt (1:1)						
Parameter	Method	Value	Exposure time	Environment	Value determination	Result
	OECD 302B	96.6 %				

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts							
Parameter	Method	Value	Exposure time	Environment	Value determination	Result	
	OECD 301D	79 %			Expert opinion		

12.3. Bioaccumulative potential

Not available.

12.4. Mobility in soil

Not available. 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

according to Commission Regulation (EU) 2020/878 as amended

LORITO Beckensteine-Toilet Pellets Ocean

Creation date Revision date 04th December 2024

Version

12.7. Other adverse effects

Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

16 03 05* organic wastes containing hazardous substances

20 01 29* detergents containing hazardous substances

Packaging waste type code

15 01 02 plastic packaging

15 01 10* packaging containing residues of or contaminated by hazardous substances

(*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

SECTION 14: Transport information

14.1. UN number or ID number

- not subject to transport regulations
- 14.2. UN proper shipping name not relevant
- 14.3. Transport hazard class(es) not relevant
- 14.4. Packing group not relevant
- **14.5.** Environmental hazards Not available.

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments Not available.

Additional information

The product is hygroscopic, it must not come into contact with moisture and liquids before use.

according to Commission Regulation (EU) 2020/878 as amended

LORITO Beckensteine-Toilet Pellets Ocean

Creation date Revision date 04th December 2024

Version

1.0

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN HAZARDOUS SUBSTANCES, MIXTURES, AND ITEMS

The mixture contains the following substances for which restrictions on the manufacture, placing on the market and use of certain hazardous areas are imposed substances, mixtures and articles referred to in Regulation 1907/2006/EC, Title VIII:

Benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts - Regulation 1907/2006/EC, Annex XVII, item 3 Amides, C12-18 and C18-unsatd., N-(hydroxyethyl) - Regulation 1907/2006/EC, Annex XVII, item 3

National regulations (Germany)

WGK Water hazard class:

WGK 2 - obviously hazardous to water

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out (mixture).

More information

Not available.

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

EUH208	Contains benzyl salicylate, 4-tert-butylcyclohexyl acetate. May produce an allergic
	reaction.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Guidelines for safe handling	used in the safety data sheet
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P280	Wear eye protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a doctor.
P501	Dispose of contents/container to by handing over to the person authorized to dispose of waste or by returning to the supplier.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1.

Key to abbreviations	and acronyms used in the safety data sheet
Acute Tox.	Acute toxicity
ADR	European agreement concerning the international carriage of dangerous goods by road
Aquatic Acute	Hazardous to the aquatic environment
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
Asp. Tox.	Aspiration hazard
10/12	Created in the aplication SBLCore 2024 Blue (24.10.43) www.sblcore.com

according to Commission Regulation (EU) 2020/878 as amended

LORITO Beckensteine-Toilet Pellets Ocean

Alexa alexa				
ition date sion date	04th December 2024	Version	1.0	
BCF	Bioconcentration Fa	ctor		
CAS	Chemical Abstracts	Service		
CLP	Regulation (EC) No substance and mixt		ation, labelling and packaging of	
EC	Identification code f	or each substance liste	d in EINECS	
EC50	Concentration of a s	substance when it is aff	ected 50 % of the population	
EINECS		of Existing Commercia		
EmS	Emergency plan	, , , , , , , , , , , , , , , , , , ,		
EU	European Union			
EuPCS		ategorisation System		
Eye Dam.	Serious eye damage			
Eye Irrit.	Eye irritation	-		
Flam. Liq.	Flammable liquid			
IATA	International Air Tra	ansport Association		
IBC		•	nd Equipment of Ships Carrying	
	Dangerous Chemica	ls	a Equipment of Ships Carrying	
ICAO	International Civil A	viation Organization		
IMDG	International Maritir	me Dangerous Goods		
IMO	International Maritir	ne Organization		
INCI	International Nome	nclature of Cosmetic Ing	gredients	
ISO	International Organ	ization for Standardizat	ion	
IUPAC	International Union	of Pure and Applied Ch	emistry	
LC50	Lethal concentratior population	1 of a substance in whic	h it can be expected death of 50% of the	!
LD50	Lethal dose of a sub population	stance in which it can b	be expected death of 50% of the	
log Kow	Octanol-water partit	tion coefficient		
NOEC	No observed effect of			
OEL	Occupational Exposi			
PBT	Persistent, bioaccun			
PMT	Persistent, mobile a			
ppm	Parts per million			
REACH	•	tion Authorisation and	Restriction of Chemicals	
RID		ransport of dangerous g		
Skin Irrit.	Skin irritation	ansport of dangerous g		
Skin Sens.	Skin sensitization			
UN		ation number of the cul	ostance or article taken from the UN	
	Model Regulations			
UVCB	Substances of unkn biological materials	own or variable compos	sition, complex reaction products or	
VOC	Volatile organic com	ipounds		
vPvB	Very persistent and	very bioaccumulative		
vPvM	Very persistent and			
Training guidel	ines			
Inform the perso ways of handling		s of use, mandatory pro	ptective equipment, first aid and prohibite	ed
, .	restrictions of use			
See section 15				
	out data sources used to compi	le the Safety Data Sh	eet	
REGULATION (EC REGULATION (EC the manufacture	C) No. 1907/2006 OF THE EUROP C) No. 1272/2008 OF THE EUROPE r of the substance / mixture, if avai	EAN PARLIAMENT AND EAN PARLIAMENT AND lable - information from	OF THE COUNCIL (REACH) as amende OF THE COUNCIL as amended. Data fro n registration dossiers.	
The changes (v	which information has been adde	ed, deleted or modifie	ed)	

New dokument.

More information

Classification procedure - calculation method.

according to Commission Regulation (EU) 2020/878 as amended

LORITO Beckensteine-Toilet Pellets Ocean

Creation date Revision date 04th December 2024

Version

1.0

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection.