Printing date 30.03.2023 Version number 3 (replaces version 2) Revision: 30.03.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: SAN FORTE 350
- · **UFI:** 13D3-P0NG-Q00V-G14V
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- Product category PC35 Washing and cleaning products (including solvent based products)
- · Process category

PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

· Environmental release category

ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)

· Application of the substance / the mixture

Only for professional use.

Kalk- und Urinsteinlöser

- · Uses advised against No further relevant information aviable.
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Otto Oehme GmbH Industriestr. 20 D -90584 Allersberg

Telefon +49 (0) 9176 / 9805 - 0 Telefax +49 (0) 9176 / 9805 - 55

- · Further information obtainable from: Safety Department
- · 1.4 Emergency telephone number: Giftinformationszentrum-Nord, Göttingen Tel. +49 (0) 551 19240 (24h)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS05

- · Signal word Danger
- Hazard-determining components of labelling:

hydrogen chloride

· Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P260

Do not breathe dusts or mists.

(Contd. on page 2)

Printing date 30.03.2023 Version number 3 (replaces version 2) Revision: 30.03.2023

Trade name: SAN FORTE 350

(Contd. of page 1)

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

P406 Store in a corrosion resistant container / container with a resistant inner liner.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Determination of endocrine-disrupting properties

The substance/mixture does not contain any components in quantities of 0.1% or more that exhibit endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 7647-01-0	hydrogen chloride	5 - <	< 10%
EINECS: 231-595-7 Index number: 017-002-00-2	Met. Corr.1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318 STOT SE 3, H335		
Reg.nr.: 01-2119484862-27	Specific concentration limits: Skin Corr. 1B; H314: C ≥ 25 %		
	Skin Irrit. 2; H315: 10 % ≤ C < 25		
	%		
	Eye Irrit. 2; H319: 10 % ≤ C < 25		
	%		
	STOT SE 3; H335: C ≥ 10 %		
CAS: 69011-36-5	Isotridecanol, ethoxyliert (≥2.5 EO)	1 - <	2.59
EC number: 931-138-8 Reg.nr.: 01-2119976362-32	Eye Dam. 1, H318 Acute Tox. 4, H302		
	Specific concentration limits: Eye Dam. 1; H318: C ≥ 10 %		
	Eye Irrit. 2; H319: 1 % ≤ C < 10 %		
Regulation (EC) No 648/200	4 on detergents / Labelling for contents		
non-ionic surfactants			< 5%
colouring agent			

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact:
- Wash off immediately with soap and water and rinse thoroughly. Consult a doctor if irritation persists.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

 (Contd. on page 3)

- EU

Printing date 30.03.2023 Version number 3 (replaces version 2) Revision: 30.03.2023

Trade name: SAN FORTE 350

(Contd. of page 2)

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- 5.3 Advice for firefighters
- · Protective equipment:

Mouth respiratory protective device.

See section 8 for personal protection information.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

- · 6.2 Environmental precautions: Dilute with plenty of water.
- 6.3 Methods and material for containment and cleaning up:

Use neutralising agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage: Store cool and dry in tightly closed containers.
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

7647-01-0 hydrogen chloride (5 - < 10%)

IOELV Short-term value: 15 mg/m³, 10 ppm Long-term value: 8 mg/m³, 5 ppm

· Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.

(Contd. on page 4)

Printing date 30.03.2023 Version number 3 (replaces version 2) Revision: 30.03.2023

Trade name: SAN FORTE 350

(Contd. of page 3)

· Individual protection measures, such as personal protective equipment

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.



Protective gloves

Wear protective gloves according to EN 374.

Skin protection creams do not provide as effective protection as protective gloves. Therefore, suitable protective gloves should be preferred as much as possible.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Butyl rubber, BR

Nitrile rubber, NBR

Rubber gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

· Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Fluid · Colour: Red

• Odour: Characteristic
• Odour threshold: Not determined.
• Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and boiling

range 100 °C • Flammability Not applicable.

· Lower and upper explosion limit

· Lower: Not determined. · Upper: Not determined.

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31, amended according to Regulation (EC) No. 2020/878

Printing date 30.03.2023 *Version number 3 (replaces version 2)* Revision: 30.03.2023

Trade name: SAN FORTE 350

(Contd. of page 4)

Not applicable. · Flash point: · Decomposition temperature: Not determined.

· pH at 20 °C

· Viscosity:

· Kinematic viscosity Not determined. · Dynamic: Not determined.

·Solubility

Fully miscible. · water: · Partition coefficient n-octanol/water (log value) Not determined. 23 hPa

· Vapour pressure at 20 °C:

· Vapour pressure:

· Density and/or relative density

· Density at 20 °C: 1.05 g/cm3 Not determined. · Relative density · Vapour density Not determined.

· 9.2 Other information

· Appearance:

· Form: Fluid

· Important information on protection of health and

environment, and on safety.

· Ignition temperature: Product is not selfigniting.

Product does not present an explosion hazard. · Explosive properties:

· Solvent content:

89.4 % · Water: · VOC (EC) 0.00 % 0.1 % · Solids content:

Change in condition

Not determined. · Evaporation rate

Information with regard to physical hazard classes

Void · Explosives · Flammable gases Void Void · Aerosols · Oxidising gases Void · Gases under pressure Void · Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void · Self-heating substances and mixtures Void · Substances and mixtures, which emit flammable

gases in contact with water Void · Oxidising liquids Void · Oxidising solids Void · Organic peroxides Void

· Corrosive to metals May be corrosive to metals.

· Desensitised explosives Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.

(Contd. on page 6)

Printing date 30.03.2023 Version number 3 (replaces version 2) Revision: 30.03.2023

Trade name: SAN FORTE 350

(Contd. of page 5)

- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Skin corrosion/irritation Causes severe skin burns and eye damage.
- · Serious eye damage/irritation Causes serious eye damage.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · **vPvB**: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

The note below refers to the product left as it is and not to further processed products. When mixed with other products, other disposal routes may be required; if in doubt, consult the supplier of the product or the local authority.

(Contd. on page 7)

Printing date 30.03.2023 Version number 3 (replaces version 2) Revision: 30.03.2023

Trade name: SAN FORTE 350

(Contd. of page 6)

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Waste disposal key:

The waste code numbers are since 1.1.1999 not only product but essentially Application-specific. The valid application for the waste code number can be found in the European Waste Catalogue.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.2 UN proper shipping name ADR/RID/ADN IMDG, IATA 14.3 Transport hazard class(es) ADR/RID/ADN Class Label IMDG, IATA	UN3264 CORROSIVE LIQUID, ACIDIC, INORGANI N.O.S. (HYDROCHLORIC ACID) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O. (HYDROCHLORIC ACID)
14.3 Transport hazard class(es) ADR/RID/ADN Class Label	CORROSIVE LIQUID, ACIDIĆ, INORGANIC, N.O. (HYDROCHLORIC ACID) 8 (C1) Corrosive substances.
ADR/RID/ADN Class Label	1 /
Class Label	1 /
Label	1 /
Label	· · ·
	8
IMDG, IATA	
Class	8 Corrosive substances.
Label	8
14.4 Packing group ADR/RID/ADN, IMDG, IATA	II
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Corrosive substances.
Hazard identification number (Kemler code): EMS Number:	80 F-A,S-B
EMS Number: Segregation groups	(SGG1) Acids
Stowage Category	B
Stowage Code	SW2 Clear of living quarters.
Segregation Code	SG36 Stow "separated from" SGG18-alkalis.
	SG49 Stow "separated from" SGG6-cyanides

(Contd. on page 8)

Safety data sheet

according to 1907/2006/EC, Article 31, amended according to Regulation (EC) No. 2020/878

Printing date 30.03.2023 Version number 3 (replaces version 2) Revision: 30.03.2023

Trade name: SAN FORTE 350

	(Contd. of page
Transport/Additional information:	
· ADR/RID/ADN	
Excepted quantities (EQ):	EI
· Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
Transport category	2
Tunnel restriction code	E
· IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANI
S	N.O.S. (HYDROCHLORIC ACID), 8, II

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- · Signal word Danger
- · Hazard-determining components of labelling:

hydrogen chloride

· Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P260 Do not breathe dusts or mists.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

P406 Store in a corrosion resistant container / container with a resistant inner liner.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is included.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

(Contd. on page 9)

Printing date 30.03.2023 Version number 3 (replaces version 2) Revision: 30.03.2023

Trade name: SAN FORTE 350

Contd. of page 8)

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

7647-01-0 | hydrogen chloride | 3

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

7647-01-0 | hydrogen chloride | 3

- · National regulations:
- · Information about limitation of use:

Observe employment restrictions for children and adolescents according to Directive 94/33 / EC and the corresponding national regulations.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

The information is based on the current state of our knowledge, but it does not constitute a warranty of product of product characteristics and do not establish a contractual legal relationship. According to Annex II of ECNo. 1907/2006 in the version applicable on the date of this safety data sheet.

· Relevant phrases

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

· Training hints

Our information corresponds to our current knowledge and experience to the best of our knowledge. However, we pass it on without obligation. We reserve the right to make changes in the course of technical progress and further operational development. Our information merely describes the quality of our products and services and does not constitute any guarantees. The customer is not released from the obligation to have the functions and possible applications of the products carefully checked by qualified personnel. This also applies with regard to the protection of third party property rights. The mention of trade names of other companies is not a recommendation and does not exclude the use of other similar products.

· Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

· Contact:

Product Safety Department

Herr Müller

· Version number of previous version: 2

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Met. Corr.1: Corrosive to metals - Category 1

Acute Tox. 4: Acute toxicity - Category 4

(Contd. on page 10)

Printing date 30.03.2023 Version number 3 (replaces version 2) Revision: 30.03.2023

Trade name: SAN FORTE 350

(Contd. of page 9)

Skin Corr. 1B: Skin corrosion/irritation – Category 1B Eye Dam. 1: Serious eye damage/eye irritation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

·Sources

Regulations

REACH Regulation (EC) No 1907/2006 CLP Regulation (EC) No. 1272/2008 Regulation (EC) No 648/2004 on detergents

Internet

1 https://www.baua.de

2 https://dguv.de/ifa/stoffdatenbank

3 https://www.gischem.de

4 https://echa.europa.eu/en/candidate-list-table

5 http://gestis.itrust.de

* Data compared to the previous version altered.

- EU