Printing date 30.03.2023 Version number 3 (replaces version 2) Revision: 30.03.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: SAN FORTE Hochkonzentrat
- · **UFI:** 0CD3-60QP-N00C-G1W2
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- Product category PC35 Washing and cleaning products (including solvent based products)
- · Process category

PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

· Environmental release category

ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)

- · Application of the substance / the mixture Sanitätreiniger
- · Uses advised against

Do not use on acid-sensitive surfaces (e.g. aluminum, tin, enamel, marble). Check material compatibility on dirty areas. Do not mix with bleach or other household cleaners.

Nicht auf säureempfindlichen Oberflächen (z.B. Aluminium, Zinn, Emaille, Marmor) anwenden. Materialverträglichkeit an verdreckter Stelle prüfen. Nicht mit Bleichmitteln oder anderen Haushaltsreinigern mischen.

- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Otto Oehme GmbH Industriestr. 20 D -90584 Allersberg

Telefon +49 (0) 9176 / 9805 - 0 Telefax +49 (0) 9176 / 9805 - 55

- · Further information obtainable from: Product safety department
- · 1.4 Emergency telephone number: Giftinformationszentrum-Nord, Göttingen Tel. +49 (0) 551 19240 (24h)

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



> GHS05 corrosion

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



STOT SE 3 H335 May cause respiratory irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS05

GHS07

· Signal word Danger

(Contd. on page 2)

Printing date 30.03.2023 Version number 3 (replaces version 2) Revision: 30.03.2023

Trade name: SAN FORTE Hochkonzentrat

(Contd. of page 1)

· Hazard-determining components of labelling:

hydrogen chloride

· Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P260 Do not breathe dusts or mists.

P280 Wear protective gloves / eye protection / face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

P406 Store in a corrosion resistant container / container with a resistant inner liner.

· 2.3 Other hazards

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

· Determination of endocrine-disrupting properties

The substance/mixture does not contain any components in quantities of 0.1% or more that exhibit endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

CAS: 7647-01-0	hydrogen chloride	<i>15 - < 30%</i>
EINECS: 231-595-7	🔷 Met. Corr.1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318	
Index number: 017-002-00-2	V	
Reg.nr.: 01-2119484862-27	Specific concentration limits: Skin Corr. 1B; H314: C ≥ 25 %	
_	Skin Irrit. 2; H315: 10 % ≤ C < 25	
	%	
	Eye Irrit. 2; H319: $10 \% \le C < 25$	
	%	
	STOT SE 3; H335: C ≥ 10 %	
CAS: 69011-36-5	Isotridecanol, ethoxyliert (≥2.5 EO)	1 - < 2.5%
EC number: 931-138-8	♠ Eye Dam. 1, H318	
Reg.nr.: 01-2119976362-32	(i) Ácute Tox. 4, H302	
	Specific concentration limits: Eye Dam. 1; H318: $C \ge 10 \%$	
	<i>Eye Irrit. 2; H319: 1 % ≤ C < 10 %</i>	

Regulation (EC) No 648/2004 on detergents / Labelling for contents	
non-ionic surfactants	<5%
colouring agent	

· Additional information: For the wording of the listed hazard phrases refer to section 16.

EU

Printing date 30.03.2023 Version number 3 (replaces version 2) Revision: 30.03.2023

Trade name: SAN FORTE Hochkonzentrat

(Contd. of page 2)

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact:

Wash off immediately with soap and water and rinse thoroughly. Consult a doctor if irritation persists.

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture

 During heating or in case of fire poisonous gases are produced.
- · 5.3 Advice for firefighters
- · Protective equipment:

Mouth respiratory protective device.

See section 8 for personal protection information.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions: Dilute with plenty of water.
- · 6.3 Methods and material for containment and cleaning up:

Use neutralising agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage: Store cool and dry in tightly closed containers.
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions:

Store under lock and key and out of the reach of children.

Keep container tightly sealed.

(Contd. on page 4)

Printing date 30.03.2023 Version number 3 (replaces version 2) Revision: 30.03.2023

Trade name: SAN FORTE Hochkonzentrat

(Contd. of page 3)

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

7647-01-0 hydrogen chloride (15 - < 30%)

IOELV Short-term value: 15 mg/m³, 10 ppm Long-term value: 8 mg/m³, 5 ppm

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.



Protective gloves

Wear protective gloves according to EN 374.

Skin protection creams do not provide as effective protection as protective gloves. Therefore, suitable protective gloves should be preferred as much as possible.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Butyl rubber, BR

Fluorocarbon rubber (Viton)

Nitrile rubber, NBR

Rubber gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31, amended according to Regulation (EC) No. 2020/878

Printing date 30.03.2023 Version number 3 (replaces version 2) Revision: 30.03.2023

Trade name: SAN FORTE Hochkonzentrat

(Contd. of page 4)

· Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physica	al and chemical properties
------------------------------------	----------------------------

· General Information

Physical state
Colour:
Odour:
Odour threshold:
Melting point/freezing point:
Fluid
Colourless
Characteristic
Not determined.
Undetermined.

· Boiling point or initial boiling point and boiling

range 100 °C

· Flammability Not applicable.

· Lower and upper explosion limit

· Lower:Not determined.· Upper:Not determined.· Flash point:Not applicable.· Decomposition temperature:Not determined.

• pH at 20 °C

· Viscosity:

Kinematic viscosityDynamic:Not determined.Not determined.

·Solubility

water: Fully miscible.
Partition coefficient n-octanol/water (log value) Not determined.

· Vapour pressure at 20 °C: 23 hPa

· Vapour pressure:

Density and/or relative density

Density at 20 °C:
 Relative density
 Vapour density
 Not determined.
 Not determined.

· 9.2 Other information

· Appearance:

· Form: Fluid

Important information on protection of health and

environment, and on safety.

• Ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Solvent content:

• Water: 79.7 %
 • VOC (EC) 0.00 %
 • Solids content: 0.1 %

· Change in condition

· Evaporation rate Not determined.

· Information with regard to physical hazard classes

Void · Explosives Void · Flammable gases Void · Aerosols · Oxidising gases Void · Gases under pressure Void · Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void

(Contd. on page 6)

Safety data sheet coording to 1907/2006/EC. Article 31, amended

according to 1907/2006/EC, Article 31, amended according to Regulation (EC) No. 2020/878

Printing date 30.03.2023 Version number 3 (replaces version 2) Revision: 30.03.2023

Trade name: SAN FORTE Hochkonzentrat

(Contd. of page 5)

· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flamme	able
gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Carragina to matale	May ha

• Corrosive to metals May be corrosive to metals.

· Desensitised explosives Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Skin corrosion/irritation Causes severe skin burns and eye damage.
- · Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure May cause respiratory irritation.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal (Contd. on page 7)

on page /

Printing date 30.03.2023 Version number 3 (replaces version 2) Revision: 30.03.2023

Trade name: SAN FORTE Hochkonzentrat

(Contd. of page 6)

of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

The note below refers to the product left as it is and not to further processed products. When mixed with other products, other disposal routes may be required; if in doubt, consult the supplier of the product or the local authority.

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Waste disposal key:

The waste code numbers are since 1.1.1999 not only product but essentially Application-specific. The valid application for the waste code number can be found in the European Waste Catalogue.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

	SECTION 1	4: Transi	port infe	ormation
--	------------------	-----------	-----------	----------

· 14.1 UN number or ID number · ADR/RID/ADN, IMDG, IATA	UN3264
· 14.2 UN proper shipping name · ADR/RID/ADN	UN3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (HYDROCHLORIC ACID)
· IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (HYDROCHLORIC ACID)

- · 14.3 Transport hazard class(es)
- · ADR/RID/ADN



· Class 8 (C1) Corrosive substances.

· Label

· IMDG, IATA



· Class 8 Corrosive substances.

· Label

(Contd. on page 8)

Printing date 30.03.2023 Version number 3 (replaces version 2) Revision: 30.03.2023

Trade name: SAN FORTE Hochkonzentrat

	(Contd. of page
14.4 Packing group	П
ADR/RID/ADN, IMDG, IATA	II
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Corrosive substances.
Hazard identification number (Kemler code):	80
EMS Number:	F- A , S - B
Segregation groups	(SGG1) Acids
Stowage Category	B
Stowage Code	SW2 Clear of living quarters.
Segregation Code	SG36 Stow "separated from" SGG18-alkalis.
	SG49 Stow "separated from" SGG6-cyanides
14.7 Maritime transport in bulk according to IM	10
instruments	Not applicable.
Transport/Additional information:	
ADR/RID/ADN	
Excepted quantities (EQ):	EI
Limited quantities (LQ)	IL
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
Transport category	2
Tunnel restriction code	E
IMDG	
Limited quantities (LQ)	IL
Excepted quantities (EQ)	Code: E2
(-Z)	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANI
o .	N.O.S. (HYDROCHLORIC ACID), 8, II

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- · Signal word Danger
- · Hazard-determining components of labelling:

hydrogen chloride

· Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P260 Do not breathe dusts or mists.

P280 Wear protective gloves / eye protection / face protection.

(Contd. on page 9)

Printing date 30.03.2023 Version number 3 (replaces version 2) Revision: 30.03.2023

Trade name: SAN FORTE Hochkonzentrat

(Contd. of page 8)

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

P406 Store in a corrosion resistant container / container with a resistant inner liner.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is included.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

7647-01-0 hydrogen chloride

3

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

7647-01-0 hydrogen chloride

3

- · National regulations:
- Information about limitation of use:

Observe employment restrictions for children and adolescents according to Directive 94/33 / EC and the corresponding national regulations.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

The information is based on the current state of our knowledge, but it does not constitute a warranty of product of product characteristics and do not establish a contractual legal relationship. According to Annex II of ECNo. 1907/2006 in the version applicable on the date of this safety data sheet.

· Relevant phrases

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

· Training hints

Our information corresponds to our current knowledge and experience to the best of our knowledge. However, we pass it on without obligation. We reserve the right to make changes in the course of technical progress and further operational development. Our information merely describes the quality of our products and services and does not constitute any guarantees. The customer is not released from the obligation to have the functions and possible applications of the products carefully checked by qualified personnel. This also applies with regard to the protection of third party property rights. The mention of trade names of other companies is not a recommendation and does not exclude the use of other similar products.

· Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

(Contd. on page 10)

Printing date 30.03.2023 Version number 3 (replaces version 2) Revision: 30.03.2023

Trade name: SAN FORTE Hochkonzentrat

(Contd. of page 9)

- · Department issuing SDS: Product Safety Department
- · Contact: Product Safety Department
- · Version number of previous version: 2
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Met. Corr.1: Corrosive to metals – Category I

Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

·Sources

Regulations

REACH Regulation (EC) No 1907/2006

CLP Regulation (EC) No. 1272/2008

Regulation (EC) No 648/2004 on detergents

Internet

1 https://www.baua.de

2 https://dguv.de/ifa/stoffdatenbank

3 https://www.gischem.de

4 https://echa.europa.eu/en/candidate-list-table

5 http://gestis.itrust.de

* * Data compared to the previous version altered.

- EU