according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 29 Jul 2021 Print date: 29 Jul 2021

Version: 1 Page 1/9



Sanifix Eco Tropical

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

Sanifix Eco Tropical

Article No.:

340

UFI:

85EV-HS5V-MWM7-6Y9V

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Sanitärreiniger

1.3. Details of the supplier of the safety data sheet

 ${\bf Supplier\ (manufacturer/importer/only\ representative/downstream\ user/distributor):}$

Otto Oehme GmbH

FEA

Industriestr. 20 90584 Allersberg

Germany

Telephone: 09176/98050
Telefax: 09176/980555
E-mail: Info@Oehme-Lorito.de
Website: www.Oehme-Lorito.de

1.4. Emergency telephone number

No data available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]:

Hazard classes and hazard categories	Hazard statements	Classification pro cedure
Skin corrosion/irritation (Skin Corr. 1)	H314: Causes severe skin burns and eye damage.	
Serious eye damage/eye irritation (Eye Dam. 1)	H318: Causes serious eye damage.	

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



GHS05 Corrosion

Signal word: Danger

hazard statements for health hazards	
H314	Causes severe skin burns and eye damage.

Supplemental hazard information: -

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 29 Jul 2021 Print date: 29 Jul 2021

Version: 1 Page 2/9



Sanifix Eco Tropical

Precautionary statements Prevention	
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/

Precautionary statements Response		
	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].	
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER/doctor/	

2.3. Other hazards

No data available

SECTION 3: Composition / information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concen- tration
CAS No.: 75-75-2 EC No.: 200-898-6 Index No.: 607-145-00-4	methanesulphonic acid Acute Tox. 4 (H302, H312), Eye Dam. 1 (H318), Met. Corr. 1 (H290), STOT SE 3 (H335), Skin Corr. 1B (H314)	≤ 5 weight-%
CAS No.: 69011-36-5	Acute Tox. 4 (H302), Eye Dam. 1 (H318) Ohio Danger	≤ 3 weight-%

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended. Warning First aider: Pay attention to self-protection!

Following inhalation:

Provide fresh air. In case of respiratory tract irritation, consult a physician.

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. If skin irritation or rash occurs: Get medical advice/attention. Take off immediately all contaminated clothing. Get immediate medical advice/attention.

After eve contact:

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion:

Rinse mouth. Let water be drunken in little sips (dilution effect). Get medical advice/attention if you feel unwell. Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Get immediate medical advice/attention.

Self-protection of the first aider:

Use personal protection equipment.

4.2. Most important symptoms and effects, both acute and delayed

Skin corrosion/irritation Serious eye damage/eye irritation

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 29 Jul 2021 Print date: 29 Jul 2021

Version: 1 Page 3/9



Sanifix Eco Tropical

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

(P:ff2a1466-0380-4d9e-872f-6a46d064459b) Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media:

\P:2115ce28-33a5-48ab-b0e9-d5843c52a7ab\

5.2. Special hazards arising from the substance or mixture

(P:6c6afa3b-03ee-4176-b30d-236c5fd16b34) The product itself does not burn.

Hazardous combustion products:

In case of fire: Gases/vapours, toxic

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Remove persons to safety.

Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

6.5. Additional information

Use appropriate container to avoid environmental contamination.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Wear personal protection equipment (refer to section 8).

Fire prevent measures:

No special measures are necessary.

Advices on general occupational hygiene

When using do not eat, drink or smoke. Avoid contact with eyes and skin.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 29 Jul 2021 Print date: 29 Jul 2021

Version: 1 Page 4/9



Sanifix Eco Tropical

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

Storage class (TRGS 510, Germany): 8B - Non-combustible corrosive substances

7.3. Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

No data available

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type
		② Exposure route
methanesulphonic acid CAS No.: 75-75-2 EC No.: 200-898-6	6.76 mg/m ³	① DNEL worker ② Long-term – inhalation, systemic effects
methanesulphonic acid CAS No.: 75-75-2 EC No.: 200-898-6	1.44 mg/cm ²	① DNEL Consumer ② Long-term – inhalation, systemic effects
methanesulphonic acid CAS No.: 75-75-2 EC No.: 200-898-6	0.7 mg/m ³	① DNEL worker ② Long-term – inhalation, local effects
methanesulphonic acid CAS No.: 75-75-2 EC No.: 200-898-6	0.42 mg/m ³	① DNEL Consumer ② Long-term – inhalation, local effects
methanesulphonic acid CAS No.: 75-75-2 EC No.: 200-898-6	19.44 mg/kg	① DNEL worker ② Long-term - dermal, systemic effects
methanesulphonic acid CAS No.: 75-75-2 EC No.: 200-898-6	8.33 mg/kg	DNEL Consumer Long-term - dermal, systemic effects
methanesulphonic acid CAS No.: 75-75-2 EC No.: 200-898-6	8.33 mg/kg	① DNEL Consumer ② Long-term - oral, systemic effects

Substance name	PNEC Value	① PNEC type
methanesulphonic acid CAS No.: 75-75-2 EC No.: 200-898-6	0.012 mg/l	① PNEC aquatic, freshwater
methanesulphonic acid CAS No.: 75-75-2 EC No.: 200-898-6	0.0012 mg/l	① PNEC aquatic, marine water
methanesulphonic acid CAS No.: 75-75-2 EC No.: 200-898-6	100 mg/l	① PNEC sewage treatment plant
methanesulphonic acid CAS No.: 75-75-2 EC No.: 200-898-6	0.0251 mg/ kg	① PNEC sediment, freshwater
methanesulphonic acid CAS No.: 75-75-2 EC No.: 200-898-6	0.00183 mg/ kg	① PNEC soil

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 29 Jul 2021 Print date: 29 Jul 2021

Version: 1 Page 5/9



Sanifix Eco Tropical

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No data available

8.2.2. Personal protection equipment

Eye/face protection:

Eye glasses with side protection EN 166

Skin protection:

Tested protective gloves must be worn EN ISO 374 Suitable material: Breakthrough time: min In the case of wanting to use the gloves again, clean them before taking off and air them well. Breakthrough times and swelling properties of the material must be taken into consideration.

8.2.3. Environmental exposure controls

No data available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid Colour: red

Odour: parfümiert

Safety relevant basis data

parameter		at °C	Method	Remark
рН	= 1	20 °C		
Melting point	not determined			
Freezing point	not determined			
Initial boiling point and boiling	not determined			
range				
Decomposition temperature	not determined			
Flash point	not determined			
Evaporation rate	not determined			
Auto-ignition temperature	not determined			
Upper/lower flammability or explosive limits	not determined			
Vapour pressure	not determined			
Vapour density	not determined			
Density	1 g/cm³			
Relative density	not determined			
Bulk density	not determined			
Water solubility	miscible			
Partition coefficient: n-octanol/ water	not determined			
Dynamic viscosity	not determined			
Kinematic viscosity	not determined			

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product itself does not burn.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 29 Jul 2021 Print date: 29 Jul 2021

Version: 1 Page 6/9



Sanifix Eco Tropical

10.3. Possibility of hazardous reactions

Risk of ignition or formation of inflammable gases or vapors with: metals, light metals, metal alloys. It can develop: hydrogen. Violent reactions possible with: alkalis, metal oxides.

Oxidizing agent

10.4. Conditions to avoid

Avoid high temperatures or direct sunlight.

10.5. Incompatible materials

Aluminum, iron, ferrous compounds, steel. Hydrogen is given off through reaction with metals. Corrosives, halogens, alkalis, acids, reactive chemicals

10.6. Hazardous decomposition products

In case of fire: Gases/vapours, toxic

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Substance name	Toxicological information
methanesulphonic acid CAS No.: 75-75-2 EC No.: 200-898-6	LD ₅₀ oral: 649 mg/kg (Ratte) LD ₅₀ dermal: 1,000 - 2,000 mg/kg (Kaninchen)
Isotridecanol,ethoxylated CAS No.: 69011-36-5	LD ₅₀ oral: 300 - 2,000 mg/kg (Ratte) LD ₅₀ dermal: >2,000 mg/kg (Ratte)

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Causes severe skin burns and eye damage.

Serious eye damage/irritation:

Causes serious eye damage.

Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Additional information:

No data available

11.2. Information on other hazards

No data available

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 29 Jul 2021 Print date: 29 Jul 2021

Version: 1 Page 7/9



Sanifix Eco Tropical

SECTION 12: Ecological information

12.1. Toxicity

Substance name	Toxicological information
methanesulphonic acid	LC₅₀: 10 - 100 mg/l 4 d (fish)
CAS No.: 75-75-2 EC No.: 200-898-6	LC₅₀: >10,000 mg/l 4 d (fish)
2000000	EC₅₀: 10 - 100 mg/l 2 d (crustaceans)
	EC₅₀: 10 - 100 mg/l 3 d (Algae/water plant)
Isotridecanol,ethoxylated	LC ₅₀ : >1 - 10 mg/l 4 d (fish)
CAS No.: 69011-36-5	EC₅₀: >1 - 10 mg/l 2 d (crustaceans)
	EC₅₀: >1 - 10 mg/l 3 d (Algae/water plant)
	NOEC: >1 mg/l 21 d (crustaceans)
	LC₅₀: >1 - 10 mg/l (fish, Daphnia magna)
	LC₅₀: >1 - 10 mg/l (fish)

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

Substance name	Results of PBT and vPvB assessment
methanesulphonic acid CAS No.: 75-75-2	_
EC No.: 75-73-2 EC No.: 200-898-6	
Isotridecanol,ethoxylated CAS No.: 69011-36-5	_

12.6. Endocrine disrupting properties

No data available

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product:

20 01 29 *	Detergents containing hazardous substances

^{*:} Evidence for disposal must be provided.

Waste code packaging:

20 01 39	plastics
----------	----------

Waste treatment options

Appropriate disposal / Product:

Consult the appropriate local waste disposal expert about waste disposal.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 29 Jul 2021 Print date: 29 Jul 2021

Version: 1 Page 8/9



Sanifix Eco Tropical

SECTION 14: Transport information

	sport information		
Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO- TI / IATA-DGR)
14.1. UN number or	· ID number		
UN 3265	UN 3265	UN 3265	UN 3265
14.2. UN proper shi	pping name		
CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Methansulfonsä ure)	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Methansulfonsä ure)	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Methansulfonsä ure)	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Methansulfonsä ure)
14.3. Transport haz	ard class(es)		
8	8	8	8
14.4. Packing group)		<u> </u>
II	II	II	II
14.5. Environmenta	l hazards	_	
No	No	No	No
14.6. Special preca	utions for user		
Special provisions: 274 Limited quantity	Special provisions: 274 Limited quantity	Special provisions: 274 Limited quantity	Special provisions: A3 Limited quantity
(LQ): 1 L Excepted Quantities (EQ): E2	(LQ): 1 L Excepted Quantities (EQ): E2	(LQ): 1 L Excepted Quantities (EQ): E2	(LQ): Y840 Excepted Quantities (EQ): E2
Hazard identificati on number (Kemler No.): 80 Classification code: C3 tunnel restriction code: (E)	Classification code: C3 Remark:	EmS-No.: F-A, S-B Remark:	Remark:
Remark:			

14.7. Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Other regulations (EU):

Ausgangstext

Inhaltsstoffe nach Detergenzienverordnung 648/2004/EG:

Nichtionische Tenside: Unter 5 %

Duftstoffe.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 29 Jul 2021 Print date: 29 Jul 2021

Version: 1 Page 9/9



Sanifix Eco Tropical

15.1.2. National regulations

No data available

15.2. Chemical Safety Assessment

No data available

SECTION 16: Other information

16.1. Indication of changes

No data available

16.2. Abbreviations and acronyms

No data available

16.3. Key literature references and sources for data

No data available

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Classification according to Regulation (EC) No 1272/2008 [CLP]:

Hazard classes and hazard categories	Hazard statements	Classification pro cedure
Skin corrosion/irritation (Skin Corr. 1)	H314: Causes severe skin burns and eye damage.	
Serious eye damage/eye irritation (Eye Dam. 1)	H318: Causes serious eye damage.	

16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements		
H290	May be corrosive to metals.	
H302	Harmful if swallowed.	
H312	Harmful in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H318	Causes serious eye damage.	
H335	May cause respiratory irritation.	

16.6. Training advice

No data available

16.7. Additional information

The information is based on our current level of knowledge and is used to describe the product with regard to the safety precautions to be taken. They do not represent a guarantee of the properties of the product described.

It is the responsibility of the recipient of our product to observe existing laws and regulations.