

Safety data sheet

According to Regulation (EC) No. 1907/2006 (REACH)

Date of issue: 11.02.2020 Supersedes edition of: 29.04.2019

SECTION 1: Identification of the substance / mixture and of the company / undertaking

1.1 Product identifier

Product name: Sanipur

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Sanitary cleaner

Only for industrial or commercial use. Not to the general public.

1.3 Details of the supplier of the safety data sheet

Company: Otto Oehme GmbH
Industriestraße 20
D-90584 Allersberg Deutschland
Tel. +49 9176 98050
info@oehme-lorito.de

1.4 Emergency telephone number

GIZ Nord Poisons Centre, Göttingen Tel. +49 (0) 551 19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Skin Corr. 1A, H314

Eye Dam. 1, H318

Full text of hazard statements: See under section 16.

2.2 Label elements

Labelling (Regulation (EC) No. 1272/2008)

Hazard pictograms:



Signal word:

Danger

Hazard statements:

H314 Causes severe skin burns and eye damage.

Precautionary statements:

P260 Do not breathe vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

Product name: Sanipur
 Revision date: 11.02.2020

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER or doctor/physician.

Contains: Methanesulfonic acid, Isotridecanol, ethoxylated.

2.3 Other hazards

None known.

SECTION 3: Composition / information on ingredients

Solution in water.

Hazardous components (Regulation (EC) No. 1272/2008)

<i>Chemical name</i>				<i>Content</i>
<i>CAS-No.</i>	<i>EC-No.</i>	<i>EC-Index-No.</i>	<i>Classification</i>	
Methanesulfonic acid				> 10 – < 20 %
75-75-2	200-898-6	607-145-00-4	Met. Corr. 1, H290 Acute Tox. 4, H302 Acute Tox. 4, H312 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335	

REACH Registration Number: 01-2119491166-34

Isotridecanol, ethoxylated				< 5 %
69011-36-5	500-241-6		Eye Dam. 1, H318 Acute Tox. 4, H302	

REACH Registration Number: 02-2119552461-55

Full text of hazard statements: See under section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

After inhalation: Fresh air.

Call in physician if feeling unwell.

After skin contact: Wash off with plenty of water. Immediately remove contaminated clothing.

Consult a physician if skin irritations occur.

After eye contact: Rinse out with plenty of water with the eyelid held wide open. Call in ophthalmologist immediately.

After swallowing: Make victim drink plenty of water (two glasses at most), avoid vomiting (risk of perforation). Immediately call in physician. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

Irritation and corrosion, cough, shortness of breath, dizziness, nausea, vomiting, headache.

Risk of blindness.

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

Product name: Sanipur
Revision date: 11.02.2020

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance / mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Not Combustible. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Special protective equipment for firefighters

Do not stay in dangerous zone without suitable chemical protection clothing and self-contained breathing apparatus.

Further information

Prevent fire-fighting water from entering surface water or groundwater.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Caution: Risk of slipping.

Do not inhale vapours/aerosols. Avoid substance contact. Use personal protective equipment as required, see section 8.2. Ensure supply of fresh air in enclosed rooms. In case of inadequate ventilation wear respiratory protection.

6.2 Environmental precautions

Do not get undiluted into sewerage system.

6.3 Methods and material for containment and cleaning up

Take up with incombustible liquid-absorbent material. Forward for disposal. Clean up affected area.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Notes for safe handling

Ensure adequate ventilation. Avoid contact with skin and eyes. Do not inhale vapours/aerosols. Avoid generation of vapours/aerosols.

Notes for prevention of fire and explosion

Not required.

Product name: Sanipur
Revision date: 11.02.2020

7.2 Conditions for safe storage, including any incompatibilities

Store cool above 5 °C. Keep away from sun and heat.
Tightly closed in a well-ventilated place.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational limit values.

8.2 Exposure controls

Individual protection measures

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier.

Eye / face protection:

Eye protection (EN 166).

Hand protection:

Material: Nitrile rubber.

Thickness: 0.1 mm

Breakthrough time: > 480 min

The protective gloves to be used must comply with the specifications of EC directive 89/686/EEC and the resultant standard EN 374, e.g. Franz Mensch Nitrile Safe Premium.

This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves.

Respiratory protection:

Required when vapours/aerosols are generated. Filter A2 P2 (EN 14387).

Other protective equipment

Acid-resistant protective clothing.

Hygiene measures

Change contaminated clothing. Apply skin- protective barrier cream. Wash hands after working with substance.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form:	liquid
Colour:	red
Odour:	characteristic
pH value	< 1

Product name: Sanipur
Revision date: 11.02.2020

Melting point		not specified
Boiling point		not specified
Ignition temperature		not applicable
Flash point		not applicable
Explosion limits	lower	not applicable
	upper	not applicable
Density (23 °C)		~ 1 g/cm ³
Viscosity, dynamic		not specified
Solubility in water		soluble

9.2 Other information

None.

SECTION 10: Stability and reactivity

10.1 Reactivity

See section 10.3.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

Violent reactions possible with:

Strong alkalis, oxidizing agents, strong reducing agents, amines, hydrogen fluoride, acids.

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

Lead, iron, copper, brass, mild steel, corrosive substances, halogenes, bases, acids, reactive chemicals.

10.6 Hazardous decomposition products

See section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

LD₅₀ rat: 649 mg/kg (OECD 401; Methanesulfonic acid)

Symptoms: If ingested, severe burns of the mouth and throat, as well as danger of perforation of the oesophagus and the stomach.

LD₅₀ rat: 500 - 2000 mg/kg (OECD 423; Isotridecanol, ethoxylated)

Acute dermal toxicity

LD₅₀ rabbit: > 1000 – 2000 mg/kg (OECD 402; Methanesulfonic acid)

Acute inhalation toxicity

Symptoms: Mucosal irritations, cough, shortness of breath. Possible damages: Damage of respiratory tract, lung oedema, Symptoms may be delayed.

Product name: Sanipur
Revision date: 11.02.2020

Skin irritation

Causes burns (external MSDS; Methanesulfonic acid).
Rabbit: No irritation (OECD 404; Isotridecanol, ethoxylated).

Eye irritation

Rabbit: Causes burns. (IUCLID; Methanesulfonic acid).
Causes serious eye damage. Risk of blindness!
Rabbit: Eye irritation (OECD 405; Isotridecanol, ethoxylated).
Causes serious eye irritation.

Sensitisation

Sensitisation test (Bühler-test Guinea pig): Negative (external MSDS; Methanesulfonic acid).

Genotoxicity in vivo

In vivo micronucleus test, mouse, male and female, oral, bone marrow: Negative (OECD 474; Methanesulfonic acid).

Genotoxicity in vitro

Ames test: Salmonella typhimurium: Negative (OECD 471; Methanesulfonic acid).

Mutagenicity

In vitro mammalian cell gene mutation test: Negative (OECD 476; Methanesulfonic acid).
Bacteria: No evidence of genotoxic potential (external MSDS; Methanesulfonic acid).
Mammal cell cultures: No evidence of mutagen potential (Methanesulfonic acid).
Mammals: No evidence of mutagen potential (external MSDS; Methanesulfonic acid).

Specific target organ toxicity - single exposure

May cause respiratory irritation. Target Organs: Respiratory system (external MSDS; Methanesulfonic acid).

Specific target organ toxicity – repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification.

11.2 Further information

Systemic effects: Nausea, vomiting, dizziness, headache.

Further hazardous properties cannot be excluded. The product should be handled with the care usual when dealing with chemicals.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish

Oncorhynchus mykiss LC₅₀: 73 mg/l /96 h (OECD 203; Methanesulfonic acid)
Leuciscus idus LC₅₀: 1-10 mg/l /96 h (external MSDS; Isotridecanol, ethoxylated)

Toxicity to daphnia and other aquatic invertebrates

Daphnia magna EC₅₀: 70 mg/l /48 h (OECD 202; Methanesulfonic acid)
Aquatic invertebrates: EC₅₀: 1-10 mg/l /48 h (external MSDS; Isotridecanol, ethoxylated)

Product name: Sanipur
Revision date: 11.02.2020

Toxicity to algae

Pseudokirchneriella subcapitata EC₅₀: 12 – 24 mg/l /72 h (OECD 201; Methanesulfonic acid)
EC₅₀: 1-10 mg/l /72 h (external MSDS; Isotridecanol, ethoxylated)

Toxicity to bacteria

Activated sludge: EC₂₀: > 1000 mg/l / 30 min (OECD 209; Methanesulfonic acid)

12.2 Persistence and degradability

Biodegradability

The surfactants contained in this preparation complies with the Biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.
Data to support this assertion are held at the disposal of the competent authorities of the member states and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Biodegradation: > 90 % /28 d (OECD 301 A; Methanesulfonic acid).

Readily biodegradable (Methanesulfonic acid).

Biodegradation: >60 % / 28 d (OECD 301B; Isotridecanol, ethoxylated)

Readily biodegradable (Isotridecanol, ethoxylated)

12.3 Bioaccumulative potential

Partition coefficient: n-octanol / water: log P_{ow}: -2.38 (external MSDS; calculated; Methanesulfonic acid).

No bioaccumulation is to be expected (Methanesulfonic acid).

No bioaccumulation is to be expected (external MSDS; Isotridecanol, ethoxylated).

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT / vPvB assessment not available as chemical safety assessment not required / not conducted.

12.6 Other adverse effects

Additional ecological information:

Biological effects: Forms corrosive mixtures with water even if diluted.

Further information on ecology

COD: 2.1 g/g (external MSDS; Isotridecanol, ethoxylated).

Do not allow to enter waters, waste water, or soil!

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product:

Chemicals must be disposed of in compliance with the respective national regulations.

Code of the waste

200129*

070601*

Name according to directive 2000/532/EC:

Detergents containing dangerous substances.

Aqueous washing liquids and mother liquors.

Product name: Sanipur
Revision date: 11.02.2020

Packaging:

Product packaging must be disposed of in compliance with the country-specific regulations or must be to a packaging return system.

SECTION 14: Transport information*Road and rail, ADR/RID*

UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S., (Methanesulfonic acid), 8, II (E)
Environmentally hazardous: No.

Inland waterway, ADN

Not tested.

Sea, IMDG-Code

UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S., (Methanesulfonic acid), 8, II
EmS: F-A, S-B
Marine pollutant: No.

Air, IATA-DGR

UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S., (Methanesulfonic acid), 8, II
Environmentally hazardous: No.

The transport regulations are cited according to international regulations and in the form applicable in Germany. Possible national deviations in other countries are not considered.

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations / legislation specific for the substance or mixture***EU regulations*

Ingredients according to Regulation (EC) on detergents No. 648/2004:
Non-ionic surfactants: Less than 5 %

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16: Other information*Reason for revision:*

SECTION 1: Identification of the substance / mixture and of the company / undertaking
SECTION 8: Exposure controls/personal protection
SECTION 13: Disposal considerations

Full text of hazard statements referred to under sections 2 and 3:

H290 May be corrosive to metals.
H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H314 Causes severe skin burns and eye damage.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Product name: Sanipur
Revision date: 11.02.2020

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.