

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 17 Dec 2024

Print date: 17 Dec 2024

Version: 1



Page 1/11

Stripper Forte Plus

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

Stripper Forte Plus

Article No.:

449

UFI:

YRAP-47X6-UM42-41J3

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Grundreiniger

Nur für den industriellen und gewerblichen Gebrauch.

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

Otto Oehme GmbH

FEA

Industriestr. 20

90584 Allersberg

Germany

Telephone: 09176/98050

Telefax: 09176/980555

E-mail: Info@Oehme-Lorito.de

Website: www.Oehme-Lorito.de

1.4. Emergency telephone number

No data available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Corrosive to metals (<i>Met. Corr. 1</i>)	H290: May be corrosive to metals.	
Skin corrosion/irritation (<i>Skin Corr. 1</i>)	H314: Causes severe skin burns and eye damage.	
Serious eye damage/eye irritation (<i>Eye Dam. 1</i>)	H318: Causes serious eye damage.	

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



GHS05

Corrosion

Signal word: Danger

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 17 Dec 2024

Print date: 17 Dec 2024

Version: 1



Page 2/11

Stripper Forte Plus

Hazard components for labelling:

potassium hydroxide

Hazard statements for physical hazards

H290 May be corrosive to metals.

Hazard statements for health hazards

H314 Causes severe skin burns and eye damage.

Supplemental hazard information: none

Precautionary statements Prevention

P280 Wear protective gloves and eye protection/face protection.

Precautionary statements Response

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Description:

aqueous solution

Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 112-34-5 EC No.: 203-961-6 Index No.: 603-096-00-8 REACH No.: 01-2119475104-44-XXXX	2-(2-butoxyethoxy)ethanol Eye Irrit. 2 (H319) ⚠ Warning Acute Toxicity Estimate ATE (oral) 2,410 mg/kg ATE (dermal) 2,764 mg/kg	5 - < 15 weight-%
CAS No.: 15763-76-5 EC No.: 239-854-6 REACH No.: 01-2119489411-37	sodium p-cumenesulphonate Eye Irrit. 2 (H319) ⚠ Warning Acute Toxicity Estimate ATE (oral) > 2,000 mg/kg ATE (dermal) > 2,000 mg/kg ATE (inhalation, vapour) > 5 mg/L	5 - ≤ 10 weight-%
CAS No.: 5131-66-8 EC No.: 225-878-4 Index No.: 603-052-00-8	1-Butoxy-2-propanol und Isomere Eye Irrit. 2 (H319), Skin Irrit. 2 (H315) ⚠ Warning Acute Toxicity Estimate ATE (oral) 3,300 mg/kg ATE (dermal) > 2,000 mg/kg ATE (inhalation, vapour) > 3.5 mg/L	5 - ≤ 10 weight-%
CAS No.: 122-99-6 EC No.: 204-589-7 Index No.: 603-098-00-9 REACH No.: 01-2119488943-21-XXXX	2-phenoxyethanol Acute Tox. 4 (H302), Eye Dam. 1 (H318), STOT SE 3 (H335) ⚠ Danger Acute Toxicity Estimate ATE (oral) 1,394 mg/kg	3 - ≤ 10 weight-%

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 17 Dec 2024


Print date: 17 Dec 2024

Version: 1



Page 3/11

Stripper Forte Plus

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 1310-58-3 EC No.: 215-181-3 Index No.: 019-002-00-8 REACH No.: 01-2119487136-33	potassium hydroxide Acute Tox. 4 (H302), Eye Dam. 1 (H318), Met. Corr. 1 (H290), Skin Corr. 1A (H314)  Danger Specific concentration limit (SCL) Skin Corr. 1A; H314: $C \geq 5\%$ Skin Corr. 1B; H314: $2\% \leq C < 5\%$ Skin Irrit. 2; H315: $0.5\% \leq C < 2\%$ Eye Dam. 1; H318: $C \geq 2\%$ Eye Irrit. 2; H319: $0.5\% \leq C < 2\%$ Acute Toxicity Estimate ATE (oral) 333 mg/kg	1 - < 5 weight-%

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended. Warning First aider: Pay attention to self-protection!

Following inhalation:

Provide fresh air. In case of respiratory tract irritation, consult a physician.

In case of skin contact:

Take off immediately all contaminated clothing. Get immediate medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. After contact with skin, wash immediately with plenty of water and soap.

After eye contact:

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion:

Rinse mouth. Get medical advice/attention if you feel unwell. Get immediate medical advice/attention. Let 1 glass of water be drunken in little sips (dilution effect). Rinse mouth immediately and drink 1 glass of of water. Do NOT induce vomiting.

Self-protection of the first aider:

Use personal protection equipment.

4.2. Most important symptoms and effects, both acute and delayed

Skin corrosion/irritation Serious eye damage/eye irritation, Atemnot, Schmerzen, Kollaps, Erblindungsgefahr

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Auf Umgebung abstimmen Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media:

keine

5.2. Special hazards arising from the substance or mixture

Nicht brennbar. The product itself does not burn.

Hazardous combustion products:

In case of fire: Gases/vapours, toxic

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 17 Dec 2024

Print date: 17 Dec 2024

Version: 1



Page 4/11

Stripper Forte Plus

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Remove persons to safety. Special danger of slipping by leaking/spilling product.

Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up:

Water (with cleaning agent)

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

6.5. Additional information

Use appropriate container to avoid environmental contamination.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Avoid contact with skin, eyes and clothes. Open windows to ensure natural ventilation. Wear personal protection equipment (refer to section 8).

Fire prevent measures:

No special fire protection measures are necessary. When using do not eat, drink, smoke, sniff. No special measures are necessary.

Advices on general occupational hygiene

When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

Storage class (TRGS 510, Germany): 8B - Non-combustible corrosive substances

7.3. Specific end use(s)

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 17 Dec 2024

Print date: 17 Dec 2024

Version: 1



Page 5/11

Stripper Forte Plus

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
HR	2-(2-butoxyethoxy)ethanol CAS No.: 112-34-5 EC No.: 203-961-6	① 10 ppm (67.5 mg/m ³) ② 15 ppm (101.2 mg/m ³)
IOELV (EU)	2-(2-butoxyethoxy)ethanol CAS No.: 112-34-5 EC No.: 203-961-6	① 10 ppm (67.5 mg/m ³) ② 15 ppm (101.2 mg/m ³)
HR	potassium hydroxide CAS No.: 1310-58-3 EC No.: 215-181-3	② 2 mg/m ³

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
potassium hydroxide CAS No.: 1310-58-3 EC No.: 215-181-3	1 mg/m ³	① DNEL worker ② Long-term - inhalation, local effects

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No data available

8.2.2. Personal protection equipment

Eye/face protection:

Eye glasses with side protection EN 166

Skin protection:

Tested protective gloves must be worn EN ISO 374 Suitable material: Breakthrough time: min In the case of wanting to use the gloves again, clean them before taking off and air them well. Breakthrough times and swelling properties of the material must be taken into consideration.

Other protection measures:

Protective clothing.

8.2.3. Environmental exposure controls

No data available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid

Form: Liquid

Colour: light yellow

Odour: characteristic

flammability: No

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 17 Dec 2024

Print date: 17 Dec 2024

Version: 1



Page 6/11

Stripper Forte Plus

Safety relevant basis data

Parameter	Value	① Method ② Remark
pH	14	
Melting point	No data available	
Freezing point	No data available	
Initial boiling point and boiling range	No data available	
Flash point	not applicable	
Evaporation rate	No data available	
Auto-ignition temperature	not applicable	
Upper/lower flammability or explosive limits	No data available	
Vapour pressure	No data available	
Vapour density	No data available	
Density	1.06 g/cm ³	
Bulk density	not applicable	
Water solubility	miscible	
Dynamic viscosity	No data available	
Kinematic viscosity	No data available	

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

May be corrosive to metals. The product itself does not burn.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Violent reaction with: Acid, concentrated White/yellow phosphor Light metal

10.4. Conditions to avoid

Avoid high temperatures or direct sunlight.

10.5. Incompatible materials

Acid, Glass, Aluminium, Light metal, Oxidising agent, strong

10.6. Hazardous decomposition products

In case of fire: Gases/vapours, toxic

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

2-(2-butoxyethoxy)ethanol CAS No.: 112-34-5 EC No.: 203-961-6
LD₅₀ oral: 2,410 mg/kg (Mouse)
LD₅₀ dermal: 2,764 mg/kg (Rabbit)
sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6
LD₅₀ oral: >2,000 mg/kg (Ratte)
LD₅₀ dermal: >2,000 mg/kg (Kaninchen)
LC₅₀ Acute inhalation toxicity (vapour): >5 mg/L 4 h (Ratte)
1-Butoxy-2-propanol und Isomere CAS No.: 5131-66-8 EC No.: 225-878-4
LD₅₀ oral: 3,300 mg/kg (Ratte)
LD₅₀ dermal: >2,000 mg/kg
LC₅₀ Acute inhalation toxicity (vapour): >3.5 mg/L 4 h (Ratte)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 17 Dec 2024

Print date: 17 Dec 2024

Version: 1



Page 7/11

Stripper Forte Plus

2-phenoxyethanol CAS No.: 122-99-6 EC No.: 204-589-7

ATE (oral)¹: 1,394 mg/kg

LD₅₀ oral: 1,840 mg/kg

potassium hydroxide CAS No.: 1310-58-3 EC No.: 215-181-3

LD₅₀ oral: 333 mg/kg (Ratte)

¹: Acute Toxicity Estimate. Harmonised (legal) classification.

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Causes severe skin burns and eye damage.

Serious eye damage/irritation:

Causes serious eye damage.

Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Additional information:

No data available

11.2. Information on other hazards

No data available

SECTION 12: Ecological information

12.1. Toxicity

2-(2-butoxyethoxy)ethanol CAS No.: 112-34-5 EC No.: 203-961-6

LC₅₀: 1,300 mg/L 4 d (Sonnenbarsch) OECD 203

EC₅₀: >100 mg/L 2 d (Daphnia magna)

ErC₅₀: 1,101 mg/L 3 d (Algae/water plant)

sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6

LC₅₀: >100 mg/L 4 d (fish, Oncorhynchus mykiss)

EC₅₀: >100 mg/L 2 d (crustaceans, Daphnia magna)

EC₅₀: >100 mg/L 4 d (Algae/water plant, Pseudokirchneriella subcapitata)

LC₅₀: >1,000 mg/L 4 d

EC₅₀: >1,000 mg/L 2 d (Daphnia)

NOEC: 31 mg/L 4 d (Algae/water plant)

ErC₅₀: 230 mg/L 4 d (Algae/water plant)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 17 Dec 2024

Print date: 17 Dec 2024

Version: 1



Page 8/11

Stripper Forte Plus

1-Butoxy-2-propanol und Isomere CAS No.: 5131-66-8 EC No.: 225-878-4

LC₅₀: >560 - 1,000 mg/L 4 d (fish, *Poecilia reticulata* (Belebtschlamm))

EC₅₀: >1,000 mg/L 2 d (*Daphnia magna*)

EC₅₀: >1,000 mg/L 4 d (Algae/water plant, *Pseudokirchneriella subcapitata*)

EC₅₀: >1,000 mg/L (Algae/water plant)

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

2-(2-butoxyethoxy)ethanol CAS No.: 112-34-5 EC No.: 203-961-6

Log K_{OW}: = 1

sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6

Log K_{OW}: -1.1

potassium hydroxide CAS No.: 1310-58-3 EC No.: 215-181-3

Log K_{OW}: ≤ 0.83

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

2-(2-butoxyethoxy)ethanol CAS No.: 112-34-5 EC No.: 203-961-6

Results of PBT and vPvB assessment: —

sodium p-cumenesulphonate CAS No.: 15763-76-5 EC No.: 239-854-6

Results of PBT and vPvB assessment: —

1-Butoxy-2-propanol und Isomere CAS No.: 5131-66-8 EC No.: 225-878-4

Results of PBT and vPvB assessment: —

2-phenoxyethanol CAS No.: 122-99-6 EC No.: 204-589-7

Results of PBT and vPvB assessment: —

potassium hydroxide CAS No.: 1310-58-3 EC No.: 215-181-3

Results of PBT and vPvB assessment: —

12.6. Endocrine disrupting properties

No data available

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product

07 06 01 * aqueous washing liquids and mother liquors

20 01 29 * Detergents containing hazardous substances

*: Evidence for disposal must be provided.

Waste treatment options

Appropriate disposal / Product:

Consult the appropriate local waste disposal expert about waste disposal.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 17 Dec 2024

Print date: 17 Dec 2024





Version: 1



Page 9/11

Stripper Forte Plus

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1. UN number or ID number			
UN 1719	UN 1719	UN 1719	UN 1719
14.2. UN proper shipping name			
CAUSTIC ALKALI LIQUID, N.O.S. (Kaliumhydroxidlösung)	CAUSTIC ALKALI LIQUID, N.O.S. (Kaliumhydroxidlösung)	CAUSTIC ALKALI LIQUID, N.O.S. (Kaliumhydroxidlösung)	CAUSTIC ALKALI LIQUID, N.O.S. (Kaliumhydroxidlösung)
14.3. Transport hazard class(es)			
 8	 8	 8	 8
14.4. Packing group			
II	II	II	II
14.5. Environmental hazards			
No	No	No	No
14.6. Special precautions for user			
Special Provisions: 274 Limited quantity (LQ): 1 L Excepted Quantities (EQ): E2 Hazard identification number (Kemler No.): 80 Classification code: C5 Tunnel restriction code: (E)	Special Provisions: 274 Limited quantity (LQ): 1 L Excepted Quantities (EQ): E2 Classification code: C5	Special Provisions: 274 Limited quantity (LQ): 1 L Excepted Quantities (EQ): E2 EmS-No.: F-A, S-B	Special Provisions: A3 Limited quantity (LQ): Y840 Excepted Quantities (EQ): E2

14.7. Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Authorisations:

EU legislation

Labelling for contents according to regulation (EC) No. 648/2004

non-ionic surfactants : <5%

National regulations

Hazardous Substances Ordinance (GefStoffV)

Minimum protective measures according to TRGS 500

Berufsgenossenschaftliche Vorschriften (DGUV-Vorschriften)

Berufsgenossenschaftliche Regeln (DGUV-Regeln)

Other regulations (EU):

This product is not assigned to a hazard category.

Directive 2004/42/EC on the limitation of emissions of volatile organic compounds:

Volatile organic compounds (VOC) content in percent by weight: 20 weight-%

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 17 Dec 2024

Print date: 17 Dec 2024

Version: 1



Page 10/11

Stripper Forte Plus

15.1.2. National regulations

No data available

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out for this product.

SECTION 16: Other information

16.1. Indication of changes

No data available

16.2. Abbreviations and acronyms

ACGIH	American Conference of Governmental Industrial Hygienists
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging
DIN	German Institute for Standardization / German Industrial Standard
DNEL	derived no-effect level
EC ₅₀	Effective Concentration 50%
EN	European Standard
ES	Exposure scenario
EWC	European Waste Catalogue
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
ISO	International Standards Organisation
LC ₅₀	Lethal (fatal) Concentration 50%
LD ₅₀	Lethal (fatal) Dose 50%
MAK	Maximum concentration in the workplace air (CH)
NFPA	National Fire Protection Association
NIOSH	National Institute for Occupational Safety & Health
NOEC	No Observed Effect Concentration
OECD	Organisation for Economic Cooperation and Development
OSHA	Occupational Safety & Health Administration
PBT	persistent and bioaccumulative and toxic
PNEC	Predicted No Effect Concentration
REACH	Registration, Evaluation and Authorization of Chemicals
RID	Dangerous goods regulations for transport by rail
SCL	Specific concentration limit
TRGS	Technische Regeln für Gefahrstoffe
UN	United Nations

16.3. Key literature references and sources for data

No data available

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Corrosive to metals (<i>Met. Corr. 1</i>)	H290: May be corrosive to metals.	
Skin corrosion/irritation (<i>Skin Corr. 1</i>)	H314: Causes severe skin burns and eye damage.	
Serious eye damage/eye irritation (<i>Eye Dam. 1</i>)	H318: Causes serious eye damage.	

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 17 Dec 2024

Print date: 17 Dec 2024

Version: 1



Page 11/11

Stripper Forte Plus

16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

Hazard statements	
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

16.6. Training advice

No data available

16.7. Additional information

The information is based on our current level of knowledge and is used to describe the product with regard to the safety precautions to be taken. They do not represent a guarantee of the properties of the product described.

It is the responsibility of the recipient of our product to observe existing laws and regulations.