

Safety data sheet

According to Regulation (EC) No. 1907/2006 (REACH)

Date of issue: 30.03.2020

Supersedes edition of: 08.04.2019

SECTION 1: Identification of the substance / mixture and of the company / undertaking

1.1 Product identifier

Product name: Stripper Ultra

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Basic Cleaner

1.3 Details of the supplier of the safety data sheet

Company: Otto Oehme GmbH
Industriestraße 20
D-90584 Allersberg Deutschland
Tel. +49 9176 98050
info@oehme-lorito.de

1.4 Emergency telephone number

GIZ Nord Poisons Centre, Göttingen Tel. +49 (0) 551 19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Met. Corr. 1, H290

Skin Corr. 1A, H314

Eye Dam. 1, H318

Full text of hazard statements: See under section 16.

2.2 Label elements

Labelling (Regulation (EC) No. 1272/2008)

Hazard pictograms:



Signal word:

Danger

Hazard statements:

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

EUH208 Contains D-limonene. May produce an allergic reaction.

Precautionary statements:

P260 Do not breathe vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Product name: Stripper Ultra
 Revision date: 30.03.2020

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

Contains: Potassium hydroxide, Isotridecanol, ethoxylated.

2.3 Other hazards

Not known.

SECTION 3: Composition / information on ingredients

Solution in water.

Hazardous components (Regulation (EC) No. 1272/2008)

Chemical name				Content
CAS-No.	EC-No.	EC-Index-No.	Classification	
Potassium hydroxide				< 10%
1310-58-3	215-181-3	019-002-00-8	Met. Corr. 1, H290 Acute Tox. 4, H302 Skin Corr. 1A, H314	
REACH Registration Number: 01-2119487136-33				
Isotridecanol, ethoxylated				< 5 %
69011-36-5	500-241-6		Eye Dam. 1, H318 Acute Tox. 4, H302	
REACH Registration Number: 02-2119552461-55				
2-(2-Butoxyethoxy)ethanol				< 10 %
112-34-5	203-961-6	603-096-00-8	Eye Irrit. 2, H319	
REACH Registration Number: 01-2119475104-44				
Sodium p-cumenesulphonate				< 10 %
15763-76-5	239-854-6		Eye Irrit. 2, H319	
REACH Registration Number: 01-2119489411-37				
D-Limonene				0.1 – < 1 %
5989-27-5	227-813-5	601-029-00-7	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	
REACH Registration Number: 01-2119529223-47				

Full text of hazard statements: See under section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

After inhalation: Fresh air. Call in physician if feeling unwell.

Product name: Stripper Ultra
Revision date: 30.03.2020

After skin contact: Wash off with plenty of water. Immediately remove contaminated clothing. Call a physician immediately.

After eye contact: Rinse out with plenty of water with the eyelid held wide open. Call in ophthalmologist immediately.

After swallowing: Make victim drink plenty of water (two glasses at most), avoid vomiting (risk of perforation). Immediately call in physician. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

Irritation and corrosion, cough, shortness of breath, pain, collapse, death.

Drying-out effect resulting in rough and chapped skin. Risk of corneal clouding.

Risk of blindness!

Dizziness, diarrhoea, nausea, CNS disorders.

Allergic reactions.

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance / mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Not Combustible. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Special protective equipment for firefighters

Do not stay in dangerous zone without suitable chemical protection clothing and self-contained breathing apparatus.

Further information

Prevent fire-fighting water from entering surface water or groundwater.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Caution: Risk of slipping.

Do not inhale vapours/aerosols. Avoid substance contact. Use personal protective equipment as required, see section 8.2. Ensure supply of fresh air in enclosed rooms. In case of inadequate ventilation wear respiratory protection.

6.2 Environmental precautions

Do not get undiluted into sewerage system.

Product name: Stripper Ultra
 Revision date: 30.03.2020

6.3 Methods and material for containment and cleaning up

Take up with incombustible liquid-absorbent material. Forward for disposal. Clean up affected area.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Notes for safe handling

Ensure adequate ventilation. Avoid contact with skin and eyes. Do not inhale vapours/aerosols. Avoid generation of vapours/aerosols. See section 8.

Notes for prevention of fire and explosion

Not required.

7.2 Conditions for safe storage, including any incompatibilities

Store cool above 5 °C. Keep away from sun and heat. Tightly closed in a well-ventilated place.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Potassium hydroxide

EH40 WEL

Name	Potassium hydroxide
Short term exposure limit (STEL)	2 mg/m ³

2-(2-Butoxyethoxy)ethanol

ECTLV

Name	2-(2-Butoxyethoxy)ethanol
Limit value 8 hours	10 ppm 67.5 mg/m ³

Short term (< 15 min.)	15 ppm 101.2 mg/m ³
------------------------	-----------------------------------

EH40 WEL

Name	2-(2-Butoxyethoxy)ethanol
Short term exposure limit (STEL)	15 ppm 101.2 mg/m ³

Time weighted average (TWA)	10 ppm 67.5 mg/m ³
-----------------------------	----------------------------------

Product name: Stripper Ultra
 Revision date: 30.03.2020

8.2 Exposure controls

Individual protection measures

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier.

Eye / face protection:

Eye protection (EN 166).

Hand protection:

Material: Nitrile rubber.

Thickness: 0.1 mm

Breakthrough time: > 480 min

The protective gloves to be used must comply with the specifications of EC directive 89/686/EEC and the resultant standard EN 374, e.g. Franz Mensch Nitrile Safe Premium.

This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves.

Respiratory protection:

Required when vapours/aerosols are generated. Filter A2 P2 (EN 14387).

Other protective equipment:

Protective clothing.

Hygiene measures

Change contaminated clothing. Apply skin- protective barrier cream. Wash hands and face after working with substance.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form:	liquid
Colour:	colourless
Odour:	perfumed
pH value	14
Melting point	not specified
Boiling point	not specified
Ignition temperature	not applicable
Flash point	not applicable
Explosion limits	lower
	upper
Density (23 °C)	~ 1.1 g/cm ³
Viscosity, dynamic	not specified
Solubility in water	soluble

9.2 Other information

None.

Product name: Stripper Ultra
Revision date: 30.03.2020

SECTION 10: Stability and reactivity

10.1 Reactivity

Forms explosive mixtures with air on intense heating.
Metal corrosion: Is corrosive to metals.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

Risk of explosion with:

Violent reactions possible with:

Azides, strong acids, anhydrides, hydrocarbons, nonmetallic oxides, phosphorus, organic nitro compounds, halogen oxides, nonmetallic oxyhalides, halogenated hydrocarbon, halogen-halogen compounds, halogens, alkaline earth metals, Ammonium compounds, light metals, metals.

Gives off hydrogen by reaction with metals.

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

Animal / vegetable tissues, glass, various plastics, metals, corrosive substances, halogenes, bases, acids, reactive chemicals.

Aluminium, light metals.

10.6 Hazardous decomposition products

See section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

LD₅₀ rat: 333 mg/kg (OECD 425; potassium hydroxide)

Symptoms: Pain, shock, vomiting, oedema, collapse, death. If ingested, severe burns of the mouth, as well as a danger of perforation of the oesophagus and the stomach.

LD₅₀ rat: 500 - 2000 mg/kg (OECD 423; Isotridecanol, ethoxylated)

LD₅₀ rat: 5660 mg/kg (RTECS; 2-(2-Butoxyethoxy)ethanol)

Symptoms: Nausea, diarrhoea, shortness of breath.

LD₅₀ rat: > 2000 mg/kg (OECD 404; Sodium p-cumenesulphonate)

LD₅₀ rat: > 2000 mg/kg (external MSDS; D-Limonene)

Acute dermal toxicity

LD₅₀ rabbit: 2764 mg/kg (ECHA; 2-(2-Butoxyethoxy)ethanol)

LD₅₀ rat: > 2000 mg/kg (external MSDS; Sodium p-cumenesulphonate)

LD₅₀ rabbit: > 2000 mg/kg (external MSDS; D-Limonene)

Acute inhalation toxicity

Symptoms: Burns of mucous membranes, cough, shortness of breath. Possible damages: Damage of the respiratory tract. Inhalation may lead to the formation of oedemas in the respiratory tract.

Symptoms: Possible damages: Mucosal irritations (external MSDS; 2-(2-Butoxyethoxy)ethanol).

LC₅₀ rat: > 5 mg/kg /232 min (external MSDS; Sodium p-cumenesulphonate)

Product name: Stripper Ultra
Revision date: 30.03.2020

Skin irritation

Rabbit: Causes burns (IUCLID; potassium hydroxide, anhydrous).
Drying-out effect resulting in rough and chapped skin. Necrosis.
Mixture causes severe burns.
Rabbit: No irritation (OECD 404; Isotridecanol, ethoxylated).
Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product (external MSDS; 2-(2-Butoxyethoxy)ethanol).
Rabbit: No irritation (OECD 404; Sodium p-cumenesulphonate).
Rabbit: Irritations (external MSDS; D-Limonene).
Causes skin irritation.

Eye irritation

Rabbit: Causes serious eye damage (OECD 405; potassium hydroxide, anhydrous).
Risk of corneal clouding. Risk of blindness! Necrosis.
Mixture causes serious eye damage.
Rabbit: Eye irritation (OECD 405; Isotridecanol, ethoxylated).
Causes serious eye irritation.
Rabbit: Eye irritation. Causes serious eye irritation (RTECS; 2-(2-Butoxyethoxy)ethanol).
Rabbit: Eye irritation. Causes serious eye irritation (OECD 405; Sodium p-cumenesulphonate).
Rabbit: Eye irritation (external MSDS; D-Limonene).

Sensitisation

Sensitisation test: Guinea pig: Negative (IUCLID; potassium hydroxide, anhydrous).
Sensitisation test (Buehler-Test): Negative (OECD 406; Sodium p-cumenesulphonate).
Guinea pig: Positive (external MSDS; D-Limonene).
May cause an allergic skin reaction.

Genotoxicity in vitro

Ames test: Escherichia coli: Negative (IUCLID; potassium hydroxide, anhydrous).
Ames test: Salmonella typhimurium: Negative (National Toxicology Program; 2-(2-Butoxyethoxy)ethanol).
Ames test: Bacteria: Negative (OECD 471; Sodium p-cumenesulphonate).
Mutagenicity (mammal cell test): Micronucleus: Negative (92/69/EC, B.12; Sodium p-cumenesulphonate).
Ames test: Negative (external MSDS; D-Limonene).

Carcinogenicity

Did not show carcinogenic effects in animal experiments (OECD 453; Sodium p-cumenesulphonate).

Reproductive toxicity

No impairment of reproductive performance in animal experiments (external MSDS; Sodium p-cumenesulphonate).

Teratogenicity

Did not show teratogenic effects in animal experiments (external MSDS; Sodium p-cumenesulphonate).

Specific target organ toxicity – single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ toxicity – repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Product name: Stripper Ultra
Revision date: 30.03.2020

Aspiration hazard

No aspiration toxicity classification.

11.2 Further information

Chronic intoxication: Systemic effects: CNS disorders, dizziness. Damage to: Liver, kidney.

Further hazardous properties cannot be excluded. The product should be handled with the care usual when dealing with chemicals.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish

Gambusia affinis LC₅₀: 80 mg/l /96 h (IUCLID; potassium hydroxide, anhydrous)
Leuciscus idus LC₅₀: 1 – 10 mg/l /96 h (external MSDS; Isotridecanol, ethoxylated)
Lepomis macrochirus LC₅₀: 1300 mg/l /48 h (OECD 203; ECHA; 2-(2-Butoxyethoxy)ethanol)
Oncorhynchus mykiss LC₅₀: > 100 mg/l /96 h (external MSDS; Sodium p-cumenesulphonate)
Pimephales promelas LC₅₀: 0.70 mg/l /96 h (external MSDS; D-Limonene).

Toxicity to daphnia and other aquatic invertebrates

Aaquatic invertebrates: EC₅₀: 1 – 10 mg/l /48 h (external MSDS; Isotridecanol, ethoxylated)
Daphnia magna: EC₅₀: > 100 mg/l /48 h (OECD 202; 2-(2-Butoxyethoxy)ethanol)
Daphnia magna: EC₅₀: > 100 mg/l /48 h (OECD 202, Sodium p-cumenesulphonate)
Daphnia magna: EC₅₀: 0.42 mg/l /48 h (external MSDS; D-Limonene).

Toxicity to algae

EC₅₀: 1 – 10 mg/l /72 h (external MSDS; Isotridecanol, ethoxylated)
Pseudokirchneriella subspicatus EC₅₀: > 100 mg/l / 96 h (external MSDS; Sodium p-cumenesulphonate)

Toxicity to bacteria

Activated sludge: EC₁₀: > 10000 mg/l /17 h (DIN 38412 (8); Isotridecanol, ethoxylated)
Activated sludge: EC₁₀: > 1000 mg/l /180 min (OECD 209; Sodium p-cumenesulphonate)

12.2 Persistence and degradability

Biodegradability

The surfactants contained in this preparation complies with the Biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.
Data to support this assertion are held at the disposal of the competent authorities of the member states and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Biodegradation: > 60 % / 28 d (OECD 301B; Isotridecanol, ethoxylated)
Readily biodegradable (Isotridecanol, ethoxylated)
Biodegradation: 85 % /28 d (OECD 301 C; 2-(2-Butoxyethoxy)ethanol)
Readily biodegradable (2-(2-Butoxyethoxy)ethanol)
Biodegradation: > 60 % /28 d (OECD 301B; Sodium p-cumenesulphonate)
Readily biodegradable (Sodium p-cumenesulphonate)
Biodegradation: 41 – 98 % /14 d (OECD 301 C; D-Limonene)
Readily biodegradable (D-Limonene)
Biodegradation: 93.8 % /14 d (OECD 303 A; D-Limonene)

Product name: Stripper Ultra
Revision date: 30.03.2020

Ratio COD / ThBOD

96 % (ECHA; 2-(2-Butoxyethoxy)ethanol)

12.3 Bioaccumulative potential

No bioaccumulation is to be expected (external MSDS; Isotridecanol, ethoxylated).

Partition coefficient: n-octanol / water: log P_{OW}: 0.56 (25 °C) (external MSDS; 2-(2-Butoxyethoxy)ethanol).

No bioaccumulation is to be expected (2-(2-Butoxyethoxy)ethanol).

No bioaccumulation is to be expected (Sodium p-cumenesulphonate).

Partition coefficient: n-octanol / water: log P_{OW}: 4.23 (external MSDS; D-Limonene).

A remarkable bioaccumulation potential is expected (D-Limonene).

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT / vPvB assessment not available as chemical safety assessment not required / not conducted.

12.6 Other adverse effects

Additional ecological information:

Biological effects: Harmful effect due to pH-shift. Caustic even in diluted form.

COD: 2.1 g/g (external MSDS; Isotridecanol, ethoxylated).

Do not allow to enter waters, waste water, or soil!

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product:

Chemicals must be disposed of in compliance with the respective national regulations.

Code of the waste
200129*
070601*

Name according to directive 2000/532/EC:
detergents containing dangerous substances.
aqueous washing liquids and mother liquors.

Packaging:

Product packaging must be disposed of in compliance with the country-specific regulations or must be to a packaging return system.

SECTION 14: Transport information

Road and rail, ADR/RID

UN 1719 CAUSTIC ALKALI LIQUID, N.O.S. (Potassium hydroxide), 8, II

Environmentally hazardous: No.

Inland waterway, ADN

Not tested.

Product name: Stripper Ultra
Revision date: 30.03.2020

Sea, IMDG-Code

UN 1719 CAUSTIC ALKALI LIQUID, N.O.S. (Potassium hydroxide), 8, II

EmS: F-A, S-B

Marine pollutant: No.

Air, IATA-DGR

UN 1719 CAUSTIC ALKALI LIQUID, N.O.S. (Potassium hydroxide), 8, II

Environmentally hazardous: No.

The transport regulations are cited according to international regulations and in the form applicable in Germany. Possible national deviations in other countries are not considered.

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations / legislation specific for the substance or mixture***EU regulations*

Ingredients according to Regulation (EC) on detergents No. 648/2004:

Non-ionic surfactants: Less than 5 %

Perfumes. Limonene.

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16: Other information*Reason for alteration:*

SECTION 2: Hazards identification

SECTION 8: Exposure controls/personal protection

Exposure controls

SECTION 13: Disposal considerations

Full text of hazard statements referred to under sections 2 and 3:

H226 Flammable liquid and vapour.

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.