Safety data sheet

According to Regulation (EC) No. 1907/2006 (REACH) Date of issue: 03.04.2020 Supersedes edition of: 27.10.2017

SECTION 1: Identification of the substance / mixture and of the company / undertaking

1.1 Product identifier

Product name: Vuril

1.2 Relevant identified uses of the substance or mixture and uses advised against Identified uses: Cleaner

1.3 Details of the supplier of the safety data sheet

Company:

Otto Oehme GmbH Industriestraße 20 D-90584 Allersberg Deutschland Tel. +49 9176 98050 info@oehme-lorito.de

1.4 Emergency telephone number

GIZ Nord Poisons Centre, Göttingen Tel. +49 (0) 551 19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008) Eye Irrit. 2, H319

Full text of hazard statements: See under section 16.

2.2 Label elements

Labelling (Regulation (EC) No. 1272/2008) Hazard pictograms:



Signal word: Warning

Hazard statements: H319 Causes serious eye irritation. EUH208 Contains D-limonene. May produce an allergic reaction.

Precautionary statements: P280 Wear protective gloves/eye protection. P337 + P313 If eye irritation persists: Get medical advice/attention. Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Product name:	
Revision date:	

Vuril 03.04.2020

Not known.				
SECTION 3:	Compositio	n / informatior	n on ingredients	
Solution in wa	ter.			
Hazardous c	omponents (l	Regulation (EC) No. 1272/2008)	
Chemical nam CAS-No.	e EC-No.	EC-Index-No.	Classification	Content
Benzenesulfor 84961-78-4	nic acid, 4-C10 284-669-6	I-13-sec-alkyl de	rivs., potassium salts (*) Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412	< 10 %
Isotridecanol, 69011-36-5	500-241-6		Eye Dam. 1, H318 Acute Tox. 4, H302	< 5 %
REACH Regis	tration Numbe	r: 02-211955246	61-55	
2-(2-Butoxyeth 112-34-5 REACH Regis	203-961-6	603-096-00-8 r: 01-21194751(Eye Irrit. 2, H319)4-44	< 10 %
D-Limonene 5989-27-5	227-813-5	601-029-00-7	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400	0.1 – < 1 %
REACH Regis	tration Numbe	r: 01-211952922	Aquatic Chronic 1, H410 23-47	
Full text of haz	ard statement	s: See under sec	ction 16.	
from registration	on according to	o Article 2 REAC	his substance as the substance of H Regulation (EC) No 1907/200 ion is envisaged for a later regis	6, the annual tonnage
SECTION 4:	First aid me	asures		
After inhalation After skin cont physician if ski After eye conta ophthalmologis	n: Fresh air. Ca act: Wash off in irritations oc act: Rinse out st.	cur. with plenty of wa	feeling unwell. ter. Remove contaminated clothi ter with the eyelid held wide ope water (two glasses at most), avo	n. Call in

Product name: Revision date: Vuril 03.04.2020

4.2 Most important symptoms and effects, both acute and delayed

Irritant effects, shortness of breath, dizziness, diarrhoea, nausea, CNS disorders. Allergic reactions, irritant effects.

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance / mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Not Combustible. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Special protective equipment for firefighters Do not stay in dangerous zone without suitable chemical protection clothing and self-contained breathing apparatus.

Further information

Prevent fire-fighting water from entering surface water or groundwater.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Caution: Risk of slipping.

Do not inhale vapours/aerosols. Avoid substance contact. Use personal protective equipment as required, see section 8.2. Ensure supply of fresh air in enclosed rooms. In case of inadequate ventilation wear respiratory protection.

6.2 Environmental precautions

Do not get undiluted into sewerage system.

6.3 Methods and material for containment and cleaning up

Take up with incombustible liquid-absorbent material. Forward for disposal. Clean up affected area.

6.4 Reference to other sections

Indications about waste treatment see section 13.

Product name: Vuril Revision date: 03.04.2020

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Notes for safe handling

Ensure adequate ventilation. Avoid contact with skin and eyes. Do not inhale vapours/aerosols. Avoid generation of vapours/aerosols.

Notes for prevention of fire and explosion Not required.

7.2 Conditions for safe storage, including any incompatibilities

Store cool above 5 °C. Keep away from sun and heat. Tightly closed in a well-ventilated place.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

2-(2-Butoxyethoxy)ethanol ECTLV Name Limit value 8 hours	2-(2-Butoxyethoxy)ethanol 10 ppm 67.5 mg/m ³
Short term (< 15 min.)	15 ppm 101.2 mg/m ³
EH40 WEL Name Short term exposure limit (STEL)	2-(2-Butoxyethoxy)ethanol 15 ppm 101.2 mg/m ³
Time weighted average (TWA)	10 ppm 67.5 mg/m³

8.2 Exposure controls

Individual protection measures

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier.

Eye / face protection:

Eye protection (EN 166).

Hand protection:

Material: Nitrile rubber. Thickness: 0.1 mm Breakthrough time: > 480 min

The protective gloves to be used must comply with the specifications of EC directive 89/686/EEC

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Product name: Revision date:

Vuril 03.04.2020

and the resultant standard EN 374, e.g. Franz Mensch Nitrile Safe Premium. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves.

Respiratory protection:

Required when vapours/aerosols are generated. Filter A2 P2 (EN 14387).

Hygiene measures

Change contaminated clothing. Apply skin- protective barrier cream. Wash hands and face after working with substance.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form: liquid Colour: pale yellow Odour: perfumed pH value Melting point **Boiling point** Ignition temperature Flash point Explosion limits lower upper Density (20 °C) Solubility in water

~ 9.5 not specified not specified not applicable not applicable not applicable not applicable ~ 1 g/cm³ miscible

9.2 Other information

None.

SECTION 10: Stability and reactivity

10.1 Reactivity

Metal corrosion: Is corrosive to aluminium. Forms explosive mixtures with air on intense heating.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

Risk of explosion with: Violent reactions possible with: Oxidizing agents, Aluminium.

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

Amphoteric metals, light metals, oxidizing agents.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Product name: Revision date: Vuril 03.04.2020

Corrosive substances, halogens, bases, acids, reactive chemicals.

10.6 Hazardous decomposition products

No information available.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

 $\begin{array}{l} \label{eq:action} \textit{Acute oral toxicity} \\ \text{LD}_{50} \text{ rat: } 1470 \text{ mg/kg} (external MSDS; Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.) \\ \text{LD}_{50} \text{ rat: } > 300 - 2000 \text{ mg/kg} (OECD 423; \text{Isotridecanol, ethoxylated}) \\ \text{LD}_{50} \text{ rat: } 5660 \text{ mg/kg} (RTECS; 2-(2-Butoxyethoxy)ethanol) \\ \text{Symptoms: Nausea, diarrhoea, shortness of breath.} \end{array}$

Acute dermal toxicity

LD₅₀ rat: > 2000 mg/kg (external MSDS; Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.) LD₅₀ rabbit: > 2000 mg/kg (OECD 402; Isotridecanol, ethoxylated) LD₅₀ rabbit: 2764 mg/kg (ECHA; 2-(2-Butoxyethoxy)ethanol)

Acute inhalation toxicity

Symptoms: Possible damages: Mucosal irritations (external MSDS; 2-(2-Butoxyethoxy)ethanol).

Skin irritation

Corrosive (external MSDS; Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.) Causes severe skin burns. Rabbit: No irritation (OECD 404; Isotridecanol, ethoxylated). Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product (external MSDS; 2-(2-Butoxyethoxy)ethanol).

Eye irritation

Corrosive (external MSDS; Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.). Causes serious eye damage. Rabbit: Causes serious eye damage (external MSDS; Isotridecanol, ethoxylated). Rabbit: Eye irritation. Causes serious eye irritation (RTECS; 2-(2-Butoxyethoxy)ethanol).

Genotoxicity in vitro

Ames test: Salmonella typhimurium: Negative (National Toxicology Program; 2-(2-Butoxyethoxy)ethanol).

Specific target organ toxicity – single exposure The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ toxicity – repeated exposure The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification.

11.2 Further information

Chronic intoxication: Systemic effects: CNS disorders, dizziness. Damage to: Liver, kidney.

Further hazardous properties cannot be excluded. The product should be handled with the care usual when dealing with chemicals.

Product name: Revision date: Vuril 03.04.2020

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish Lepomis macrochirus LC₅₀: 1 – 10 mg/l /96 h (external MSDS; Benzenesulfonic acid, 4-C10-13sec-alkyl derivs.) Leuciscus idus LC₅₀: 1 – 10 mg/l /96 h (external MSDS; Isotridecanol, ethoxylated)

Lepomis macrochirus LC_{50} : 1300 mg/l /48 h (OECD 203; ECHA; 2-(2-Butoxyethoxy)ethanol)

Toxicity to daphnia and other aquatic invertebrates

Daphnia sp. EC_{50} : 1 – 10 mg/l /48 h (external MSDS; Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.)

Aquatic invertebrates: EC_{50} : 1 – 10 mg/l /48 h (external MSDS; Isotridecanol, ethoxylated) Daphnia magna: EC_{50} : > 100 mg/l /48 h (OECD 202; 2-(2-Butoxyethoxy)ethanol)

Toxicity to algae

 EC_{50} : 1 – 10 mg/l (external MSDS; Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.) EC_{50} : 1 – 10 mg/l /72 h (external MSDS; Isotridecanol, ethoxylated)

Toxicity to bacteria

Activated sludge: EC₁₀: > 10000 mg/l /17 h (DIN 38412 (8); Isotridecanol, ethoxylated)

12.2 Persistence and degradability

Biodegradability

The surfactants contained in this preparation complies with the Biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

Data to support this assertion are held at the disposal of the competent authorities of the member states and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Biodegradation: > 60 % / 28 d (OECD 301B; Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.) Readily biodegradable (Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.) Biodegradation: > 60 % / 28 d (OECD 301B; Isotridecanol, ethoxylated) Readily biodegradable (Isotridecanol, ethoxylated) Biodegradation: 85 % /28 d (OECD 301 C; 2-(2-Butoxyethoxy)ethanol) Readily biodegradable (2-(2-Butoxyethoxy)ethanol)

Ratio COD / ThBOD 96 % (ECHA; 2-(2-Butoxyethoxy)ethanol)

12.3 Bioaccumulative potential

Bioconcentration factor: > 100 (external MSDS; Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.). No bioaccumulation is to be expected (external MSDS; Isotridecanol, ethoxylated). Partition coefficient: n-octanol / water: log P_{OW} : 0.56 (25 °C) (external MSDS; 2-(2-Butoxyethoxy)ethanol). No bioaccumulation is to be expected (2-(2-Butoxyethoxy)ethanol).

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT / vPvB assessment not available as chemical safety assessment not required / not conducted.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Product name: Revision date:

Vuril 03.04.2020

12.6 Other adverse effects

Further information on ecology COD: 2.1 g/g (external MSDS; Isotridecanol, ethoxylated).

Do not allow to enter waters, waste water, or soil!

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product:

Chemicals must be disposed of in compliance with the respective national regulations.

Code of the waste	Name according to directive 2000/532/EC:
200129*	detergents containing dangerous substances.
070601*	aqueous washing liquids and mother liquors.

Packaging:

Product packaging must be disposed of in compliance with the country-specific regulations or must be to a packaging return system.

SECTION 14: Transport information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations / legislation specific for the substance or mixture

EU regulations Ingredients according to Regulation (EC) on detergents No. 648/2004: Anionic surfactants: 5 % or over but less than 15 % Non-ionic surfactants: Less than 5 % Benzisothiazolone, Methylisothiazolone. Perfumes. Limonene, Citral, Linalool.

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16: Other information

Reason for alteration: SECTION 3: Composition / information on ingredients SECTION 6: Accidental release measures SECTION 8: Exposure controls/personal protection Exposure controls SECTION 11: Toxicological information SECTION 12: Ecological information SECTION 13: Disposal considerations Product name: Revision date: Vuril 03.04.2020

SECTION 16: Other information

Full text of hazard statements referred to under sections 2 and 3:
H226 Flammable liquid and vapour.
H302 Harmful if swallowed.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.