

Safety data sheet

According to Regulation (EC) No. 1907/2006 (REACH)

Date of issue: 24.03.2020 Supersedes edition of: 28.01.2020

SECTION 1: Identification of the substance / mixture and of the company / undertaking

1.1 Product identifier

Product name: Allzweckreiniger EU

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Cleaner

1.3 Details of the supplier of the safety data sheet

Company: Otto Oehme GmbH
 Industriestraße 20
 D-90584 Allersberg Deutschland
 Tel. +49 9176 98050
 info@oehme-lorito.de

1.4 Emergency telephone number

GIZ Nord Poisons Centre, Göttingen Tel. +49 (0) 551 19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Eye Irrit. 2, H319

Full text of hazard statements: See under section 16.

2.2 Label elements

Labelling (Regulation (EC) No. 1272/2008)

Hazard pictograms:



Signal word:

Warning

Hazard statements:

H319 Causes serious eye irritation.

Precautionary statements:

P280 Wear protective gloves/eye protection.

P337 + P313 If eye irritation persists: Get medical advice/attention.

2.3 Other hazards

Not known.

Product name: Allzweckreiniger EU
 Revision date: 24.03.2020

SECTION 3: Composition / information on ingredients

Solution in water.

Hazardous components (Regulation (EC) No. 1272/2008)

<i>Chemical name</i>				<i>Content</i>
<i>CAS-No.</i>	<i>EC-No.</i>	<i>EC-Index-No.</i>	<i>Classification</i>	
Ethanol				< 10 %
64-17-5	200-578-6	603-002-00-5	Flam. Liq. 2, H225 Eye Irrit. 2, H319	
REACH Registration Number: 01-2119457610-43				
Ethyl methyl ketone				< 0.1 %
78-93-3	201-159-0	606-002-00-3	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336	
REACH Registration Number: 01-2119457290-43				
Isotridecanol, ethoxylated				< 5 %
69011-36-5	500-241-6		Eye Dam. 1, H318 Acute Tox. 4, H302	
REACH Registration Number: 02-2119552461-55				
(2-Methoxymethylethoxy)propanol				< 5 %
34590-94-8	252-104-2	---		
REACH Registration Number: 01-2119450011-60				

Full text of hazard statements: See under section 16.

SECTION 4: First aid measures**4.1 Description of first aid measures**

After inhalation: Fresh air. Call in physician if feeling unwell.

After skin contact: Wash off with plenty of water. Remove contaminated clothing.

After eye contact: Rinse out with plenty of water with the eyelid held wide open. Call in ophthalmologist.

After swallowing: Make victim drink plenty of water (two glasses at most), avoid vomiting. Call in physician.

4.2 Most important symptoms and effects, both acute and delayed

Irritant effects, respiratory paralysis, dermatitis, narcosis, inebriation, euphoria, nausea, vomiting. Drying-out effect resulting in rough and chapped skin.

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

Product name: Allzweckreiniger EU
Revision date: 24.03.2020

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide, foam, dry powder.

Unsuitable extinguishing media

For this substance / mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Contains combustible material. Vapours are heavier than air and may spread along floors. Forms explosive mixtures with air at ambient temperatures. Pay attention to flashback. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Special protective equipment for firefighters

Do not stay in dangerous zone without suitable chemical protection clothing and self-contained breathing apparatus.

Further information

Prevent fire-fighting water from entering surface water or groundwater.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Caution: Risk of slipping.

Do not inhale vapours/aerosols. Avoid substance contact. Use personal protective equipment as required, see section 8.2. Ensure supply of fresh air in enclosed rooms. In case of inadequate ventilation wear respiratory protection.

Keep away from sources of ignition, no smoking.

6.2 Environmental precautions

Do not get undiluted into sewerage system.

6.3 Methods and material for containment and cleaning up

Take up with incombustible liquid-absorbent material. Forward for disposal. Clean up affected area.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Notes for safe handling

Ensure adequate ventilation. Avoid contact with skin and eyes. Do not inhale vapours/aerosols. Avoid generation of vapours/aerosols.

Product name: Allzweckreiniger EU
 Revision date: 24.03.2020

Notes for prevention of fire and explosion

Not required.

7.2 Conditions for safe storage, including any incompatibilities

Store cool above 5 °C. Keep away from sun and heat.

Tightly closed in a well-ventilated place. Away from sources of ignition and heat.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ethanol

EH40 WEL

Name	Ethanol
Time weighted average (TWA)	1000 ppm 1920 mg/m ³

Ethyl methyl ketone

ECTLV

Name	Butan-2-one
Limit value 8 hours	200 ppm 600 mg/m ³

Short term (< 15 min.)	300 ppm 900 mg/m ³
------------------------	----------------------------------

EH40 WEL

Name	Butan-2-one
Short term exposure limit (STEL)	300 ppm 899 mg/m ³

Time weighted average (TWA)	200 ppm 600 mg/m ³
-----------------------------	----------------------------------

Skin designation	Can be absorbed through the skin.
------------------	-----------------------------------

(2-Methoxymethylethoxy)propanol

ECTLV

Name	(2-Methoxymethylethoxy)propanol
Limit value 8 hours	50 ppm 308 mg/m ³

(2-Methoxymethylethoxy)propanol

EH40 WEL

Name	(2-Methoxymethylethoxy)propanol
Time weighted average (TWA)	50 ppm 308 mg/m ³

8.2 Exposure controls

Individual protection measures

Protective clothing should be selected specifically for the working place, depending on

Product name: Allzweckreiniger EU
 Revision date: 24.03.2020

concentration and quantity of the hazardous substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier.

Eye / face protection:

Eye protection (EN 166).

Hand protection:

Material: Nitrile rubber.

Thickness: 0.1 mm

Breakthrough time: > 480 min

The protective gloves to be used must comply with the specifications of EC directive 89/686/EEC and the resultant standard EN 374, e.g. Franz Mensch Nitrile Safe Premium.

This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves.

Other protective equipment

Acid-resistant protective clothing.

Respiratory protection:

Required when vapours/aerosols are generated. Filter A2 P2 (EN 14387).

Hygiene measures

Change contaminated clothing. Apply skin- protective barrier cream. Wash hands and face after working with substance.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form:	liquid
Colour:	blue
Odour:	perfumed
pH value	~ 9
Melting point	not specified
Boiling point	not specified
Ignition temperature	not applicable,
Flash point	>35 °C, do not sustain combustion
Explosion limits	lower > 1.3 % (Ethanol)
	upper 15 % (Ethanol)
Density (20 °C)	~ 1.0 g/cm ³
Solubility in water	miscible

9.2 Other information

None.

SECTION 10: Stability and reactivity

10.1 Reactivity

Vapours may form explosive mixtures with air.

Product name: Allzweckreiniger EU
Revision date: 24.03.2020

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

Risk of explosion/exothermic reaction with:

Hydrogen peroxide, perchlorates, perchloric acid, nitric acid, mercury(II) nitrate, permanganic acid, nitriles, peroxy compounds, strong oxidizing agents, nitrosyl compounds, peroxides, sodium, potassium, halogen oxides, calcium hypochlorite, nitrogen dioxide, metallic oxides, uranium hexafluoride, iodides, chlorine, alkali metals, alkaline earth metals, alkali oxides, ethylene oxide potassium permanganate, sulfuric acid.

Risk of ignition or formation of inflammable gases or vapours with:

Halogen-halogen compounds, chromium(VI) oxide, chromyl chloride, fluorine, hydrides, oxides of phosphorus, platinum.

10.4 Conditions to avoid

Warming.

10.5 Incompatible materials

Rubber, various plastics.

Corrosive substances, halogenes, bases, acids, reactive chemicals.

10.6 Hazardous decomposition products

See section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

LD₅₀ rat: 10470 mg/kg (OECD 401; Ethanol)

Symptoms: Nausea, vomiting.

LD₅₀ rat: 500 - 2000 mg/kg (OECD 423; Isotridecanol, ethoxylated)

LD₅₀ rat: > 5000 mg/kg (external MSDS; (2-Methoxymethylethoxy)propanol)

Acute dermal toxicity

LD₅₀ rat: > 2000 mg/kg (external MSDS; Ethanol)

Symptoms: Dermatitis, drying-out effect resulting in rough and chapped skin.

LD₅₀ rabbit: > 19020 mg/kg (external MSDS; (2-Methoxymethylethoxy)-propanol)

Acute inhalation toxicity

LC₅₀ rat: 124.7 mg/l /4 h vapour (OECD 403; Ethanol)

Symptoms: Slight mucosal irritations, absorption.

LC₅₀ rat: No observed mortality /7 h (external MSDS; (2-Methoxymethylethoxy)propanol)

Skin irritation

Rabbit: No irritation (OECD 404; Ethanol).

Rabbit: No irritation (OECD 404; Isotridecanol, ethoxylated).

Rabbit: No irritation (external MSDS; (2-Methoxymethylethoxy)propanol).

Eye irritation

Rabbit: Eye irritation (OECD 405; Ethanol).

Causes serious eye irritation.

Product name: Allzweckreiniger EU
Revision date: 24.03.2020

Rabbit: Eye irritation (OECD 405; Isotridecanol, ethoxylated).
Causes serious eye irritation.
Rabbit: Draize-test: No irritation (external MSDS; (2-Methoxymethylethoxy)propanol).

Sensitisation

Sensitisation test (Magnusson and Kligman): Negative (IUCLID; Ethanol).
Patch test: Human: Negative (IUCLID; (2-Methoxymethylethoxy)propanol).

Genotoxicity in vitro

Ames test: Salmonella typhimurium: Negative (National Toxicology Program; Ethanol).
Mutagenicity (mammal cell test): Mouse lymphoma test: Negative (OECD 476; Ethanol).
Ames test: Negative (IUCLID; (2-Methoxymethylethoxy)propanol).

Specific target organ toxicity – single exposure

Target Organs: Central nervous system. May cause drowsiness or dizziness.

Specific target organ toxicity – repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification.

11.2 Further information

Systemic effects: Euphoria.

After absorption of large quantities: Dizziness, inebriation, narcosis, respiratory paralysis.

Further hazardous properties cannot be excluded. The product should be handled with the care usual when dealing with chemicals.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish

Leuciscus idus LC₅₀: 8140 mg/l /48 h (IUCLID; Ethanol)

Leuciscus idus LC₅₀: 1 – 10 mg/l /96 h (external MSDS; Isotridecanol, ethoxylated)

Poecilia reticulata LC₅₀: > 1000 mg/l /96 h (OECD 203; (2-Methoxymethylethoxy)propanol)

Toxicity to daphnia and other aquatic invertebrates

Daphnia magna: EC₅₀: 9268 – 14221 mg/l /48 h (IUCLID; Ethanol)

Entosiphon sulcatum: EC₅: 65 mg/l /72 h (maximum permissible toxic concentration; external MSDS; Ethanol)

Aquatic invertebrates: EC₅₀: 1 – 10 mg/l /48 h (external MSDS; Isotridecanol, ethoxylated)

Daphnia magna: EC₅₀: 1919 mg/l /48 h (external MSDS; (2-Methoxymethylethoxy)propanol)

Toxicity to algae

Scenedesmus quadricauda: IC₅: 5000 mg/l / 7 d (maximum permissible toxic concentration; external MSDS; Ethanol)

EC₅₀: 1 – 10 mg/l /72 h (external MSDS; Isotridecanol, ethoxylated)

Pseudokirchneriella subcapitata EC₅₀: > 969 mg/l /96 h (OECD 201; (2-Methoxymethylethoxy)-propanol)

Toxicity to bacteria

Pseudomonas putida EC₅: 6500 mg/l /16 h (maximum permissible toxic concentration; IUCLID;

Product name: Allzweckreiniger EU
Revision date: 24.03.2020

Ethanol)

Activated sludge: EC₁₀: > 10000 mg/l /17 h (DIN 38412 (8); Isotridecanol, ethoxylated)
Pseudomonas putida EC₁₀: 4168 mg/l /18 h (IUCRID; (2-Methoxymethylethoxy)propanol)

12.2 Persistence and degradability

Biodegradability

The surfactants contained in this preparation complies with the Biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

Data to support this assertion are held at the disposal of the competent authorities of the member states and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Biodegradation: 94 % (OECD 301E; Ethanol)

Readily biodegradable (Ethanol)

Biodegradation: > 60 % / 28 d (OECD 301B; Isotridecanol, ethoxylated)

Readily biodegradable (Isotridecanol, ethoxylated)

Biodegradation: 75 % / 28 d (OECD 301; (2-Methoxymethylethoxy)propanol)

Readily biodegradable ((2-Methoxymethylethoxy)propanol)

Biochemical oxygen demand (BOD)

930 – 1670 mg/g /5 d (external MSDS; Ethanol)

Theoretical oxygen demand (ThOD)

2100 mg/g (external MSDS; Ethanol)

Ratio COD / ThBOD

90 % (external MSDS; Ethanol)

12.3 Bioaccumulative potential

Partition coefficient: n-octanol / water: log P_{OW}: -0.31 (external MSDS; Ethanol).

No bioaccumulation is to be expected (Ethanol).

No bioaccumulation is to be expected (external MSDS; Isotridecanol, ethoxylated).

Partition coefficient: n-octanol / water: log P_{OW}: < 0,001 (25 °C) (OECD 107; (2-Methoxymethylethoxy)propanol).

No bioaccumulation is to be expected (external MSDS; (2-Methoxymethylethoxy)propanol).

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT / vPvB assessment not available as chemical safety assessment not required / not conducted.

12.6 Other adverse effects

Additional ecological information:

COD: 2.1 g/g (external MSDS; Isotridecanol, ethoxylated).

Do not allow to enter waters, waste water, or soil!

Product name: Allzweckreiniger EU
Revision date: 24.03.2020

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product:

Chemicals must be disposed of in compliance with the respective national regulations.

Code of the waste

200129*

070601*

Name according to directive 2000/532/EC:

detergents containing dangerous substances.

aqueous washing liquids and mother liquors.

Packaging:

Product packaging must be disposed of in compliance with the country-specific regulations or must be to a packaging return system.

SECTION 14: Transport information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations / legislation specific for the substance or mixture

EU regulations

Ingredients according to Regulation (EC) on detergents No. 648/2004:

Non-ionic surfactants: Less than 5 %

Perfumes.

15.2 Chemical safety assessment

For this product, a chemical safety assessment was not carried out.

SECTION 16: Other information

Reason for alteration:

SECTION 9: Physical and chemical properties

SECTION 15: Regulatory information

Full text of hazard statements referred to under sections 2 and 3:

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

The information contained herein is based on the present state of our knowledge. It characterizes the product regarding the appropriate safety precautions. It does not represent a guarantee of the properties of the product.