according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 16 Mar 2022 Print date: 16 Mar 2022

Version: 1 Page 1/9



Fleckentferner L

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

Fleckentferner L

Article No.:

246

UFI:

HJQH-A3W2-FQR1-KX5S

1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture:

Cleaning agent

1.3. Details of the supplier of the safety data sheet

${\bf Supplier\ (manufacturer/importer/only\ representative/downstream\ user/distributor):}$

Otto Oehme GmbH

FEA

Industriestr. 20 90584 Allersberg

Germany

Telephone: 09176/98050 Telefax: 09176/980555 E-mail: Info@Oehme-Lorito.de Website: www.Oehme-Lorito.de

1.4. Emergency telephone number

No data available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Aspiration hazard (Asp. Tox. 1)	H304: May be fatal if swallowed and enters airways.	
Serious eye damage/eye irritation (Eye Irrit. 2)	H319: Causes serious eye irritation.	
STOT-single exposure (STOT SE 3)	H335: May cause respiratory irritation.	
STOT-single exposure (STOT SE 3)	H336: May cause drowsiness or dizziness.	
Hazardous to the aquatic environment (Aquatic Chronic 3)	H412: Harmful to aquatic life with long lasting effects.	

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms:



GHS07 Exclamation mark



GHS08 Health hazard

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 16 Mar 2022 Print date: 16 Mar 2022

Version: 1 Page 2/9



Fleckentferner L

Signal word: Danger

Hazard statements for health hazards		
H304	May be fatal if swallowed and enters airways.	
H319	Causes serious eye irritation.	
H335	May cause respiratory irritation.	
H336	May cause drowsiness or dizziness.	

Hazard statements	for environmental hazards
H412	Harmful to aquatic life with long lasting effects.

Supplemental hazard information: —

Precautionary statements Prevention		
P273 Avoid release to the environment.		
P280	Wear protective gloves/protective clothing and eye/face protection.	

ĺ	Precautionary statements Response		
		IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or	
		shower].	
	P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Description:

solvent mixture

Hazardous ingredients / Hazardous impurities / Stabilisers:

Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
2-(2-butoxyethoxy)ethanol	50 - ≤ 100
Eye Irrit. 2 (H319)	weight-%
(†) Warning	
Kohlenwasserstoffe, C9, Aromaten	≤ 20
Aquatic Chronic 2 (H411), Asp. Tox. 1 (H304), Flam. Liq. 3 (H226),	weight-%
│ <mark>���� Danger</mark>	
	Classification according to Regulation (EC) No 1272/2008 [CLP] 2-(2-butoxyethoxy)ethanol Eye Irrit. 2 (H319) Warning Kohlenwasserstoffe, C9, Aromaten

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended.

Following inhalation:

Provide fresh air. In case of respiratory tract irritation, consult a physician. Get medical advice/attention if you feel unwell.

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

After eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 16 Mar 2022 Print date: 16 Mar 2022

Version: 1 Page 3/9



Fleckentferner L

Following ingestion:

Rinse mouth. Let water be drunken in little sips (dilution effect). Get medical advice/attention if you feel unwell. Do NOT induce vomiting. Observe risk of aspiration if vomiting occurs. Get immediate medical advice/attention.

Self-protection of the first aider:

Use personal protection equipment.

4.2. Most important symptoms and effects, both acute and delayed

Dyspnoea ,Respiratory complaints ,Nausea , Irritation to respiratory tract Dizziness Dizziness,Unconsciousness ,Anaesthetic state ,Headache Inebriation

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Subsequent observance for pneumonia and lung oedema.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Foam Extinguishing powder Carbon dioxide (CO2)

5.2. Special hazards arising from the substance or mixture

Contains combustible substance. Vapors are heavier than air and spread along floors.

Explosive mixtures with air are possible even at normal temperatures. on

Watch out for flashback. In case of fire hazardous combustion gases or vapors possible.

Hazardous combustion products:

In case of fire: Gases/vapours, toxic

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Remove persons to safety. Special danger of slipping by leaking/spilling product. Do not inhale vapors / aerosols.

Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

6.5. Additional information

Use appropriate container to avoid environmental contamination.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 16 Mar 2022 Print date: 16 Mar 2022

Version: 1 Page 4/9



Fleckentferner L

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Wear personal protection equipment (refer to section 8). Use only outdoors or in a well-ventilated area. Avoid: Skin contact Eye contact Inhalation of vapours or spray/mists

Advices on general occupational hygiene

When using do not eat, drink or smoke. Avoid contact with eyes and skin.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

7.3. Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	 Long-term occupational exposure limit value Short-term occupational exposure limit value Instantaneous value Monitoring and observation processes Remark
TRGS 900 (DE)	2-(2-butoxyethoxy)ethanol CAS No.: 112-34-5 EC No.: 203-961-6	① 10 ppm (67 mg/m³) ② 15 ppm (100.5 mg/m³) ⑤ (Aerosol und Dampf)
IOELV (EU)	2-(2-butoxyethoxy)ethanol CAS No.: 112-34-5 EC No.: 203-961-6	① 10 ppm (67.5 mg/m³) ② 15 ppm (101.2 mg/m³)
TRGS 900 (DE)	Kohlenwasserstoffe, C9, Aromaten CAS No.: 64742-95-6 EC No.: 918-668-5	① 50 mg/m³ ② 100 mg/m³ ⑤ (C9-C14 Aromaten)

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

No data available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No data available

8.2.2. Personal protection equipment

Eye/face protection:

Eye glasses with side protection EN 166

Skin protection:

Tested protective gloves must be worn EN ISO 374 Suitable material: Breakthrough time: min In the case of wanting to use the gloves again, clean them before taking off and air them well. Breakthrough times and swelling properties of the material must be taken into consideration.

8.2.3. Environmental exposure controls

No data available

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 16 Mar 2022 Print date: 16 Mar 2022

Version: 1 Page 5/9



Fleckentferner L

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid Colour: colourless

Odour: characteristic

Safety relevant basis data

Parameter	Value	at °C	① Method
			② Remark
рН	not applicable		
Melting point	not determined		
Freezing point	not determined		
Initial boiling point and boiling range	not determined		
Decomposition temperature	not determined		
Flash point	not determined		
Evaporation rate	not determined		
Auto-ignition temperature	not determined		
Upper/lower flammability or explosive limits	not determined		
Vapour pressure	not determined		
Vapour density	not determined		
Density	0.9 g/cm ³	23 °C	
Relative density	not determined		
Bulk density	not determined		
Water solubility	Immiscible		
Partition coefficient: n-octanol/water	not determined		
Dynamic viscosity	not determined		
Kinematic viscosity	not determined		

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Vapors may form an explosive mixture with air.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Violent reaction with: Aluminium Oxidising agent, strong

10.4. Conditions to avoid

extreme temperatures

10.5. Incompatible materials

Aluminium Oxidising agent, strong

10.6. Hazardous decomposition products

No data available

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 16 Mar 2022 Print date: 16 Mar 2022

Version: 1 Page 6/9



Fleckentferner L

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Substance name	Toxicological information	
2-(2-butoxyethoxy)ethanol CAS No.: 112-34-5 EC No.: 203-961-6	LD ₅₀ oral: 2,410 mg/kg (Mouse)	
20 No. 200 301 0	LD ₅₀ dermal: 2,764 mg/kg (Rabbit)	
Kohlenwasserstoffe, C9, Aromaten CAS No.: 64742-95-6 EC No.: 918-668-5	LD ₅₀ oral: 3,492 mg/kg (Ratte) LD ₅₀ dermal: >3,160 mg/kg (Kaninchen) LC ₅₀ Acute inhalation toxicity (vapour): >6.193 mg/l 4 h (Ratte)	

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

Serious eye damage/irritation:

Causes serious eye irritation.

Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

May cause respiratory irritation. May cause drowsiness or dizziness.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

May be fatal if swallowed and enters airways.

Additional information:

No data available

11.2. Information on other hazards

No data available

SECTION 12: Ecological information

12.1. Toxicity

Substance name	Toxicological information
2-(2-butoxyethoxy)ethanol CAS No.: 112-34-5 EC No.: 203-961-6	LC ₅₀ : 1,300 mg/l 4 d (Sonnenbarsch) OECD 203 EC ₅₀ : >100 mg/l 2 d (Daphnia magna) ErC ₅₀ : 1,101 mg/l 3 d (Algae/water plant)
Kohlenwasserstoffe, C9, Aromaten CAS No.: 64742-95-6 EC No.: 918-668-5	EC₅₀: 0.29 mg/l 3 d (Algae/water plant, Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)) OECD Guideline 201 (Alga, Growth Inhibition Test)

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 16 Mar 2022 Print date: 16 Mar 2022

Version: 1 Page 7/9



Fleckentferner L

Substance name	Toxicological information
	NOEC: 0.07 mg/l 3 d (Algae/water plant, Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)) OECD Guideline 201 (Alga, Growth Inhibition Test) ErC ₅₀ : 0.42 mg/l 3 d (Algae/water plant)

Aquatic toxicity:

Harmful to aquatic life with long lasting effects.

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

Substance name	Log K _{OW}	Bioconcentration factor (BCF)
2-(2-butoxyethoxy)ethanol CAS No.: 112-34-5 EC No.: 203-961-6	= 1	
Kohlenwasserstoffe, C9, Aromaten CAS No.: 64742-95-6 EC No.: 918-668-5	≤ 3.59	

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

Substance name	Results of PBT and vPvB assessment
2-(2-butoxyethoxy)ethanol CAS No.: 112-34-5 EC No.: 203-961-6	_
Kohlenwasserstoffe, C9, Aromaten CAS No.: 64742-95-6 EC No.: 918-668-5	_

12.6. Endocrine disrupting properties

No data available

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product

20 01 29 * Detergents containing hazardous substances

*: Evidence for disposal must be provided.

Waste treatment options

Appropriate disposal / Product:

Consult the appropriate local waste disposal expert about waste disposal.

Appropriate disposal / Package:

Non-contaminated packages may be recycled.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 16 Mar 2022 Print date: 16 Mar 2022

Version: 1 Page 8/9



Fleckentferner L

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)	
14.1. UN number or ID number				
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	
14.2. UN proper shipping name				
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	
14.3. Transport hazard class(es)				
not relevant	not relevant	not relevant	not relevant	
14.4. Packing group				
not relevant	not relevant	not relevant	not relevant	
14.5. Environmental hazards				
not relevant	not relevant	not relevant	not relevant	
14.6. Special precautions for user				
not relevant	not relevant	not relevant	not relevant	

14.7. Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Authorisations:

Ingredients according to the Detergents Regulation 648/2004/EG: aromatic hydrocarbons 15% - 30%

15.1.2. National regulations

[DE] National regulations

Water hazard class

WGK:

2 - deutlich wassergefährdend

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

16.1. Indication of changes

No data available

16.2. Abbreviations and acronyms

No data available

16.3. Key literature references and sources for data

Substance name	Туре	source of supply
Kohlenwasserstoffe, C9, Aromaten CAS No.: 64742-95-6 EC No.: 918-668-5	EC ₅₀ ; NOEC	Source: European Chemicals Agency, http://echa.europa.eu/

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 16 Mar 2022 Print date: 16 Mar 2022

Version: 1 Page 9/9



Fleckentferner L

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Aspiration hazard (Asp. Tox. 1)	H304: May be fatal if swallowed and enters airways.	
Serious eye damage/eye irritation (Eye Irrit. 2)	H319: Causes serious eye irritation.	
STOT-single exposure (STOT SE 3)	H335: May cause respiratory irritation.	
STOT-single exposure (STOT SE 3)	H336: May cause drowsiness or dizziness.	
Hazardous to the aquatic environment (Aquatic Chronic 3)	H412: Harmful to aquatic life with long lasting effects.	

16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.

16.6. Training advice

No data available

16.7. Additional information

The information is based on our current level of knowledge and is used to describe the product with regard to the safety precautions to be taken. They do not represent a guarantee of the properties of the product described.

It is the responsibility of the recipient of our product to observe existing laws and regulations.