#### ANTIGUM 260 CB 400MLX12 OTTO OEHME - A24991

Date: 23/07/2025 Page 1/13 Revision: N°7 (21/01/2025)

#### SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

#### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: ANTIGUM 260 CB 400MLX12 OTTO OEHME

Product code: A24991.

UFI: SF59-V5MA-MJ1Q-VQPD

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.3. Details of the supplier of the safety data sheet

Registered company name: SICO..

Address: ZI CENTR'ALP BP 16.38 340.VOREPPE.FRANCE. Telephone: +33 (0)4 76 50 85 50. Fax: +33 (0)4 76 50 85 82.

sico.fds@sico.net www.sico.net

TEST BELGIQUE: (+32) 070 245 245 // (+32) 02 264 96 30 // http://www.centreantipoisons.be

#### 1.4. Emergency telephone number: +33 (0)1 45 42 59 59.

Association/Organisation: FRANCE: INRS / ORFILA http://www.centres-antipoison.net t.

#### Other emergency numbers

Une liste des numéros d'appels d'urgence pour l'ensemble des pays de l'Union Européenne est disponible sur le site internet de l'Echa (https://echa.europa.eu/fr/support/helpdesks)

A list of emergency telephone numbers for all European Union countries is available on the Echa website (https://echa.europa.eu/fr/support/helpdesks)

#### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

#### In compliance with EC regulation No. 1272/2008 and its amendments.

Aerosol, Category 1 (Aerosol 1, H222 - H229).

Skin irritation, Category 2 (Skin Irrit. 2, H315).

Skin sensitisation, Category 1 (Skin Sens. 1, H317).

Specific target organ toxicity (single exposure), Category 3 (STOT SE 3, H336).

Hazardous to the aquatic environment - Chronic hazard, Category 2 (Aquatic Chronic 2, H411).

The propellant gas is not taken into account when determining the health and environmental classification of the mixture.

### 2.2. Label elements

Detergent mixture (see section 15).

Mixture for aerosol application.

### In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms:







GHS07

GHS09

Signal Word:

GHS02

**DANGER** Product identifiers:

EC 927-510-4 HYDROCARBONS, C7, N-ALKANES, ISOALKANES, CYCLICS

EC 227-813-5 **D-LIMONENE** 

Hazard statements:

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

H315 Causes skin irritation.

Version: N°1 (21/01/2025)

SICO.

Revision: N°7 (21/01/2025)

Date: 23/07/2025 Page 2/13

#### ANTIGUM 260 CB 400MLX12 OTTO OEHME - A24991

H317 May cause an allergic skin reaction.
H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements - Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P261 Avoid breathing spray.

P264 Wash hands thoroughly with water after handling.
P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves

Precautionary statements - Response:

P302 + P352 IF ON SKIN: Wash with plenty of water

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER/doctor/.../if you feel unwell.
P332 + P313 If skin irritation occurs: Get medical advice/attention.
P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P391 Collect spillage.

Precautionary statements - Storage:

P405 Store locked up.

P410 + P412 Protect from sunlight. Do no expose to temperatures exceeding 50 °C/122 °F.

Precautionary statements - Disposal:

P501 Dispose of contents/container according to the local rules.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 59 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances= 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

### **Composition:**

Identification	Classification (EC) 1272/2008	Note	%
INDEX: 601-004-00-0	GHS02, GHS04	С	50 <= x % < 100
CAS: 106-97-8	Dgr	[i]	
EC: 203-448-7	Flam. Gas 1A, H220	[vii]	
BUTANE			
CAS: 124-38-9	GHS04	[i]	$2.5 \le x \% \le 10$
EC: 204-696-9	Wng	[vii]	
	Press. Gas, H281		
CARBON DIOXIDE			
CAS: 109-87-5	GHS02	[i]	$0 \le x \% \le 2.5$
REACH: 01-2119664781-31	Dgr		
	Flam. Liq. 2, H225		
METHYLAL			
EC: 927-510-4	GHS07, GHS09, GHS08, GHS02		$0 \le x \% \le 2.5$
REACH: 01-2119475515-33	Dgr		
	Flam. Liq. 2, H225		
HYDROCARBONS, C7, N-ALKANES,	Asp. Tox. 1, H304		
ISOALKANES, CYCLICS	Skin Irrit. 2, H315		
	STOT SE 3, H336		
	Aquatic Chronic 2, H411		
HYDROCARBONS	GHS08		$0 \le x \% \le 2.5$
	Dgr		
	Asp. Tox. 1, H304		

Version: N°1 (21/01/2025)

SICO.

#### ANTIGUM 260 CB 400MLX12 OTTO OEHME - A24991

Date: 23/07/2025 Page 3/13 Revision: N°7 (21/01/2025)

CAS: 5989-27-5	GHS02, GHS07, GHS08, GHS09		$0 \le x \% \le 2.5$
EC: 227-813-5	Dgr		
	Flam. Liq. 3, H226		
D-LIMONENE	Asp. Tox. 1, H304		
	Skin Irrit. 2, H315		
	Skin Sens. 1B, H317		
	Aquatic Chronic 3, H412		
	Aquatic Acute 1, H400		
	M Acute = 1		
INDEX: 603-001-00-X	GHS02, GHS06, GHS08	[i]	0 <= x % < 2.5
CAS: 67-56-1	Dgr	[xvii]	
EC: 200-659-6	Flam. Liq. 2, H225		
	Acute Tox. 3, H331		
METHANOL	Acute Tox. 3, H311		
	Acute Tox. 3, H301		
	STOT SE 1, H370		
CAS: 123-35-3	GHS02, GHS07, GHS08, GHS09		0 <= x % < 2.5
EC: 204-622-5	Dgr		
	Flam. Liq. 3, H226		
MYRCENE	Asp. Tox. 1, H304		
	Skin Irrit. 2, H315		
	Eye Irrit. 2, H319		
	Aquatic Chronic 2, H411		
	Aquatic Acute 1, H400		
	M Acute = 1		

#### Information on ingredients:

(Full text of H-phrases: see section 16)

Substances may not have a REACH Registration No.. because they are manufactured / imported in quantities less than 1 ton / year, or they are complex substances or they are exempted from registration under REACH.

[i] Substance for which maximum workplace exposure limits are available.

[vii] Propellant gas

[xvii] Restricted substance under Regulation (EC) No. 1907/2006 (REACH), Annex XVII.

### **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

#### 4.1. description of first aid measures

#### In the event of exposure by inhalation:

In the event of massive inhalation, remove the person exposed to fresh air. Keep warm and at rest.

If the person is unconscious, place in recovery position. Notify a doctor in all events, to ascertain whether observation and supportive hospital care will be necessary.

If breathing is irregular or has stopped, effect mouth-to-mouth resuscitation and call a doctor.

### In the event of splashes or contact with skin:

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

If the contaminated aera is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

### In the event of swallowing:

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Seek medical attention immediately, showing the label.

#### 4.2. Most important symptoms and effects, both acute and delayed

No data available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

#### **Specific and immediate treatment:**

No data available.

Revision: N°7 (21/01/2025)

Date: 23/07/2025 Page 4/13

### Information for the doctor :

No data available.

### **SECTION 5: FIREFIGHTING MEASURES**

Flammable.

Chemical powders, carbon dioxide and other extinguishing gas are suitable for small fires.

#### 5.1. Extinguishing media

Keep packages near the fire cool, to prevent pressurised containers from bursting.

#### Suitable methods of extinction

Prevent the effluent of fire-fighting measures from entering drains or waterways.

#### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

#### 5.3. Advice for firefighters

Fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

#### For non first aid worker

Avoid inhaling the vapors.

Avoid any contact with the skin and eyes.

If a large quantity has been spilt, evacuate all personnel and only allow intervention by trained operators equipped with safety apparatus.

ANTIGUM 260 CB 400MLX12 OTTO OEHME - A24991

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

If the product contaminates waterways, rivers or drains, alert the relevant authorities in accordance with statutory procedures

Use drums to dispose of collected waste in compliance with current regulations (see section 13).

### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

### 6.4. Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

See Section 7 for information on safe handling.

#### **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

Individuals with a history of skin sensitisation should not, under any circumstance, handle this mixture.

#### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Remove contaminated clothing and protective equipment before entering eating areas.

#### Fire prevention:

Handle in well-ventilated areas.

Prevent the formation of flammable or explosive concentrations in air and avoid vapor concentrations higher than the occupational exposure limits.

# Revision : N°7 (21/01/2025)

Date: 23/07/2025 Page 5/13

Do not spray on a naked flame or any incandescent material.

Do not pierce or burn, even after use.

Use the mixture in premises free of naked flames or other sources of ignition and ensure that electrical equipment is suitably protected.

ANTIGUM 260 CB 400MLX12 OTTO OEHME - A24991

Keep packages tightly closed and away from sources of heat, sparks and naked flames.

Do not use tools which may produce sparks. Do not smoke.

Prevent access by unauthorised personnel.

### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Do not breathe in aerosols.

Avoid inhaling vapors.

Avoid inhaling vapors. Carry out any industrial operation which may give rise to this in a sealed apparatus.

Provide vapor extraction at the emission source and also general ventilation of the premises.

Also provide breathing apparatus for certain short tasks of an exceptional nature and for emergency interventions.

In all cases, recover emissions at source.

### Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

Never open the packages under pressure.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store receptacle in a well ventilated area.

Store in cool, dry conditions in well sealed receptacles.

#### Storage

Keep the container tightly closed in a dry, well-ventilated place.

Keep away from all sources of ignition - do not smoke.

Keep well away from all sources of ignition, heat and direct sunlight.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C.

#### **Packaging**

Always keep in packaging made of an identical material to the original.

### 7.3. Specific end use(s)

No data available.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

### Occupational exposure limits:

- European Union :

- European Omon.					
CAS	VME-mg/m3:	VME-ppm:	VLE-mg/m3:	VLE-ppm:	Notes:
124-38-9	9000	5000	-	-	-
CARBON DIOXIDE					
67-56-1	260	200	-	-	-
METHANOL					

- UK:

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
106-97-8	600 ppm	750 ppm			
BUTANE	1450 mg/m3	1810 mg/m3			
124-38-9	5000 ppm	15000 ppm			
CARBON DIOXIDE	9150 mg/m3	27400 mg/m3			
109-87-5	1000 ppm	1250 ppm			
METHYLAL	3160 mg/m3	3950 mg/m3			
67-56-1	200 ppm	250 ppm			
METHANOL	266 mg/m3	333 mg/m3			

#### Derived no effect level (DNEL) or derived minimum effect level (DMEL):

HYDROCARBONS, C7, N-ALKANES, ISOALKANES, CYCLICS

**Final use:**Exposure method:
Workers.
Dermal contact.

Potential health effects: Long term systemic effects.

Version: N°1 (21/01/2025)

SICO.

## Revision: N°7 (21/01/2025)

Date: 23/07/2025 Page 6/13

DNEL: 300 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Long term systemic effects.

DNEL: 2085 mg of substance/m3

Final use: Consumers.

Exposure method: Ingestion.

Potential health effects: Long term systemic effects.

DNEL: 149 mg/kg body weight/day

Exposure method: Dermal contact.

Potential health effects: Long term systemic effects.

DNEL: 149 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Long term systemic effects.

DNEL: 477 mg of substance/m3

#### 8.2. Exposure controls

#### Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

ANTIGUM 260 CB 400MLX12 OTTO OEHME - A24991

#### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard ISO 16321.

### - Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

Let the glove manufacturer advise you on the choice of gloves and their duration of use for your operating conditions

#### - Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing:

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605/A1 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034/A1 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

### - Respiratory protection

Avoid inhaling vapors.

If the ventilation is insufficient, wear appropriate breathing apparatus.

When workers are confronted with concentrations that are above occupational exposure limits, they must wear a suitable, approved, respiratory protection device.

Type of FFP mask:

Wear a disposable half-mask aerosol filter in accordance with standard EN149/A1.

Category:

- FFP1

Anti-gas and vapour filter(s) (Combined filters) in accordance with standard EN14387:

- A1 (Brown)

Version: N°1 (21/01/2025)

SICO.

#### ANTIGUM 260 CB 400MLX12 OTTO OEHME - A24991

Date: 23/07/2025 Page 7/13

Revision: N°7 (21/01/2025)

- A1

Particle filter according to standard EN143:

- P1 (White)

Types, classes and filters for respiratory protection above are recommended in case of confrontation at concentrations higher than the exposure limits specified under 8.1. (Control parameters) .They should be adjusted according to actual conditions, they may not be necessary if the product is used outdoors or in a well ventilated area.

#### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

Physical state

Physical state: Fluid liquid.

Spray.

Colour

Unspecified

Odour

Odour threshold: Not stated.

Freezing point

Freezing point / Freezing range : Not stated.

Boiling point or initial boiling point and boiling range

Boiling point/boiling range: Not relevant.

Flammability

Flammability (solid, gas): Not stated.

Lower and upper explosion limit

Explosive properties, lower explosivity limit (%) Not stated.

:

Explosive properties, upper explosivity limit (%) Not stated.

:

Flash point

Flash point interval: Not relevant.

**Auto-ignition temperature** 

Self-ignition temperature : Not relevant.

**Decomposition temperature** 

Decomposition point/decomposition range: Not relevant.

pН

pH (aqueous solution): Not stated. pH: Not relevant.

Kinematic viscosity

Viscosity: Not stated.

Viscosity:  $v < 7 \text{ mm2/s} (40^{\circ}\text{C})$ 

**Solubility** 

Water solubility: Insoluble. Fat solubility: Not stated.

Partition coefficient n-octanol/water (log value)

Partition coefficient: n-octanol/water: Not stated.

Vapour pressure

Vapour pressure (50°C): Not relevant.

Density and/or relative density

Density: < 1

Relative vapour density

Vapour density: Not stated.

Particle characteristics

The mixture does not contain nanoforms.

N/A

9.2. Other information

No data available.

Version: N°1 (21/01/2025)

SICO.

Revision:  $N^{\circ}7 (21/01/2025)$ 

Date: 23/07/2025 Page 8/13

ANTIGUM 260 CB 400MLX12 OTTO OEHME - A24991

### 9.2.1. Information with regard to physical hazard classes

No data available.

Aerosols

Chemical combustion heat: Not specified.
Inflammation time: Not specified.
Deflagration density: Not specified.
Inflammation distance: Not specified.
Flame height: Not specified.
Flame duration: Not specified.

#### 9.2.2. Other safety characteristics

No data available.

#### SECTION 10: STABILITY AND REACTIVITY

#### 10.1. Reactivity

No data available.

#### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

### 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

Any apparatus likely to produce a flame or to have a metallic surface at high temperature (burners, electric arcs, furnaces etc.) must not be allowed on the premises.

Avoid:

- heating
- heat

#### 10.5. Incompatible materials

No incompatible materials known.

#### 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### 11.1.1. Substances

#### a) Acute toxicity:

### HYDROCARBONS, C7, N-ALKANES, ISOALKANES, CYCLICS

Oral route: LD50 > 5840 mg/kg body weight

Species: Rat

OECD Guideline 401 (Acute Oral Toxicity)

Dermal route: LD50 > 2920 mg/kg body weight

Species: Rat

Inhalation route (Vapours): LC50 > 23.3 mg/l

Species: Rat

OECD Guideline 403 (Acute Inhalation Toxicity)

#### b) Skin corrosion/skin irritation:

No data available.

#### c) Serious damage to eyes/eye irritation:

No data available.

#### d) Respiratory or skin sensitisation:

No data available.

Version: N°1 (21/01/2025)

SICO.

#### ANTIGUM 260 CB 400MLX12 OTTO OEHME - A24991

Date: 23/07/2025 Page 9/13 Revision: N°7 (21/01/2025)

### e) Germ cell mutagenicity:

No data available.

#### f) Carcinogenicity:

No data available.

#### g) Reproductive toxicant:

No data available.

#### h) Specific target organ systemic toxicity - single exposure :

No data available.

#### i) Specific target organ systemic toxicity - repeated exposure :

No data available.

#### j) Aspiration hazard:

No data available.

#### 11.1.2. Mixture

#### 11.1.2.1 Information on hazard classes

#### a) Acute toxicity:

Oral route: No data available.

Dermal route: No data available.

Inhalation route (Dusts/mist):

No data available.

#### b) Skin corrosion/skin irritation:

May cause irreversible damage to the skin; namely inflammation of the skin or the formation of erythema and eschar or oedema following exposure up to four hours.

Causes skin irritation

#### c) Serious damage to eyes/eye irritation:

Based on available data the classification criteria are not met.

### d) Respiratory or skin sensitisation:

May cause an allergic skin reaction.

### e) Germ cell mutagenicity:

Based on available data; the classification criteria are not met.

### f) Carcinogenicity:

Based on available data; the classification criteria are not met.

### g) Reproductive toxicant:

Based on available data; the classification criteria are not met.

### h) Specific target organ systemic toxicity - single exposure :

Narcotic effects may occur, such as drowsiness, narcosis, decreased alertness, loss of reflexes, lack of coordination or dizziness.

Effects may also occur in the form of violent headaches or nausea, judgement disorder, giddiness, irritability, fatigue or memory disturbance. May cause drowsiness or dizziness.

### i) Specific target organ systemic toxicity - repeated exposure :

Based on available data; the classification criteria are not met.

#### j) Aspiration hazard:

Based on available data; the classification criteria are not met.

#### 11.1.2.2 Other information

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

No further relevant information available.

#### 11.2. Information on other hazards

### **Endocrine disrupting properties**

The mixture does not contain any substance evaluated as an endocrine disruptor with effects on human health.

### Other information

No further relevant information available.

Version: N°1 (21/01/2025)

SICO.

Revision : N°7 (21/01/2025)

Date: 23/07/2025 Page 10/13

### **SECTION 12: ECOLOGICAL INFORMATION**

Toxic to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

#### 12.1. Toxicity

#### 12.1.1. Substances

#### HYDROCARBONS, C7, N-ALKANES, ISOALKANES, CYCLICS

Fish toxicity: Duration of exposure: 96 h

ISO 7346-1 (Determination of the Acute Lethal Toxicity of Substances to a Freshwater Fish. [Brachydanio rerio Hamilton-Buchanan (Teleostei, Cyprinidae)] -

Part 1: Static method)

ANTIGUM 260 CB 400MLX12 OTTO OEHME - A24991

Crustacean toxicity: OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)

#### **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

#### 12.2. Persistence and degradability

#### 12.2.1. Substances

#### HYDROCARBONS, C7, N-ALKANES, ISOALKANES, CYCLICS

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

#### 12.3. Bioaccumulative potential

No data available.

#### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

No data available.

#### 12.6. Endocrine disrupting properties

The mixture does not contain any substance evaluated as an endocrine disruptor with environmental effects.

### 12.7. Other adverse effects

No data available.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

#### Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

### **SECTION 14: TRANSPORT INFORMATION**

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2023 - IMDG 2022 [41-22] - ICAO/IATA 2024 [65]).

### 14.1. UN number or ID number

1950

#### 14.2. UN proper shipping name

UN1950=AEROSOLS, flammable

## Revision: N°7 (21/01/2025)

Date: 23/07/2025 Page 11/13

#### 14.3. Transport hazard class(es)

- Classification:



2.1

#### 14.4. Packing group

-

#### 14.5. Environmental hazards

- Environmentally hazardous material:



#### 14.6. Special precautions for user

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
	2	5F	-	2.1	-	1 L	190 327 344	E0	2	D
							625			

ANTIGUM 260 CB 400MLX12 OTTO OEHME - A24991

IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ	Stowage	Segregation
								Handling	
	2	See SP63	-	See SP277	F-D. S-U	63 190 277	E0	- SW1 SW22	SG69
						327 344 381			
						959			

IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ
	2.1	-	-	203	75 kg	203	150 kg	A145 A167	E0
								A802	
	2.1	-	-	Y203	30 kg G	-	-	A145 A167	E0
					_			A802	

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

Marine pollutant (IMDG 3.1.2.9):(d-limonene)

### 14.7. Maritime transport in bulk according to IMO instruments

No data available.

### **SECTION 15: REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2023/707.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2024/2564. (ATP 22)

### **Container information:**

No data available.

#### Particular provisions:

No data available.

### Restrictions applied under Title VIII of Regulation (EC) No. 1907/2006 (REACH):

The mixture contains at least one restricted substance under Annex XVII of Regulation (EC) No. 1907/2006 (REACH): https://echa.europa.eu/substances-restricted-under-reach. Please refer to Section 3 to identify the substance involved.

### Authorisations agreed under Title VII of Regulation (EC) No.1907/2006 (REACH):

The mixture does not contain any substance subject to authorisation according to Annex XIV of REACH Regulation (EC) No 1907/2006: https://echa.europa.eu/fr/authorisation-list.

### Substances that deplete the ozone layer (EC Regulation No. 1005/2009, Montreal Protocol):

The mixture does not contain any substance posing a risk to the ozone layer.

## ANTIGUM 260 CB 400MLX12 OTTO OEHME - A24991

Date: 23/07/2025 Page 12/13

Revision: N°7 (21/01/2025)

### Persistent organic pollutants (POP) (Regulation (EU) 2019/1021):

The mixture does not contain a persistent organic pollutant.

#### PIC Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals (Rotterdam Convention):

The mixture is not subject to the Prior Informed Consent (PIC) procedure.

#### **Explosives precursors:**

The mixture does not contain any substance subject to Regulation (EU) 2019/1148 on the marketing and use of explosives precursors.

#### Labelling for detergents (EC Regulation No. 648/2004,907/2006):

- allergenic fragrances:

Limonene

### 15.2. Chemical safety assessment

The chemical safety assessment has not been carried out for this mixture.

#### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

### Wording of the phrases mentioned in section 3:

8 · · · · · · · · · · · · · · · · · · ·	
H220	Extremely flammable gas.
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H281	Contains refrigerated gas; may cause cryogenic burns or injury.
H301	Toxic if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H336	May cause drowsiness or dizziness.
H370	Causes damage to organs .
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

### Abbreviations and acronyms:

LD50: The dose of a test substance resulting in 50% lethality in a given time period. LC50: The concentration of a test substance resulting in 50% lethality in a given period.

LQ: Limited Quantity
EQ: Excepted Quantity
EmS: Emergency Schedule
E: Packing Instruction

REACH: Registration, Evaluation, Authorization and Restriction of Chemical Substances.

DNEL: Derived No-Effect Level
UFI: Unique formulation identifier.
STEL: Short-term exposure limit
TWA: Moyenne pondérée dans le temps
TLV: Threshold Limit Value (exposure)
AEV: Average Exposure Value.

ADR: European agreement concerning the international carriage of dangerous goods by Road.

GHS02: Flame

GHS07 : Exclamation mark GHS09 : Environment

IATA: International Air Transport Association.

Version: N°1 (21/01/2025)

SICO.

### **ANTIGUM 260 CB 400MLX12 OTTO OEHME - A24991**

Date : 23/07/2025 Page 13/13 Revision : N°7 (21/01/2025)

IMDG: International Maritime Dangerous Goods. ICAO: International Civil Aviation Organisation PBT: Persistent, bioaccumulable and toxic.

PIC: Prior Informed Consent. POP: Persistent Organic Pollutant.

RID: Regulations concerning the International carriage of Dangerous goods by rail.

SVHC : Substances of very high concern. vPvB : Very persistent, very bioaccumulable.

 $WGK: Wasserge fahrdungsklasse \ (Water\ Hazard\ Class).$