

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 29 Jul 2021

Print date: 25 Jun 2024

Version: 1



Page 1/9

Sanifix Eco Tropical

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

Sanifix Eco Tropical

Article No.:

340

UFI:

85EV-HS5V-MWM7-6Y9V

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Sanitärreiniger

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

Otto Oehme GmbH

FEA

Industriestr. 20

90584 Allersberg

Germany

Telephone: 09176/98050

Telefax: 09176/980555

E-mail: Info@Oehme-Lorito.de

Website: www.Oehme-Lorito.de

1.4. Emergency telephone number

No data available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Skin corrosion/irritation (<i>Skin Corr. 1</i>)	H314: Causes severe skin burns and eye damage.	
Serious eye damage/eye irritation (<i>Eye Dam. 1</i>)	H318: Causes serious eye damage.	

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



GHS05

Corrosion

Signal word: Danger

Hazard statements for health hazards

H314 Causes severe skin burns and eye damage.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 29 Jul 2021

Print date: 25 Jun 2024

Version: 1



Page 2/9

Sanifix Eco Tropical

Supplemental hazard information: none

Precautionary statements Prevention

P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

Precautionary statements Response

P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor/...



2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 75-75-2 EC No.: 200-898-6 Index No.: 607-145-00-4	methanesulphonic acid Acute Tox. 4 (H302, H312), Eye Dam. 1 (H318), Met. Corr. 1 (H290), STOT SE 3 (H335), Skin Corr. 1B (H314)  Danger	≤ 5 weight-%
CAS No.: 69011-36-5	Isotridecanol,ethoxylated Acute Tox. 4 (H302), Eye Dam. 1 (H318)  Danger	≤ 3 weight-%

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended. Warning First aider: Pay attention to self-protection!

Following inhalation:

Provide fresh air. In case of respiratory tract irritation, consult a physician.

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. If skin irritation or rash occurs: Get medical advice/attention. Take off immediately all contaminated clothing. Get immediate medical advice/attention.

After eye contact:

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion:

Rinse mouth. Let water be drunken in little sips (dilution effect). Get medical advice/attention if you feel unwell. Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Get immediate medical advice/attention.

Self-protection of the first aider:

Use personal protection equipment.

4.2. Most important symptoms and effects, both acute and delayed

Skin corrosion/irritation Serious eye damage/eye irritation

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 29 Jul 2021

Print date: 25 Jun 2024

Version: 1



Page 3/9

Sanifix Eco Tropical

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Adjust to the environment Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media:

There are no restrictions on extinguishing agents for this mixture

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire hazardous combustion gases or vapors possible The product itself does not burn.

Hazardous combustion products:

In case of fire: Gases/vapours, toxic

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Remove persons to safety.

Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

6.5. Additional information

Use appropriate container to avoid environmental contamination.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Wear personal protection equipment (refer to section 8).

Fire prevent measures:

No special measures are necessary.

Advices on general occupational hygiene

When using do not eat, drink or smoke. Avoid contact with eyes and skin.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

Storage class (TRGS 510, Germany): 8B - Non-combustible corrosive substances

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 29 Jul 2021

Print date: 25 Jun 2024

Version: 1



Page 4/9

Sanifix Eco Tropical

7.3. Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
TRGS 900 (DE) from 2 Mar 2015	methanesulphonic acid CAS No.: 75-75-2 EC No.: 200-898-6	① 0.7 mg/m ³ ② 0.7 mg/m ³ ⑤ (Aerosol und Dampf) AGS, Y, 11

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
methanesulphonic acid CAS No.: 75-75-2 EC No.: 200-898-6	6.76 mg/m ³	① DNEL worker ② Long-term - inhalation, systemic effects
methanesulphonic acid CAS No.: 75-75-2 EC No.: 200-898-6	1.44 mg/cm ²	① DNEL Consumer ② Long-term - inhalation, systemic effects
methanesulphonic acid CAS No.: 75-75-2 EC No.: 200-898-6	0.7 mg/m ³	① DNEL worker ② Long-term - inhalation, local effects
methanesulphonic acid CAS No.: 75-75-2 EC No.: 200-898-6	0.42 mg/m ³	① DNEL Consumer ② Long-term - inhalation, local effects
methanesulphonic acid CAS No.: 75-75-2 EC No.: 200-898-6	19.44 mg/kg	① DNEL worker ② Long-term - dermal, systemic effects
methanesulphonic acid CAS No.: 75-75-2 EC No.: 200-898-6	8.33 mg/kg	① DNEL Consumer ② Long-term - dermal, systemic effects
methanesulphonic acid CAS No.: 75-75-2 EC No.: 200-898-6	8.33 mg/kg	① DNEL Consumer ② Long-term - oral, systemic effects

Substance name	PNEC Value	① PNEC type
methanesulphonic acid CAS No.: 75-75-2 EC No.: 200-898-6	0.012 mg/L	① PNEC aquatic, freshwater
methanesulphonic acid CAS No.: 75-75-2 EC No.: 200-898-6	0.0012 mg/L	① PNEC aquatic, marine water
methanesulphonic acid CAS No.: 75-75-2 EC No.: 200-898-6	100 mg/L	① PNEC sewage treatment plant
methanesulphonic acid CAS No.: 75-75-2 EC No.: 200-898-6	0.0251 mg/kg	① PNEC sediment, freshwater

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 29 Jul 2021

Print date: 25 Jun 2024

Version: 1



Page 5/9

Sanifix Eco Tropical

Substance name	PNEC Value	① PNEC type
methanesulphonic acid CAS No.: 75-75-2 EC No.: 200-898-6	0.00183 mg/ kg	① PNEC soil

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No data available

8.2.2. Personal protection equipment

Eye/face protection:

Eye glasses with side protection EN 166

Skin protection:

Tested protective gloves must be worn EN ISO 374 Suitable material: Breakthrough time: min In the case of wanting to use the gloves again, clean them before taking off and air them well. Breakthrough times and swelling properties of the material must be taken into consideration.

8.2.3. Environmental exposure controls

No data available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid

Colour: red

Odour: parfümiert

Safety relevant basis data

Parameter	Value	at °C	① Method ② Remark
pH	= 1	20 °C	
Melting point	No data available		
Freezing point	No data available		
Initial boiling point and boiling range	No data available		
Flash point	not applicable		
Evaporation rate	No data available		
Auto-ignition temperature	not applicable		
Upper/lower flammability or explosive limits	No data available		
Vapour pressure	No data available		
Vapour density	No data available		
Density	1 g/cm ³		
Bulk density	not applicable		
Water solubility	miscible		
Dynamic viscosity	No data available		
Kinematic viscosity	No data available		

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product itself does not burn.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 29 Jul 2021

Print date: 25 Jun 2024

Version: 1



Page 6/9

Sanifix Eco Tropical

10.3. Possibility of hazardous reactions

Risk of ignition or formation of inflammable gases or vapors with: metals, light metals, metal alloys. It can develop: hydrogen. Violent reactions possible with: alkalis, metal oxides.

Oxidizing agent

10.4. Conditions to avoid

Avoid high temperatures or direct sunlight.

10.5. Incompatible materials

Aluminum, iron, ferrous compounds, steel. Hydrogen is given off through reaction with metals.

Corrosives, halogens, alkalis, acids, reactive chemicals

10.6. Hazardous decomposition products

In case of fire: Gases/vapours, toxic

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

methanesulphonic acid CAS No.: 75-75-2 EC No.: 200-898-6
LD₅₀ oral: 649 mg/kg (Ratte)
LD₅₀ dermal: 1,000 - 2,000 mg/kg (Kaninchen)
Isotridecanol,ethoxylated CAS No.: 69011-36-5
LD₅₀ oral: 300 - 2,000 mg/kg (Ratte)
LD₅₀ dermal: >2,000 mg/kg (Ratte)

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Causes severe skin burns and eye damage.

Serious eye damage/irritation:

Causes serious eye damage.

Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Additional information:

No data available

11.2. Information on other hazards

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 29 Jul 2021

Print date: 25 Jun 2024

Version: 1



Page 7/9

Sanifix Eco Tropical

SECTION 12: Ecological information

12.1. Toxicity

methanesulphonic acid CAS No.: 75-75-2 EC No.: 200-898-6
LC ₅₀ : 10 - 100 mg/L 4 d (fish)
LC ₅₀ : >10,000 mg/L 4 d (fish)
EC ₅₀ : 10 - 100 mg/L 2 d (crustaceans)
EC ₅₀ : 10 - 100 mg/L 3 d (Algae/water plant)
Isotridecanol,ethoxylated CAS No.: 69011-36-5
LC ₅₀ : >1 - 10 mg/L 4 d (fish, Leuciscus idus)
EC ₅₀ : >1 - 10 mg/L 2 d (crustaceans)
EC ₅₀ : >1 - 10 mg/L 3 d (Algae/water plant)
NOEC: >1 mg/L 21 d (crustaceans)
LC ₅₀ : >1 - 10 mg/L (fish, Daphnia magna)
LC ₅₀ : >1 - 10 mg/L (fish)
EC ₅₀ : >1 - 10 mg/L 2 d (fish, Daphnia magna)
NOEC: >1 mg/L (Algae/water plant, Daphnia magna)

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

methanesulphonic acid CAS No.: 75-75-2 EC No.: 200-898-6
Results of PBT and vPvB assessment: —
Isotridecanol,ethoxylated CAS No.: 69011-36-5
Results of PBT and vPvB assessment: —

12.6. Endocrine disrupting properties

No data available

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product

20 01 29 *	Detergents containing hazardous substances
------------	--

*: Evidence for disposal must be provided.

Waste code packaging

20 01 39	plastics
----------	----------

Waste treatment options

Appropriate disposal / Product:

Consult the appropriate local waste disposal expert about waste disposal.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 29 Jul 2021

Print date: 25 Jun 2024





Version: 1



Page 8/9

Sanifix Eco Tropical

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1. UN number or ID number			
UN 3265	UN 3265	UN 3265	UN 3265
14.2. UN proper shipping name			
CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Methansulfonsäure)	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Methansulfonsäure)	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Methansulfonsäure)	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Methansulfonsäure)
14.3. Transport hazard class(es)			
 8	 8	 8	 8
14.4. Packing group			
II	II	II	II
14.5. Environmental hazards			
No	No	No	No
14.6. Special precautions for user			
Special Provisions: 274 Limited quantity (LQ): 1 L Excepted Quantities (EQ): E2 Hazard identification number (Kemler No.): 80 Classification code: C3 Tunnel restriction code: (E)	Special Provisions: 274 Limited quantity (LQ): 1 L Excepted Quantities (EQ): E2 Classification code: C3	Special Provisions: 274 Limited quantity (LQ): 1 L Excepted Quantities (EQ): E2 EmS-No.: F-A, S-B	Special Provisions: A3 Limited quantity (LQ): Y840 Excepted Quantities (EQ): E2

14.7. Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Other regulations (EU):

Ausgangstext

Inhaltsstoffe nach Detergenzienverordnung 648/2004/EG:

Nichtionische Tenside: Unter 5 %

Duftstoffe.

15.1.2. National regulations

[DE] National regulations

Restrictions of occupation

Beschäftigungsbeschränkungen für Jugendliche nach JArbSchG beachten.

Beschäftigungsbeschränkungen für werdende und stillende Mütter nach MuSchArbV beachten.

Water hazard class

WGK:

1 - slightly hazardous to water

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 29 Jul 2021

Print date: 25 Jun 2024

Version: 1



Page 9/9

Sanifix Eco Tropical

Technische Regeln für Gefahrstoffe

- TRGS 500 Schutzmaßnahmen: Mindeststandards
- DGUV Vorschrift 1 Grundsätze der Prävention
- DGUV Regel 112-189 Benutzung von Schutzkleidung
- DGUV Regel 112-190 Benutzung von Atemschutzgeräten
- DGUV Regel 112-192 Benutzung von Augen- und Gesichtsschutz
- DGUV Regel 112-195 Benutzung von Schutzhandschuhen

Berufsgenossenschaftliche Vorschriften (DGUV-Vorschriften)

- Merkblatt BG Chemie: M004 Reizende Stoffe/Ätzende Stoffe
- M050 Umgang mit gesundheitsgefährlichen Stoffen
- M053 Allgemeine Arbeitsschutzmaßnahmen für den Umgang mit Gefahrstoffen.

15.2. Chemical Safety Assessment

No data available

SECTION 16: Other information

16.1. Indication of changes

No data available

16.2. Abbreviations and acronyms

No data available

16.3. Key literature references and sources for data

No data available

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Skin corrosion/irritation (<i>Skin Corr. 1</i>)	H314: Causes severe skin burns and eye damage.	
Serious eye damage/eye irritation (<i>Eye Dam. 1</i>)	H318: Causes serious eye damage.	

16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

Hazard statements	
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.

16.6. Training advice

No data available

16.7. Additional information

The information is based on our current level of knowledge and is used to describe the product with regard to the safety precautions to be taken. They do not represent a guarantee of the properties of the product described.

It is the responsibility of the recipient of our product to observe existing laws and regulations.