according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 11 Oct 2022 Print date: 11 Oct 2022

Version: 1 Page 1/9



Sanipur

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

Sanipur

Article No.:

334

UFI:

Q7MJ-4RRY-WS6C-E885

1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture:

Sanitärreiniger

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

Otto Oehme GmbH

FEA

Industriestr. 20 90584 Allersberg

Germany

Telephone: 09176/98050
Telefax: 09176/980555
E-mail: Info@Oehme-Lorito.de
Website: www.Oehme-Lorito.de

1.4. Emergency telephone number

No data available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Skin corrosion/irritation (Skin Corr. 1)	H314: Causes severe skin burns and eye damage.	
Serious eye damage/eye irritation (Eye Dam. 1)	H318: Causes serious eye damage.	

Additional information:

Contains: Methansulfonsäure, Isotridecanol, ethoxyliert.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms:



according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 11 Oct 2022 Print date: 11 Oct 2022

Version: 1 Page 2/9



Sanipur

Signal word: Danger

Hazard statements for health hazards	
H314 Causes severe skin burns and eye damage.	

Supplemental hazard information: none

Precautionary statements Prevention	
P260 Do not breathe vapours and spray.	
P280 Wear protective gloves/protective clothing and eye/face protection.	

Precautionary statements Response		
P303 + P361 + P353	3 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].	
	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER/doctor/	

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 75-75-2 EC No.: 200-898-6 Index No.: 607-145-00-4	Acute Tox. 4 (H302, H312), Eye Dam. 1 (H318), Met. Corr. 1 (H290),	
CAS No.: 69011-36-5		1 - ≤ 5 weight-%

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended. Warning First aider: Pay attention to self-protection!

Following inhalation:

Provide fresh air. In case of respiratory tract irritation, consult a physician.

In case of skin contact:

If skin irritation or rash occurs: Get medical advice/attention. After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. Get immediate medical advice/attention.

After eye contact:

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion:

Rinse mouth. Get medical advice/attention if you feel unwell. Let 1 glass of water be drunken in little sips (dilution effect). Rinse mouth immediately and drink 1 glass of of water. Do NOT induce vomiting. Get immediate medical advice/attention.

Self-protection of the first aider:

Use personal protection equipment.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 11 Oct 2022 Print date: 11 Oct 2022

Version: 1 Page 3/9



Sanipur

4.2. Most important symptoms and effects, both acute and delayed

Skin corrosion/irritation Serious eye damage/eye irritation

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media:

There are no restrictions on extinguishing agents for this mixture

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire hazardous combustion gases or vapors possible The product itself does not burn.

Hazardous combustion products:

In case of fire: Gases/vapours, toxic

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Remove persons to safety. Special danger of slipping by leaking/spilling product.

Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

6.5. Additional information

Use appropriate container to avoid environmental contamination.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Wear personal protection equipment (refer to section 8).

Fire prevent measures:

No special measures are necessary.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 11 Oct 2022 Print date: 11 Oct 2022

Version: 1 Page 4/9



Sanipur

Advices on general occupational hygiene

When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

Storage class (TRGS 510, Germany): 8B - Non-combustible corrosive substances

7.3. Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

No data available

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type	
		② Exposure route	
methanesulphonic acid CAS No.: 75-75-2 EC No.: 200-898-6	6.76 mg/m ³	① DNEL worker ② Long-term – inhalation, systemic effects	
methanesulphonic acid CAS No.: 75-75-2 EC No.: 200-898-6	1.44 mg/cm ²	① DNEL Consumer ② Long-term – inhalation, systemic effects	
methanesulphonic acid CAS No.: 75-75-2 EC No.: 200-898-6	0.7 mg/m ³	① DNEL worker ② Long-term – inhalation, local effects	
methanesulphonic acid CAS No.: 75-75-2 EC No.: 200-898-6	0.42 mg/m ³	① DNEL Consumer ② Long-term – inhalation, local effects	
methanesulphonic acid CAS No.: 75-75-2 EC No.: 200-898-6	19.44 mg/kg	① DNEL worker ② Long-term - dermal, systemic effects	
methanesulphonic acid CAS No.: 75-75-2 EC No.: 200-898-6	8.33 mg/kg	DNEL Consumer Long-term - dermal, systemic effects	
methanesulphonic acid CAS No.: 75-75-2 EC No.: 200-898-6	8.33 mg/kg	① DNEL Consumer ② Long-term - oral, systemic effects	

Substance name	PNEC Value	① PNEC type
methanesulphonic acid CAS No.: 75-75-2 EC No.: 200-898-6	0.012 mg/L	① PNEC aquatic, freshwater
methanesulphonic acid CAS No.: 75-75-2 EC No.: 200-898-6	0.0012 mg/L	① PNEC aquatic, marine water
methanesulphonic acid CAS No.: 75-75-2 EC No.: 200-898-6	100 mg/L	① PNEC sewage treatment plant
methanesulphonic acid CAS No.: 75-75-2 EC No.: 200-898-6	0.0251 mg/kg	① PNEC sediment, freshwater
methanesulphonic acid CAS No.: 75-75-2 EC No.: 200-898-6	0.00183 mg/ kg	① PNEC soil

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 11 Oct 2022 Print date: 11 Oct 2022

Version: 1 Page 5/9



Sanipur

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No data available

8.2.2. Personal protection equipment

Eye/face protection:

Eye glasses with side protection EN 166

Skin protection:

Tested protective gloves must be worn EN ISO 374 Suitable material: Breakthrough time: min In the case of wanting to use the gloves again, clean them before taking off and air them well. Breakthrough times and swelling properties of the material must be taken into consideration.

8.2.3. Environmental exposure controls

No data available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid Colour: red

Odour: characteristic

Safety relevant basis data

Parameter	Value	at °C	① Method ② Remark
pH	< 1	20 °C	- Kemark
Melting point	not determined		
Freezing point	not determined		
Initial boiling point and boiling range	not determined		
Decomposition temperature	not determined		
Flash point	not determined		
Evaporation rate	not determined		
Auto-ignition temperature	not determined		
Upper/lower flammability or explosive limits	not determined		
Vapour pressure	not determined		
Vapour density	not determined		
Density	≈ 1 g/cm³	23 °C	
Relative density	not determined		
Bulk density	not determined		
Water solubility	not determined		
Partition coefficient: n-octanol/water	not determined		
Dynamic viscosity	not determined		
Kinematic viscosity	not determined		

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product itself does not burn.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 11 Oct 2022 Print date: 11 Oct 2022

Version: 1 Page 6/9



Sanipur

10.3. Possibility of hazardous reactions

Risk of ignition or formation of inflammable gases or vapors with: metals, light metals, metal alloys. It can develop: hydrogen. Violent reactions possible with: alkalis, metal oxides.

Oxidizing agent

10.4. Conditions to avoid

Avoid high temperatures or direct sunlight.

10.5. Incompatible materials

Aluminum, iron, ferrous compounds, steel. Hydrogen is given off through reaction with metals. Corrosives, halogens, alkalis, acids, reactive chemicals

10.6. Hazardous decomposition products

In case of fire: Gases/vapours, toxic

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

methanesulphonic acid CAS No.: 75-75-2 EC No.: 200-898-6

LD₅₀ oral: 649 mg/kg (Ratte)

LD₅₀ dermal: 1,000 – 2,000 mg/kg (Kaninchen)

Isotridecanol,ethoxylated CAS No.: 69011-36-5

LD₅₀ oral: 300 – 2,000 mg/kg (Ratte) **LD₅₀ dermal:** >2,000 mg/kg (Ratte)

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Causes severe skin burns and eye damage.

Serious eye damage/irritation:

Causes serious eye damage.

Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Additional information:

No data available

11.2. Information on other hazards

No data available

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 11 Oct 2022 Print date: 11 Oct 2022

Version: 1 Page 7/9



Sanipur

SECTION 12: Ecological information

12.1. Toxicity

methanesulphonic acid CAS No.: 75-75-2 EC No.: 200-898-6		
LC₅₀: 10 – 100 mg/L 4 d (fish)		
LC₅₀: >10,000 mg/L 4 d (fish)		
EC₅₀: 10 – 100 mg/L 2 d (crustaceans)		
EC₅₀: 10 - 100 mg/L 3 d (Algae/water plant)		
Isotridecanol,ethoxylated CAS No.: 69011-36-5		
LC ₅₀ : >1 - 10 mg/L 4 d (fish)		
EC₅₀: >1 - 10 mg/L 2 d (crustaceans)		
EC ₅₀ : >1 - 10 mg/L 3 d (Algae/water plant)		
NOEC: >1 mg/L 21 d (crustaceans)		
LC ₅₀ : >1 - 10 mg/L (fish, Daphnia magna)		
LC₅₀: >1 - 10 mg/L (fish)		

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

methanesulphonic acid C	AS No.: 75-75-2 EC No.: 200-898-6	
Results of PBT and vPvB assessment: —		
Isotridecanol,ethoxylated CAS No.: 69011-36-5		
Results of PBT and vPvB assessment: —		

12.6. Endocrine disrupting properties

No data available

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV Waste code product

Trabic code product		p. ou u.c.
07 06 01 * aqueous washing liquids and mother liquors		aqueous washing liquids and mother liquors
20 01 29 * Detergents containing hazardous substances		

^{*:} Evidence for disposal must be provided.

Waste code packaging

20 01 39 plastics

Waste treatment options

Appropriate disposal / Product:

Consult the appropriate local waste disposal expert about waste disposal.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 11 Oct 2022 Print date: 11 Oct 2022

Version: 1 Page 8/9



Sanipur

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)			
14.1. UN number or ID number						
UN 3265	UN 3265	UN 3265	UN 3265			
14.2. UN proper ship	ping name	,				
CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Methansulfonsäure)						
14.3. Transport haza	rd class(es)					
	₩ <u>₹</u>		35. E			
8	8	8	8			
14.4. Packing group						
[II	II	II	II			
14.5. Environmental	hazards					
No	No	No	No			
14.6. Special precau	tions for user					
Special Provisions: 274	Special Provisions: 274	Special Provisions: 274	Special Provisions:			
Limited quantity (LQ):	Limited quantity (LQ):	Limited quantity (LQ):	Limited quantity (LQ): Y840			
Excepted Quantities (EQ):	Excepted Quantities (EQ):	Excepted Quantities (EQ):	Excepted Quantities (EQ):			
Hazard identification number (Kemler No.):	Classification code: C3	EmS-No.: F-A, S-B				
Classification code: C3						
Tunnel restriction code: (E)						

14.7. Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Other regulations (EU):

Ingredients according to the Detergents Regulation 648/2004/EG:

Nonionic surfactants: less than 5%

15.1.2. National regulations

No data available

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out for this product.

SECTION 16: Other information

16.1. Indication of changes

No data available

16.2. Abbreviations and acronyms

No data available

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 11 Oct 2022 Print date: 11 Oct 2022

Version: 1 Page 9/9



Sanipur

16.3. Key literature references and sources for data

No data available

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Skin corrosion/irritation (Skin Corr. 1)	H314: Causes severe skin burns and eye damage.	
Serious eye damage/eye irritation (Eye Dam. 1)	H318: Causes serious eye damage.	

16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.

16.6. Training advice

No data available

16.7. Additional information

The information is based on our current level of knowledge and is used to describe the product with regard to the safety precautions to be taken. They do not represent a guarantee of the properties of the product described.

It is the responsibility of the recipient of our product to observe existing laws and regulations.