

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 17 May 2024

Print date: 17 May 2024

Version: 1



Page 1/9

Sealer

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

Sealer

Article No.:

456

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Beschichtung

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

Otto Oehme GmbH

FEA

Industriestr. 20

90584 Allersberg

Germany

Telephone: 09176/98050

Telefax: 09176/980555

E-mail: Info@Oehme-Lorito.de

Website: www.Oehme-Lorito.de

1.4. Emergency telephone number

No data available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

According to EC directives or the corresponding national regulations the product does not have to be labelled.

Hazard components for labelling:

Triisobutylphosphat; 2-Methyl-2H-isothiazol-3-on; 1-Methoxy-2-propanol; Lutensol AO 3, Alkohole, C13-15, verzweigt und linear, ethoxyliert

Hazard statements: none

Supplemental hazard information

EUH208

Contains triisobutyl phosphate, 2-methyl-2H-isothiazol-3-one. May produce an allergic reaction.

Precautionary statements: none

2.3. Other hazards

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 17 May 2024

Print date: 17 May 2024

Version: 1




Page 2/9

Sealer

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 34590-94-8 EC No.: 252-104-2 REACH No.: 01-2119450011-60-XXXX	(2-methoxymethylethoxy)propanol Substance with a community workplace exposure limit.	3 - < 10 weight-%
CAS No.: 157627-86-6	Alkohole, C13-15, verzweigt und linear, ethoxyliert Aquatic Acute 1 (H400), Aquatic Chronic 3 (H412), Eye Irrit. 2 (H319)  Warning	0 - ≤ 2 weight-%

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended.

Following inhalation:

Provide fresh air.

After eye contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Following ingestion:

Rinse mouth. Get medical advice/attention if you feel unwell. Let 1 glass of water be drunken in little sips (dilution effect).

4.2. Most important symptoms and effects, both acute and delayed

No known symptoms to date.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Adjust to the environment Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media:

There are no restrictions on extinguishing agents for this mixture

5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

Hazardous combustion products:

In case of fire: Gases/vapours, toxic

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 17 May 2024

Print date: 17 May 2024

Version: 1



Page 3/9

Sealer

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Avoid breathing dust/fume/gas/mist/vapours/spray. Remove persons to safety.

Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

6.5. Additional information

Use appropriate container to avoid environmental contamination.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Wear personal protection equipment (refer to section 8).

Fire prevent measures:

No special measures are necessary.

Advices on general occupational hygiene

When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

Storage class (TRGS 510, Germany): 12 - non-combustible liquids that cannot be assigned to any of the above storage classes

7.3. Specific end use(s)

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 17 May 2024

Print date: 17 May 2024

Version: 1



Page 4/9

Sealer

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
IOELV (EU)	(2-methoxymethylethoxy)propanol CAS No.: 34590-94-8 EC No.: 252-104-2	① 50 ppm (308 mg/m ³) ⑤ (may be absorbed through the skin)
TRGS 900 (DE)	(2-methoxymethylethoxy)propanol CAS No.: 34590-94-8 EC No.: 252-104-2	① 50 ppm (310 mg/m ³) ② 50 ppm (310 mg/m ³) ⑤ (Aerosol und Dampf) DFG, EU, 11

8.1.2. Biological limit values

Limit value type (country of origin)	Substance name	Limit value	① Parameter ② Test material ③ Time of sampling: ④ Remark
TRGS 903 (DE) from 1 Nov 2012	1-Methoxy-2-propanol CAS No.: 107-98-2 EC No.: 203-539-1	15 mg/L	① Methoxypropanol-2 ② Urin ③ Expositionsende bzw. Schichtende

8.1.3. DNEL-/PNEC-values

No data available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No data available

8.2.2. Personal protection equipment

Eye/face protection:

Eye glasses with side protection EN 166

Skin protection:

Tested protective gloves must be worn EN ISO 374 Suitable material: Breakthrough time: min In the case of wanting to use the gloves again, clean them before taking off and air them well. Breakthrough times and swelling properties of the material must be taken into consideration.

8.2.3. Environmental exposure controls

No data available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid

Colour: white

Odour: characteristic

Safety relevant basis data

Parameter	Value	at °C	① Method ② Remark
pH	8.6	20 °C	
Melting point	No data available		
Freezing point	No data available		
Initial boiling point and boiling range	No data available		

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 17 May 2024

Print date: 17 May 2024

Version: 1



Page 5/9

Sealer

Parameter	Value	at °C	① Method ② Remark
Flash point	<i>not applicable</i>		
Evaporation rate	<i>No data available</i>		
Auto-ignition temperature	<i>not applicable</i>		
Upper/lower flammability or explosive limits	<i>No data available</i>		
Vapour pressure	<i>No data available</i>		
Vapour density	<i>No data available</i>		
Density	1 g/cm ³		
Bulk density	<i>not applicable</i>		
Water solubility	miscible		
Dynamic viscosity	<i>No data available</i>		
Kinematic viscosity	<i>No data available</i>		

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Vapors may form an explosive mixture with air. not relevant The product itself does not burn.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

extreme temperatures

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

In case of fire: Gases/vapours, toxic

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

(2-methoxymethylethoxy)propanol CAS No.: 34590-94-8 EC No.: 252-104-2

LD₅₀ oral: >5,000 mg/kg (Ratte) OECD 401

LD₅₀ dermal: 9,510 mg/kg (rabbit) OECD Guideline 402 (Acute Dermal Toxicity)

LC₅₀ Acute inhalation toxicity (vapour): >5,000 mg/L (Rat) OECD Prüfrichtlinie 401

Alkohole, C13-15, verzweigt und linear, ethoxyliert CAS No.: 157627-86-6

LD₅₀ oral: >5,000 mg/kg (Ratte)

LD₅₀ dermal: >2,000 mg/kg (Ratte)

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

Serious eye damage/irritation:

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 17 May 2024

Print date: 17 May 2024

Version: 1



Page 6/9

Sealer

Respiratory or skin sensitisation:

Contains triisobutyl phosphate, 2-methyl-2H-isothiazol-3-one. May produce an allergic reaction.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Additional information:

No data available

11.2. Information on other hazards

No data available

SECTION 12: Ecological information

12.1. Toxicity

(2-methoxymethylethoxy)propanol CAS No.: 34590-94-8 EC No.: 252-104-2
LC₅₀ : 10,000 mg/L 4 d (fish, fettköpfige Elritze)
EC₅₀ : 1,919 mg/L 2 d (crustaceans, Daphnia magna)
EC₅₀ : 969 mg/L 4 d (Algae/water plant, Grünalge)
NOEC : >969 mg/L 4 d (Algae/water plant, Grünalge)
NOEC : 0.5 mg/L 21 d (crustaceans, Daphnia magna)
LC₅₀ : >1,000 mg/L 4 d (fish, Poecilia reticulata)
LC₅₀ : >1,000 mg/L 2 d (crustaceans, Crangon crangon) EPA OPP 72-3 (Estuarine/Marine Fish, Mollusk, or Shrimp Acute Toxicity Test)
LC₅₀ : >1,000 mg/L 3 d (crustaceans, Crangon crangon) EPA OPP 72-3 (Estuarine/Marine Fish, Mollusk, or Shrimp Acute Toxicity Test)
LC₅₀ : >1,000 mg/L 4 d (crustaceans, Crangon crangon) EPA OPP 72-3 (Estuarine/Marine Fish, Mollusk, or Shrimp Acute Toxicity Test)
EC₅₀ : >969 mg/L 3 d (Algae/water plant, Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum))
EC₅₀ : >969 mg/L 4 d (Algae/water plant, Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum))
NOEC : 969 mg/L 3 d (Algae/water plant, Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum))
NOEC : 969 mg/L 4 d (Algae/water plant, Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum))
LOEC : 0.5 mg/L 22 d (crustaceans, Daphnia magna)
Alkohole, C13-15, verzweigt und linear, ethoxiliert CAS No.: 157627-86-6
LC₅₀ : >1 - 10 mg/L 4 d (fish, Brachydanio rerio)
EC₅₀ : 0.1 - 1 mg/L 2 d (Daphnia)
EC₅₀ : 0.1 - 1 mg/L 3 d (Algae/water plant, Scenedesmus subspicatus)
NOEC : >0.1 - 1 mg/L (fish)
LC₅₀ : >1 - 10 mg/L 4 d (fish, Brachydanio rerio Activated sludge)

12.2. Persistence and degradability

(2-methoxymethylethoxy)propanol CAS No.: 34590-94-8 EC No.: 252-104-2
Biodegradation : Yes, rapidly

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 17 May 2024

Print date: 17 May 2024

Version: 1



Page 7/9

Sealer

12.3. Bioaccumulative potential

(2-methoxymethylethoxy)propanol CAS No.: 34590-94-8 EC No.: 252-104-2

Log K_{ow}: 0.004

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

(2-methoxymethylethoxy)propanol CAS No.: 34590-94-8 EC No.: 252-104-2

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

Alkohole, C13-15, verzweigt und linear, ethoxyliert CAS No.: 157627-86-6

Results of PBT and vPvB assessment: —

12.6. Endocrine disrupting properties

No data available

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product

07 06 01 * aqueous washing liquids and mother liquors

*: Evidence for disposal must be provided.

Waste code packaging

Remark:

Plastic packaging

Waste treatment options

Appropriate disposal / Product:

Consult the appropriate local waste disposal expert about waste disposal.

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1. UN number or ID number			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.2. UN proper shipping name			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es)			
not relevant	not relevant	not relevant	not relevant
14.4. Packing group			
not relevant	not relevant	not relevant	not relevant
14.5. Environmental hazards			
not relevant	not relevant	not relevant	not relevant
14.6. Special precautions for user			
not relevant	not relevant	not relevant	not relevant

14.7. Maritime transport in bulk according to IMO instruments

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 17 May 2024

Print date: 17 May 2024

Version: 1



Page 8/9

Sealer

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Authorisations:

Labelling for contents according to regulation (EC) No. 648/2004

Nonionic surfactants: <5%, phosphates

Benzisothiazolinone, Methylisothiazolinone

15.1.2. National regulations

[DE] National regulations

Restrictions of occupation

Observe employment restrictions according to the Act on the Protection of Mothers at Work, in Training and in Studies (Maternity Protection Act - MuSchG).

Observe employment restrictions according to the Law for the protection of working youth (Protection of Young Persons Act - JArbSchG).

Water hazard class

WGK:

2 - obviously hazardous to water

Berufsgenossenschaftliche Vorschriften (DGUV-Vorschriften)

Berufsgenossenschaftliche Vorschriften (DGUV-Vorschriften)

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out for this product.

SECTION 16: Other information

16.1. Indication of changes

No data available

16.2. Abbreviations and acronyms

ACGIH	American Conference of Governmental Industrial Hygienists
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging
DIN	German Institute for Standardization / German Industrial Standard
DNEL	derived no-effect level
EC ₅₀	Effective Concentration 50%
EN	European Standard
ES	Exposure scenario
EWC	European Waste Catalogue
IC ₅₀	Inhibition Concentration 50 %
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
ISO	International Standards Organisation
LC ₅₀	Lethal (fatal) Concentration 50%
LD ₅₀	Lethal (fatal) Dose 50%
MAK	Maximum concentration in the workplace air (CH)
NFPA	National Fire Protection Association
NIOSH	National Institute for Occupational Safety & Health
NOEC	No Observed Effect Concentration
OECD	Organisation for Economic Cooperation and Development
OSHA	Occupational Safety & Health Administration
PBT	persistent and bioaccumulative and toxic

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 17 May 2024

Print date: 17 May 2024

Version: 1



Page 9/9

Sealer

PNEC Predicted No Effect Concentration
REACH Registration, Evaluation and Authorization of Chemicals
RID Dangerous goods regulations for transport by rail
SCL Specific concentration limit
TRGS Technische Regeln für Gefahrstoffe
UN United Nations

16.3. Key literature references and sources for data

Substance name	Type	source of supply
(2-methoxymethylethoxy)propanol CAS No.: 34590-94-8 EC No.: 252-104-2	LD ₅₀ dermal; LC ₅₀ ; EC ₅₀ ; NOEC; LOEC	Source: European Chemicals Agency, http://echa.europa.eu/

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

Hazard statements	
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.

16.6. Training advice

No data available

16.7. Additional information

No data available