

Safety data sheet

According to Regulation (EC) No. 1907/2006 (REACH)

Date of issue: 31.03.2020 Supersedes edition of: 02.05.2019

SECTION 1: Identification of the substance / mixture and of the company / undertaking

1.1 Product identifier

Product name: Spülmittel Eco

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Dishwashing detergent

1.3 Details of the supplier of the safety data sheet

Company: Otto Oehme GmbH
 Industriestraße 20
 D-90584 Allersberg Deutschland
 Tel. +49 9176 98050
 info@oehme-lorito.de

1.4 Emergency telephone number

GIZ Nord Poisons Centre, Göttingen Tel. +49 (0) 551 19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Eye Irrit. 2, H319

Full text of hazard statements: See under section 16.

2.2 Label elements

Labelling (Regulation (EC) No. 1272/2008)

Hazard pictograms:



Signal word:

Warning

Hazard statements:

H319 Causes serious eye irritation.

EUH208 Contains: D-Limonene. May produce an allergic reaction.

Precautionary statements:

P280 Wear protective gloves/eye protection.

P337 + P313 If eye irritation persists: Get medical advice/attention.

Product name: Spülmittel Eco
 Revision date: 31.03.2020

2.3 Other hazards

Not known.

SECTION 3: Composition / information on ingredients

Solution in water.

Hazardous components (Regulation (EC) No. 1272/2008)

<i>Chemical name</i>	<i>Content</i>
<i>CAS-No. EC-No. EC-Index-No. Classification</i>	
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	< 10 %
68891-38-3 500-234-8	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412

REACH Registration Number: 01- 2119488639-16

Specific Conc. Limits:

Eye Irrit. 2: 5 – 10 %

Eye Dam. 1: > 10 %

Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., sodium salts	< 5 %
68411-30-3 270-115-0	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412

REACH Registration Number: 01-2119489428-22

Full text of hazard statements: See under section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

After inhalation: Fresh air. Call in physician if feeling unwell.

After skin contact: Wash off with plenty of water. Remove contaminated clothing. Consult a physician if skin irritations occur.

After eye contact: Rinse out with plenty of water with the eyelid held wide open. Call in ophthalmologist.

After swallowing: Make victim drink plenty of water (two glasses at most), avoid vomiting. Call in physician.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance / mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Not Combustible. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Special protective equipment for firefighters

Do not stay in dangerous zone without suitable chemical protection clothing and self-contained breathing apparatus.

Further information

Prevent fire-fighting water from entering surface water or groundwater.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Caution: Risk of slipping.

Do not inhale vapours/aerosols.

6.2 Environmental precautions

Do not get undiluted into sewerage system.

6.3 Methods and material for containment and cleaning up

Take up with incombustible liquid-absorbent material. Forward for disposal. Clean up affected area.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Notes for safe handling

Do not inhale vapours/aerosols. Avoid generation of vapours/aerosols.

Notes for prevention of fire and explosion

Not required.

7.2 Conditions for safe storage, including any incompatibilities

Store cool above 5 °C. Keep away from sun and heat.

Product name: Spülmittel Eco
 Revision date: 31.03.2020

Tightly closed in a well-ventilated place.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Individual protection measures

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier.

Eye / face protection:

Eye protection (EN 166).

Hand protection:

Material: Nitrile rubber.

Thickness: 0.1 mm

Breakthrough time: > 480 min

The protective gloves to be used must comply with the specifications of EC directive 89/686/EEC and the resultant standard EN 374, e.g. Franz Mensch Nitrile Safe Premium.

This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves.

Respiratory protection:

Required when vapours/aerosols are generated. Filter A2 P2 (EN 14387).

Hygiene measures

Change contaminated clothing. Apply skin- protective barrier cream.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form:	liquid
Colour:	yellow
Odour:	perfumed
pH value	6.5
Melting point	not specified
Boiling point	not specified
Ignition temperature	not applicable
Flash point	not applicable
Explosion limits	lower not applicable
	upper not applicable
Density (20 °C)	~ 1.0 g/cm ³

Product name: Spülmittel Eco
Revision date: 31.03.2020

Solubility in water miscible

9.2 Other information

None.

SECTION 10: Stability and reactivity

10.1 Reactivity

See section 10.3.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

No information available.

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

Substances to avoid:
Bases, acids.

10.6 Hazardous decomposition products

See section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

LD₅₀ rat: > 5000 mg/kg (OECD 401; Alcohols, C12-14, ethoxylated, sulfates, sodium salts)
LD₅₀ rat: 1470 mg/kg (external MSDS; Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.)

Acute dermal toxicity

LD₅₀ rat: > 5000 mg/kg (OECD 402; Alcohols, C12-14, ethoxylated, sulfates, sodium salts)
LD₅₀ rat: > 2000 mg/kg (external MSDS; Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.)

Skin irritation

Rabbit: Irritating (OECD 404; Alcohols, C12-14, ethoxylated, sulfates, sodium salts).
Corrosive (external MSDS; Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.)
Causes severe skin burns.

Eye irritation

Rabbit: Irritating (OECD 405; Alcohols, C12-14, ethoxylated, sulfates, sodium salts).
Causes serious eye irritation. Risk of serious damage to eyes.
Corrosive (external MSDS; Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.).
Causes serious eye damage.

Product name: Spülmittel Eco
Revision date: 31.03.2020

Sensitisation

Guinea pig: Negative (OECD 406; Alcohols, C12-14, ethoxylated, sulfates, sodium salts).

Genotoxicity in vitro

Mutagenicity: Negative (OECD 471; Alcohols, C12-14, ethoxylated, sulfates, sodium salts).

Mutagenicity: Ames Test bacteria: Negative (OECD 471; Alcohols, C12-14, ethoxylated, sulfates, sodium salts).

Mutagenicity

Bacteria: No evidence of genotoxic potential (external MSDS; Alcohols, C12-14, ethoxylated, sulfates, sodium salts).

Mammal cell cultures: No evidence of mutagen potential (external MSDS; Alcohols, C12-14, ethoxylated, sulfates, sodium salts).

Mammals: No evidence of mutagen potential (external MSDS; Alcohols, C12-14, ethoxylated, sulfates, sodium salts).

Specific target organ toxicity – single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ toxicity – repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification.

11.2 Further information

Further hazardous properties cannot be excluded. The product should be handled with the care usual when dealing with chemicals.

SECTION 12: Ecological information**12.1 Toxicity****Toxicity to fish**

Leuciscus idus LC₅₀: > 10 – 100 mg/l (DIN EN ISO 7346-2; Alcohols, C12-14, ethoxylated, sulfates, sodium salts)

Leuciscus idus NOEC: > 1 – 10 mg/l (external MSDS; Alcohols, C12-14, ethoxylated, sulfates, sodium salts).

Lepomis macrochirus LC₅₀: 1 – 10 mg/l /96 h (external MSDS; Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.)

Toxicity to daphnia and other aquatic invertebrates

Daphnia magna: EC₅₀: > 10 – 100 mg/l (OECD 202; Alcohols, C12-14, ethoxylated, sulfates, sodium salts)

Daphnia magna: NOEC: > 0.1 – 1 mg/l (external MSDS; Alcohols, C12-14, ethoxylated, sulfates, sodium salts)

Daphnia sp. EC₅₀: 1 – 10 mg/l /48 h (external MSDS; Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.)

Toxicity to algae

Scenedesmus subspicatus EC₅₀: > 100 mg/l (OECD 201; Alcohols, C12-14, ethoxylated, sulfates, sodium salts)

EC₅₀: 1 – 10 mg/l (external MSDS; Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.)

Product name: Spülmittel Eco
Revision date: 31.03.2020

Toxicity to bacteria

Activated sludge: *Pseudomonas putida* EC₀: > 100 mg/l (OECD 209; Alcohols, C12-14, ethoxylated, sulfates, sodium salts)

12.2 Persistence and degradability**Biodegradability**

The surfactants contained in this preparation complies with the Biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

Data to support this assertion are held at the disposal of the competent authorities of the member states and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Readily biodegradable (OECD 301; Alcohols, C12-14, ethoxylated, sulfates, sodium salts).

Biodegradation: > 60 % / 28 d (OECD 301B; Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.)

Readily biodegradable (Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.)

12.3 Bioaccumulative potential

No bioaccumulation is to be expected (external MSDS; Alcohols, C12-14, ethoxylated, sulfates, sodium salts).

Bioconcentration factor: > 100 (external MSDS; Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.).

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT / vPvB assessment not available as chemical safety assessment not required / not conducted.

12.6 Other adverse effects**Additional ecological information:**

Do not allow to enter waters, waste water, or soil!

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Product:**

Chemicals must be disposed of in compliance with the respective national regulations.

Code of the waste

200129*

070601*

Name according to directive 2000/532/EC:

detergents containing dangerous substances.

aqueous washing liquids and mother liquors.

Packaging:

Product packaging must be disposed of in compliance with the country-specific regulations or must be to a packaging return system.

SECTION 14: Transport information

Not classified as dangerous in the meaning of transport regulations.

Product name: Spülmittel Eco
Revision date: 31.03.2020

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations / legislation specific for the substance or mixture

EU regulations

Ingredients according to Regulation (EC) on detergents No. 648/2004:

Anionic surfactants: 5 % or over but less than 15 %

Benzisothiazolinone, Methylisothiazolinone.

Perfumes. Limonene, Citral.

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16: Other information

Reason for alteration:

SECTION 8: Exposure controls/personal protection

Exposure controls

SECTION 13: Disposal considerations

Full text of hazard statements referred to under sections 2 and 3:

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.