

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 06.10.2025

Version number 5 (replaces version 4)

Revision: 06.10.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
 - **Trade name:** Spülpulver 20362/202
 - **UFI:** UP63-T05G-E00P-THET
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
 - **Product category** PC35 Washing and cleaning products (including solvent based products)
 - **Process category**
PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities
 - **Environmental release category**
ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)
- **Application of the substance / the mixture**
Cleaner
Only for professional use.
Reinigungsmittel
- **Uses advised against** No further relevant information available.
- **1.3 Details of the supplier of the safety data sheet**
 - **Manufacturer/Supplier:**
Otto Oehme GmbH
Industriestr. 20
D -90584 Allersberg

Telefon +49 (0) 9176 / 9805 - 0
Telefax +49 (0) 9176 / 9805 - 55
- **Further information obtainable from:** Product safety department
- **1.4 Emergency telephone number:**
 - ☎ **Gemeinsames Giftinformationszentrum der Länder**
Mecklenburg-Vorpommern, Sachsen, Sachsen-Anhalt und Thüringen
HELIOS Klinikum Erfurt GmbH
☎ Nordhäuser Straße 74
☎ D – 99089 Erfurt
☎ +49 (0)361 – 730 730
🕒 24 Stunden am Tag, 365 Tage im Jahr erreichbar
🌐 www.ggiz-erfurt.de

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
 - **Classification according to Regulation (EC) No 1272/2008**



GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

STOT SE 3 H335 May cause respiratory irritation.

- **2.2 Label elements**
 - **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 06.10.2025

Version number 5 (replaces version 4)

Revision: 06.10.2025

Trade name: Spülpulver 20362/202

(Contd. of page 1)

· Hazard pictograms

GHS05 GHS07

· Signal word *Danger***· Hazard-determining components of labelling:***disodium metasilicate***· Hazard statements***H314 Causes severe skin burns and eye damage.**H335 May cause respiratory irritation.***· Precautionary statements***P260 Do not breathe dusts or mists.**P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.**P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].**P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.**P310 Immediately call a POISON CENTER/doctor.**P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.**P405 Store locked up.**P501 Dispose of contents/container in accordance with local/regional/national/international regulations.***· 2.3 Other hazards****· Results of PBT and vPvB assessment****· PBT:** Not applicable.**· vPvB:** Not applicable.**· Determination of endocrine-disrupting properties***The substance/mixture does not contain any components in quantities of 0.1% or more that exhibit endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605.*

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures**· Description:** Mixture of substances listed below with nonhazardous additions.**· Dangerous components:**

CAS: 497-19-8 EINECS: 207-838-8 Index number: 011-005-00-2 Reg.nr.: 01-2119485498-19	sodium carbonate ⚠ Eye Irrit. 2, H319	30 - < 50%
CAS: 6834-92-0 EINECS: 229-912-9 Index number: 014-010-00-8 Reg.nr.: 01-2119449811-37	disodium metasilicate ⚠ Skin Corr. 1B, H314 ⚠ Acute Tox. 4, H302; STOT SE 3, H335	30 - < 50%
CAS: 15630-89-4 EINECS: 239-707-6 Reg.nr.: 01-2119457268-30	disodium carbonate, compound with hydrogenperoxide (2:3) ⚠ Ox. Sol. 2, H272 ⚠ Eye Dam. 1, H318 ⚠ Acute Tox. 4, H302 Specific concentration limits: Eye Dam. 1; H318: $C \geq 25\%$ Eye Irrit. 2; H319: $7.5\% \leq C < 25\%$	5 - < 10%

(Contd. on page 3)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 06.10.2025

Version number 5 (replaces version 4)

Revision: 06.10.2025

Trade name: Spülpulver 20362/202

(Contd. of page 2)

CAS: 68439-49-6

EC number: 939-518-5

Reg.nr.: 01-2119977094-30

Alcohols, C16-18, ethoxylated

⚠ Eye Irrit. 2, H319

I - < 2.5%

· **Regulation (EC) No 648/2004 on detergents / Labelling for contents**

phosphates

≥15 - <30%

oxygen-based bleaching agents

≥5 - <15%

non-ionic surfactants

<5%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· **4.1 Description of first aid measures**

· **General information:** Immediately remove any clothing soiled by the product.

· **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:**

Wash off immediately with soap and water and rinse thoroughly. Consult a doctor if irritation persists.

· **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:** Drink plenty of water and provide fresh air. Call for a doctor immediately.

· **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.

· **5.2 Special hazards arising from the substance or mixture**

During heating or in case of fire poisonous gases are produced.

· **5.3 Advice for firefighters**

· **Protective equipment:**

Mouth respiratory protective device.

See section 8 for personal protection information.

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· **6.2 Environmental precautions:** No special measures required.

· **6.3 Methods and material for containment and cleaning up:**

Use neutralising agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

(Contd. on page 4)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 06.10.2025

Version number 5 (replaces version 4)

Revision: 06.10.2025

Trade name: Spülpulver 20362/202

(Contd. of page 3)

- **Information about fire - and explosion protection:** Keep respiratory protective device available.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:** Store cool and dry in tightly closed containers.
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **Storage class:** 8B Nicht brennbare ätzende Gefahrstoffe
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Appropriate engineering controls** No further data; see section 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
- **Respiratory protection:**
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- **Hand protection**
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.



Protective gloves

Wear protective gloves according to EN 374.

Skin protection creams do not provide as effective protection as protective gloves. Therefore, suitable protective gloves should be preferred as much as possible.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye/face protection**



Tightly sealed goggles

(Contd. on page 5)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 06.10.2025

Version number 5 (replaces version 4)

Revision: 06.10.2025

Trade name: Spülpulver 20362/202

(Contd. of page 4)

· **Body protection:** Protective work clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state	Solid
· Colour:	According to product specification
· Odour:	Characteristic
· Odour threshold:	Not determined.
· Melting point/freezing point:	Undetermined.
· Boiling point or initial boiling point and boiling range	Undetermined.
· Flammability	Not determined.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	Not applicable.
· Decomposition temperature:	Not determined.
· pH at 20 °C	11 - 12 (10%)
· Viscosity:	
· Kinematic viscosity	Not applicable.
· Dynamic:	Not applicable.
· Solubility	
· water:	Soluble.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not applicable.
· Density and/or relative density	
· Density:	Not determined.
· Relative density	Not determined.
· Bulk density:	1,000 - 1,200 kg/m ³
· Vapour density	Not applicable.
· Particle characteristics	See section 3.

· 9.2 Other information

· Appearance:	
· Form:	Powder
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Solvent content:	
· Solids content:	100.0 %
· Change in condition	
· Evaporation rate	Not applicable.

· Information with regard to physical hazard classes

· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void

(Contd. on page 6)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 06.10.2025

Version number 5 (replaces version 4)

Revision: 06.10.2025

Trade name: Spülpulver 20362/202

(Contd. of page 5)

- | | |
|---|------|
| · Self-heating substances and mixtures | Void |
| · Substances and mixtures, which emit flammable gases in contact with water | Void |
| · Oxidising liquids | Void |
| · Oxidising solids | Void |
| · Organic peroxides | Void |
| · Corrosive to metals | Void |
| · Desensitised explosives | Void |

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

6834-92-0 disodium metasilicate

Oral LD50 1,280 mg/kg (rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Causes severe skin burns and eye damage.
- **Serious eye damage/irritation** Causes serious eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** May cause respiratory irritation.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**
- The product does not contain substances with endocrine disrupting properties.

(Contd. on page 7)

EU

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 06.10.2025

Version number 5 (replaces version 4)

Revision: 06.10.2025

Trade name: Spülpulver 20362/202

(Contd. of page 6)

· **12.7 Other adverse effects**

· **Additional ecological information:**

· **General notes:**

Adsorption to soil is not expected. Investigation is not necessary. Reason: Easily biodegradable.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

The note below refers to the product left as it is and not to further processed products. When mixed with other products, other disposal routes may be required; if in doubt, consult the supplier of the product or the local authority.

· **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· **Waste disposal key:**

The waste code numbers are since 1.1.1999 not only product but essentially

Application-specific. The valid application for the waste code number can be found in the European Waste Catalogue.

· **Uncleaned packaging:**

· **Recommendation:** Disposal must be made according to official regulations.

· **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· **14.1 UN number or ID number**

· **ADR/RID/ADN, IMDG, IATA**

UN3262

· **14.2 UN proper shipping name**

· **ADR/RID/ADN**

UN3262 CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (DISODIUM TRIOXOSILICATE)

· **IMDG, IATA**

CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (DISODIUM TRIOXOSILICATE)

· **14.3 Transport hazard class(es)**

· **ADR/RID/ADN**



· **Class**

8 (C6) Corrosive substances.

· **Label**

8

· **IMDG, IATA**



· **Class**

8 Corrosive substances.

· **Label**

8

(Contd. on page 8)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 06.10.2025

Version number 5 (replaces version 4)

Revision: 06.10.2025

Trade name: Spülpulver 20362/202

(Contd. of page 7)

· 14.4 Packing group · ADR/RID/ADN, IMDG, IATA	III
· 14.5 Environmental hazards:	<i>Not applicable.</i>
· 14.6 Special precautions for user · Hazard identification number (Kemler code): · EMS Number: · Segregation groups · Stowage Category · Segregation Code	<i>Warning: Corrosive substances.</i> 80 <i>F-A,S-B</i> <i>(SGG18) Alkalies</i> <i>A</i> <i>SG35 Stow "separated from" SGG1-acids</i>
· 14.7 Maritime transport in bulk according to IMO instruments	<i>Not applicable.</i>
· Transport/Additional information:	
· ADR/RID/ADN · Limited quantities (LQ) · Excepted quantities (EQ)	5 kg Code: E1 <i>Maximum net quantity per inner packaging: 30 g</i> <i>Maximum net quantity per outer packaging: 1000 g</i>
· Transport category · Tunnel restriction code	3 E
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5 kg Code: E1 <i>Maximum net quantity per inner packaging: 30 g</i> <i>Maximum net quantity per outer packaging: 1000 g</i>
· UN "Model Regulation":	UN 3262 CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (DISODIUM TRIOXOSILICATE), 8, III

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Signal word** *Danger*
- **Hazard-determining components of labelling:**
disodium metasilicate
- **Hazard statements**
H314 Causes severe skin burns and eye damage.
H335 May cause respiratory irritation.
- **Precautionary statements**
P260 Do not breathe dusts or mists.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 9)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 06.10.2025

Version number 5 (replaces version 4)

Revision: 06.10.2025

Trade name: Spülpulver 20362/202

(Contd. of page 8)

· **Directive 2012/18/EU**· **Named dangerous substances - ANNEX I** None of the ingredients is included.· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

· **REGULATION (EU) 2019/1148**· **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

· **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

· **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

· **National regulations:**· **Information about limitation of use:**

Observe employment restrictions for children and adolescents according to Directive 94/33 / EC and the corresponding national regulations.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

The information is based on the current state of our knowledge, but it does not constitute a warranty of product of product characteristics and do not establish a contractual legal relationship. According to Annex II of ECNo. 1907/2006 in the version applicable on the date of this safety data sheet.

· **Relevant phrases**

H272 May intensify fire; oxidiser.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

· **Training hints**

Our information corresponds to our current knowledge and experience to the best of our knowledge. However, we pass it on without obligation. We reserve the right to make changes in the course of technical progress and further operational development. Our information merely describes the quality of our products and services and does not constitute any guarantees. The customer is not released from the obligation to have the functions and possible applications of the products carefully checked by qualified personnel. This also applies with regard to the protection of third party property rights. The mention of trade names of other companies is not a recommendation and does not exclude the use of other similar products.

· **Classification according to Regulation (EC) No 1272/2008**

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

· **Contact:** Product Safety Department· **Version number of previous version:** 4· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

(Contd. on page 10)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 06.10.2025

Version number 5 (replaces version 4)

Revision: 06.10.2025

Trade name: Spülpulver 20362/202

(Contd. of page 9)

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Ox. Sol. 2: Oxidizing solids – Category 2

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· **Sources**

Regulations

REACH Regulation (EC) No 1907/2006

CLP Regulation (EC) No. 1272/2008

Regulation (EC) No 648/2004 on detergents

Internet

1 <https://www.baua.de>2 <https://dguv.de/ifa/stoffdatenbank>3 <https://www.gischem.de>4 <https://echa.europa.eu/en/candidate-list-table>5 <http://gestis.itrust.de>· * **Data compared to the previous version altered.**

EU